

INTERNATIONAL INSTITUTE OF AGRICULTURE
BUREAU OF AGRICULTURAL INTELLIGENCE AND PLANT DISEASES

INTERNATIONAL REVIEW
OF THE SCIENCE
AND PRACTICE OF AGRICULTURE

MONTHLY BULLETIN
OF AGRICULTURAL INTELLIGENCE AND PLANT DISEASES

INDEX
Year 1922



ROME - PRINTING OFFICE OF THE INSTITUTE - 1923

THE INTERNATIONAL INSTITUTE OF AGRICULTURE

The International Institute of Agriculture was established under the International Treaty of 7 June 1905, which was ratified by forty governments. Twenty-two other governments have since adhered to the Institute.

It is a Government institution in which each country is represented by delegates. The Institute is composed of a General Assembly and a Permanent Committee.

The Institute, always confining its attention to the international aspect of the various questions concerned, shall :

(a) collect, study and publish as promptly as possible, statistical, technical, or economic information concerning farming, vegetable and animal products, trade in agricultural produce and the prices prevailing in the various markets ;

(b) communicate the above information as soon as possible to those interested ;

(c) indicate the wages paid for farm work ;

(d) record new diseases of plants which may appear in any part of the world, showing the regions infected, the progress of the diseases, and if possible, any effective remedies ;

(e) study questions concerning agricultural co-operation, insurance and credit from every point of view ; collect and publish information which might prove of value in the various countries for the organization of agricultural co-operation, insurance and credit ;

(f) submit for the approval of the various governments, if necessary, measures for the protection of the common interests of farmers and for the improvement of their condition, utilising for this purpose all available sources of information, such as resolutions passed by international or other agricultural congresses and societies, or by scientific and learned bodies, etc.

PERMANENT COMMITTEE

OF THE INTERNATIONAL INSTITUTE OF AGRICULTURE

President: His Exc. EDOARDO PANTANO, Senator, Delegate of Italy.

Vice-President: M. LOUIS-DOP, Delegate of France.

List of the Delegates to the Permanent Committee:

1 ARGENTINA	I	Prof. TOMÁS AMADSO, Director-General, Ministry of Agricult.
2 AUSTRIA	IV	O. BOLLE.
3 BELGIUM	IV	O. BOLLE.
4 BELGIAN CONGO	V	D. DE CAMPOS, Commercial Attaché to the Embassy.
5 BRAZIL	I	G. RADEFF, Minister Plenipotentiary.
6 BULGARIA	III	E. VILLEGAS, Minister Plenipotentiary.
7 CHILE	II	TCHOU YIN, Secretary to the Legation.
8 CHINA	I	Prince RUFO RUFO.
9 COLOMBIA	V	Dr. F. F. FALCO.
10 COSTA-RICA	V	H. DE KAUFFMANN, Minister Plenipotentiary.
11 CUBA	V	Prof. A. MAURI, Member of Italian Chamber of Deputies.
12 CZECHOSLOVAKIA	III	Sir THOMAS H. ELLIOTT, Bart., K. C. B.
13 DENMARK	IV	H. G. GUMMEROS, Minister Plenipotentiary.
14 ECUADOR	V	LOUIS-DOP, Vice-President of the Institute.
15 ETHIOPIA	V	LOUIS-DOP.
16 EGYPT	II	LOUIS-DOP.
17 FINLAND	IV	LOUIS-DOP.
18 FRANCE	I	LOUIS-DOP.
19 ALGERIA	III	LOUIS-DOP.
20 FRENCH WEST AFRICA	IV	LOUIS-DOP.
21 INDO-CHINA	III	LOUIS-DOP.
22 MADAGASCAR	V	LOUIS-DOP.
23 MOROCCO	III	LOUIS-DOP.
24 TUNIS	IV	LOUIS-DOP.
25 GERMANY	I	Dr. MEHRENS, Councillor of State.
26 GR. BRITAIN & IRELAND	I	Sir THOMAS H. ELLIOTT, Bart., K. C. B.
27 AUSTRALIA	III	Sir THOMAS H. ELLIOTT, Bart., K. C. B.
28 BRITISH INDIA	II	Sir THOMAS H. ELLIOTT, Bart., K. C. B.
29 CANADA	II	Sir THOMAS H. ELLIOTT, Bart., K. C. B.
30 NEW ZEALAND	IV	Sir THOMAS H. ELLIOTT, Bart., K. C. B.
31 UNION OF SOUTH AFR.	IV	Sir THOMAS H. ELLIOTT, Bart., K. C. B.
32 GREECE	IV	J. MONTEFIORE, Consul General.
33 GUATEMALA	V	His Exc. EDOARDO PANTANO, Senator, Presid. of the Instit.
34 HAITI	I	Prof. C. DE MICHELIS, Gen. Commissioner of Emigration.
35 HUNGARY	I	Count EDOARDO SODERINI.
36 ITALY	I	MINORU FUJII, Secretary to the Embassy.
37 HINDIA & IS. SOMALIA	IV	Dr. M. WALTERS, Minister Plenipotentiary.
38 TRIPOLI AND CYRENAICA	IV	O. BOLLE.
39 JAPAN	I	G. VOLPI, Minister Plenipotentiary.
40 LATVIA	V	Dr. J. J. L. VAN RIJN, Commercial Attaché to the Legation.
41 LUXEMBOURG	V	Dr. J. J. L. VAN RIJN.
42 MEXICO	III	V. E. BLANCHI, Consul General.
43 MONTENEGRO	V	A. FJELSTAD, Counsellor to the Agricultural Department.
44 NETHERLANDS	IV	Dr. MEHMED DJEMIL Bey.
45 DUTCH EAST INDIES	IV	A. DEL GALLO, Marquis of ROCCAGIOVINE.
46 NICARAGUA	V	Prof. E. P. MOLINATTI.
47 NORWAY	IV	B. JANISZOWSKI, Consul General.
48 OTTOMAN EMPIRE	I	EUSEBIO LEÃO, Minister Plenipotentiary.
49 PARAGUAY	V	N. DIANU, Counsellor to the Legation.
50 PERSIA	V	His Exc. G. ZABIELLO, Consul General.
51 PERU	V	His Exc. L. LUZZATTI, Minister of State.
52 POLAND	IV	C. SCOTTI, Consul General.
53 PORTUGAL	IV	FRANCISCO BILBAO y REVILLA, Agricultural Engineer.
54 ROMANIA	I	Baron C. N. D. DE BILDT, Counsellor to the Legation.
55 RUSSIA	I	GEORGES WAGNIÈRE, Minister Plenipotentiary.
56 SAN MARINO	V	Prof. ASHER HOBSON.
57 KINGDOM OF THE SERBS, CROATS AND SLOVENES	III	ENRIQUE J. ROVIRA, Consul.
58 SPAIN	I	
59 SWEDEN	IV	
60 SWITZERLAND	IV	
61 UNITED STATES	I	
62 URUGUAY	V	

General Secretary: Prof. CARLO DRAGONI.

EDITORIAL STAFF OF THE BUREAU OF AGRICULTURAL INTELLIGENCE AND PLANT DISEASES

Chief of Bureau: Dr. JULES MICHEL SAULNIER

Editors:

Prof. GIROLAMO AZZI, Chief Rédacteur.
THEODORE BILIER, Chief Rédacteur.
Dr. GUIDO BONGERSI, Chief Rédacteur.
Prof. GIULIO TRUNCHETTI, Chief Rédacteur.

PAUL CASTELLAN, Ing. Agron.
Dr. FRANCESCA DORIO.
MARGARITE L. YEO, Dipl. Hort. Sc.
(Oxford & Reading).

CONTENTS

PREFACE	Page	6
I. — Original Articles	"	7
II. — Agricultural Intelligence :		
A) Index	"	7
B) Authors	"	59
III. — Plant Diseases :		
A) Index	"	73
B) Authors	"	99
IV. — Weights, measures and money of the various countries with their English Equivalents.	"	102

PREFACE

This Index though arranged alphabetically retains the grouping of the subjects used in the *International Review*.

Except in the case of the original articles, which are numbered according to their pages, the numbers of each subject refer to the paragraphs in the *Review*.

The Index consists of three parts: one of the original articles, one concerned with Agricultural Intelligence and the last with Plant Diseases.

In case of errors in the *Review* with reference to scientific terms and the names of authors, it should be noted that the correct spelling can be relied upon in the Index.

The Table used for the conversion of the Weights, Measures and Money values of the various countries to the Metric System is included.

I. — ORIGINAL ARTICLES

- CORTESI, FABRIZIO: Problems of Cotton Growing, page 927.
ERIKSSON, Prof. JAKOB: The Mycoplasma Theory, page 269.
MAT, M.: Improvement in Administrative Methods in the Belgium Ministry of Agriculture, page 615.
WANDERLEY DE ARANJO PINHO, Dr. JOAQUIM: Note on Cocoa growing in the State of Bahia (Brazil), page 1169.

II. AGRICULTURAL INTELLIGENCE

A) INDEX.

- ABACA: See Manila Hemp.
Abies grandis, 1021, 1320.
Abramis brama, 1354.
Abura-kiri, 1169.
Acacia spp., 31, 172, 574, 1031.
Acarapis (*Tarsonemus woodi*), 865.
Acaricoba (*Hydrocotyle* spp.), 1051.
Acelga (*Beta cyclo*), 1064.
Acerina cernua, 1354.
Acetone, 1366.
Achillea Millefolium, 582.
Achras Zapota, 697.
Adina cordifolia, 442.
Adlay, 258, 412.
Aeschynomene spp., 1031, 1051.
Aesculus, 798.
African Star Grass (*Cynodon plectostachyum*), 711, 1294.
Africa, British West: Giant Grasses for Paper Making, 169. Cinnamon Production on Gold Coast, 577.
Africa, East and Central: Giant Grasses for Paper Making, 169. Cinnamon Production in Zanzibar, and Uganda, 577. Cotton Production, p. 930.
Africa, French West: Giant Grasses for Paper Making, 169. Irrigation Schemes in French Soudan and Cotton Production, 417. Coconut Palms and Production of Copra in Dahomey, 573. Cinnamon Production, 577. Horses of the French Sudan, 975. Agriculture in Nigeria in 1921, 1130. Copal, 1172. Cotton in Ivory Coast and Central Logone, 1298. Forest Areas, 1321.
Africa, North: Lucerne, 44. Fresh Water Pisciculture, 197. Forage Production, 258. Barley and Milling, 952. Fenugreek, 954. See

- also Algeria, Egypt, Lybia, Morocco and Tunisia
- Africa Portuguese East: Development of Natural Resources, 1129.
- Africa South: Utilisation of Tobacco Waste, 634. Notes on Virginian and Turkish Tobaccos, 56. Gembok Beans (*Bauhinia esculenta*), 162. Giant Grasses for Paper-Making, 169. Note on South African Bee, 195. Bee-Keeping in Rhodesia, 625. Flue-curing Tobacco Barns and Packing House in Rhodesia, 201. New Chinese Variety of Lucerne, 414. Hubam Clover in Natal, 415. Chief Causes of Low Yields of Maize and Means of Improvement, 565. Star Grass (*Cynodon plectostachyum*) a Valuable Fodder Grass, 568. Fodder Grasses, 568, 569. Cotton Ratooning Experiments, 572. Seed Trials at Cedara School of Agriculture, Natal, Experiments with Fodder Plants, 709. Grasses of Agricultural Value in S. Rhodesia, 711, 1294. Cotton Growing, page 928. Sunflower Growing in Rhodesia, 955. Cultivation of Citrus Fruits in Rhodesia, 1065. Nicotine Content of S. African Tobacco, 1313. Forage Grasses of S. Rhodesia, 165, 1294.
- Agave: In Tran-Ninh, Indo-China, 168. In the Philippines, 360. In the Belgian Congo, 419. Improvement by Selection of *Agave sisalana*, 706. In Martinique, 902.
- Agricultural Botany: See Chemistry and Plant Physiology.
- Agricultural Ecology: New Service of. Agricultural Ecology in Italy, 228.
- Agricultural Education: Teaching of Soil Bacteriology, 904. Agricultural and Horticultural Instruction in Belgium, 905.
- Agricultural Institutes: In Italy, 3. Stock Breeding Institute of Sidi-Tabet, Tunisia, 81. Agricultural Institute in Brazil, 135. Instruction and Investigation in Plant Breeding at the College of Agriculture in the Philippines, 153. Permanent Milk Commission in Belgium, 202. New Bureau of Agricultural Economics and Scientific Work of Department of Agriculture, U. S. A., 225. Present Position of Research in Agriculture in Great Britain and Application to Practical Farming, 226. Agricultural Colleges and Farm Institutes in Great Britain, 226. Researches on Organic Matter in the Soil at Rothamsted Experiment Station (England), 237. Phytotechnical station at Gayerovo (Parana), Brazil, 241. Suggestions for Organisation of Stations of Agricultural Research in France and French Colonies, 365. Agricultural Experiment Stations in Czecho-Slovakia, 366. Establishment of West Indian Agricultural College in Trinidad, 369. Accuracy in Experiments carried out at the Danish State Experiment Stations with Varieties and Strains of Roots, 538. Fermentation Laboratory and Central Cider Brewery at Ettelbrück (Luxemburg), 537. Autumn School for Shepherds at Rambouillet (France), 534. Botanical Station at Maison Carrée (Algeria), 535. Forest Research Station in Denmark, 536. "Office Régional Agricole" in South of France, 684. Stock-Breeding Establishment at Sidi-Tabet, Tunis, 843. Agricultural Institutions in Martinique, 902. Institute of Agronomic Research, France, 907. Agricultural Instruction in State of Bahia (Brazil), 1131. Experimental Stations for Oleaginous Plants in French Afri-

- can Colonies, 1168. Programme of Swedish State Institute of Experimental Forestry for Period 1922-26, 1181. Agricultural Experiment Stations in Assam (India), 1250. Work of Bordeaux Colonial Institute, 1321. Work of the "Istituto sperimentale di Caseificio" Lodi (Italy), 1342, 1378.
- Agropyron repens*, 582.
- Agrostemma*, 966.
- Agrostis* spp., 13, 258, 1296.
- "Aguinaldo rosado" and "blanco de Pascuas" (*Ipomoea* spp.), 462.
- Ahmednagar (*Sorghum* sp.), 566.
- Akala (*Rubus Macraei*), 31.
- Albizia*: *A. Lebbek*, 444, 808, 1174. *A. stipulata*, 1174.
- Alcohol: Production in State of São Paulo, Brazil, 135. Raw Materials used in the Italian Alcohol Industry, 493. Figs as Raw Material for Alcohol Manufacture, 989. Sulphite Alcohol, 990. Alcohol from Maize Stalks, 1366. Possibilities of Plant Growth in Damp Tropical Areas for Supplying Materials for Liquid Fuel, 1367.
- Alerce, 827.
- Aleurites*: *A. cordata*, 1169. *A. tri-sperma*, 1031.
- Alfalfa: See Lucerne.
- Algarrobo de olor, 808.
- Algeria: Cotton Growing, 416. Cultivation of Capsicum, 432. Botanical Station at Maison Carrée, 335. Manitoba Wheats, 708. Fenugreek, 954. Cotton production, page 930. Frauds in Wool Trade and their Prevention, 1231. Forest Areas, 1321. Atlas Cedar Wood Oil, 1322. "Defertage" of Wines, 1364.
- Allium*: *A. Ceba* in Mesopotamia, 1316. *Allium* spp., 33, 1031, 1316.
- Almond, 576.
- Alopecurus pratensis*, 150, 582, 690.
- Aluminium: Absorption of ions of Aluminium through the Root System of Plants, 813. Aluminium Salts in the Soil, 909. Effect of Aluminium Salts upon Growth of Maize, 1039. Effect of Aluminium Salts and Acids on Development of Plants in Water Cultures, 1133.
- Amaranthus*: *A. albus*, 185. *A. paniculatus*, 1031.
- Amargoso (*Momordica Charantia*), 1064.
- "Amarillo canario", 204.
- "Ambrevade" (*Cajanus* spp.), 1174.
- Ambrosia polystachya*, 1051.
- America, South: Cinnamon Production, 577.
- Ammonification: See Manures, Nitrogenous, Microbiology, Soil.
- Ampelodesmos tenax*, 550.
- Ampelopsis hederacea*, 1157.
- Amygdalus* spp., 1031.
- Amyris balsamifera*, 54.
- Anacardium occidentale*, 576.
- Analysis of Agricultural Products: Of Total Nitrogen % of Fertilisers in Various Forms, 17. Of "Brazil Beans" or "Mulatinos" Var. of *Phaseolus vulgaris*, 76. Of Concentrated Food "Fruges Lin" or "Nutritivo Squassi", 77. Of Sheep's Milk during Lactation Period, 102. Of Tobacco Waste, 146. Of Gembok Beans (*Bauhinia esculenta*), 162. Of Mangrove Barks, 172. Of Cuica Resin from *Cercidium spinosum*, 175. Of Papain from *Carica Papaya*, 176. Digestibility Coefficients of Rye Straw disintegrated, 184. Sodium Chloride Content of Stock Feeds, 185. Analyses of: *Pennisetum polystachyum* compared with other Fodder Grasses, 239. Of Mangolds, 262. Of Illipe Nuts from *Shorea stenoptera*, 266. Of Oil and Residual Cake of the Physic or Purging Nut (*Jatropha Curcas*).

267. Of Steers of One Year on Different Planes of Nutrition, 280. Of Brans obtained by different Degrees of Milling, 282. Of Wild Beets, 391. Of Sweet Maize at Different Stages of Ripening, 408. Of Some Indo-Chinese Leguminosae, 413. Of Safflower Meal (*Carthamus tinctorius*), 431. Of Mushrooms, 433. Of Oil from Pips of French Grapes, 495. Of Diss Ergot and Oat Ergot, 550. Of "Civitella" Wheat Varieties, 554. Of Star Grass (*Cynodon plectostachyum*), 568. Of Cinnamon Barks and Oils, 577. Of Cow's Milk: Effect of Period of Lactation on Fat Percentage, 611. Of Milk Powder; Fat Content, 638. Bacteriological Content, 1377. Of Green Manure Plants at Various Stages of Growth, 691. Of Fijian Wild Sugar Cane, 699. Of *Cordyline terminalis*, Roots, 699. Of Grasses of Agricultural Value, 711. Of Body of Steer at Different Weights and Composition of Increases in Weight of Tissues, 850. Of Fat Percentage of Milk, Effect of Temperature, 852. Apparatus and Methods of Analysis for Dairy Industries, 870. Analysis: Of Sunflowers, 955. Of Bulgarian Grapes, Must and Wines, 988. Of Imitation "Pecorino Romano" Cheese, 993. Of Certain Brazilian Forage Plants, 1051. Of *Panicum* spp., 1053. Of Waste Products from Chick-peas, Peas and Beans, 1073. Of Wines of Lees and Lees of Wine, 1097. Of Manioc Bread compared with Wheat-en Bread, 1102. Of *Arundinaria cannavieira*, 1252. Of Wool and Waste Water 1272. Of Forage Grasses in Rhodesia 1294. Of Grasses and Hay, 1296. Of Latex of *Hevea*, 1309. Of Sugar from Palm, 1311. Of South African Tobacco, Nicotine Content, 1313. Of Goat's Milk; Effect of Diet, 1338. Of Principal Trentino Wines, 1363.
- Anaplasma argentinum*, 180.
- Anatomy and Physiology of Live Stock: Researches on the Rate of Growth of the Dairy Cow; Extra-Uterine Increase in Weight, 73. Lactic Secretion in an Unmated Mule, 74. Measurement of Cutaneous Surface of Horse, 285. Effects of Castration, 448. Possibility of Castrating Animals by the Use of Serums, 449. Rejuvenescence of Animals; Experiments on old Fowls and Doe-Rabbits, 450. Murmur in Uterine Arteries of the Mare, 977. "Working Conditions" of Draught Animals under different Dietary Conditions, 1071. Chemical Composition of the Bodies of Domestic Animals, 1188. Milk Retention of Cow, 1189. See also Feeds and Breeding.
- Ancylostoma caninum*, 71.
- Andira inermis*, 368.
- Andropogon* spp., 28, 169, 1031, 1051, 1055. *A. Sorghum*: Bran used in Cure of Lathyrism of Animals, 363.
- Anona* spp., 1031.
- "Anquentos", 827.
- Antelope Grass (*Echinochloa pyramidalis*), 711.
- "Antersecoco", 167.
- Anthemis nobilis*, 582. *Anthemis* spp., 33.
- Anthistiria* spp., 169.
- Anthoxanthum odoratum*, 1296.
- Anthyllis Vulneraria*, 553.
- "Apitong" (*Dipterocarpus grandiflorus*), 443.
- Apium graveolens*, 1316.
- Apocynum* spp., 715.
- Apples: Apple Packing Houses, 200.

- New Test for Maturity, 958. See also Plant Breeding.
- Apricots: Dessication of Fruit, 993.
- Aralia Guisfoylei*, 576.
- Aramina (*Urena lobata*), 1166.
- "Arapabaca" (*Spigelia anthelmia*), 1051.
- Argas reflexus*: Effect of Chloropicrin Fumes, 178.
- Argentina: Linseed Production, 33. Ensilage of Forage Plants and Adaptation of the Process to Existing Conditions, 204. Researches on Presence of Arsenic and Iodine in Soils and Subterranean Water, 232. Influence of Temperature and Rains on Maize Yield, 539. Forestry Journals, 587. Lucerne in Tucuman, 710. Cultivation of Lemons, 723. Cattle Crisis, 973. Effect of Meteorological Factors on the Quality and Quantity of Wheat, 1253.
- Aristida* sp., 169, 1051.
- Armillaria mellea*, 803.
- "Aroua" (*Maranta juncea*), 902.
- "Arquillo" (*Meibomia Rensoni*), 164.
- Arrhenatherum avenaceum*, 582.
- Arrowroot: In Guam, 1064.
- "Arroz-brabo" (Wild Rice), 21.
- Arsenic: Presence in Soils and Subterranean Water in Argentina, 232. Uses in Agriculture, 1281.
- Artikolobium scorpioides*, 33.
- Artichokes: In Algeria, 535.
- Artocarpus odoratissima*, 697.
- "Arumarana" (*Thalia* spp.), 1051.
- Arundinaria cannavieira*, 1252.
- Arundo Donax*, 169.
- Asclepias* spp., 62, 590, 215.
- Asparagus* spp., 1064.
- "Asperana" (*Menyanthes brasiliica*), 1051.
- Aspergillus* spp., 364, 803.
- Asperula arvensis*, 33.
- Asphodel: As Food for Animals, 1193.
- Asphodelus tenuifolius*, 33.
- Aspidiotus bromeliae*, 1314.
- Astragalus* spp.: Poisonous to Live-Stock, 590. *A. sinicus*, 141.
- "Atemoya" (*Anona Cherimolia*), 1031.
- Atriplex semibaccata*, 46.
- Attacus* spp., 93, 1086.
- Attalea funifera*, 1166.
- Aulomyricia longipes*, 1252.
- Aurantiaceae, 1178.
- Australia: Giant Grasses for Paper Making, 169. Cotton Growing in Queensland, 418. Forestry Journals etc., 587. Water Buffalo in Northern Territory, 744. Bee-Keeping in Tasmania, 759. Cotton Growing, page 930. Importation of Tropical Cattle into Northern Territory, 849. Sheep Breeding, 857. Present Position of Pig Breeding, 1344.
- Austria: Shortening the Incubation Period by Exposing Eggs to Radium Emanation, 89. Internal Sources of Fixed Nitrogen, 144. Establishment of a New Vine Selection Station, 396. Forestry Journals, 587. Horse Breeding in Dalmatia and Bucovina, 1330.
- Avena* spp. See Oats. *A. pubescens*, 582.
- Averrhoa Bilimbi*, 430.
- Avocado: Chemical Composition, 58. Cultivation in Guatemala, 434. In U. S. A., 1031.
- Axonopus compressus*, 290.
- Azotobacter*, 234, 380, 802, 803, 1017, 1019, 1022.
- "BABUL" (*Acacia arabica*).
- Baccharis* spp., 1051.
- Bacillus* spp., 583, 628, 696, 732, 804, 836, 1017, 1031, 1085, 1158, 1326.
- Bacteria: Sulphur-oxydising Bacteria, 913.
- Bacteriophagum intestinale*, 2.
- Bacterium* spp., 152, 592, 638, 692, 915, 1058.

- Bactris utilis* (= *Guilielma utilis*) 58.
 "Baib" (*Ischaemum angustifolium*), 169.
 "Bakan", 588.
 Bamboo: For Paper Pulp and Alcohol, 1367.
 "Bambostulda", 1031.
 Banana: Chemical Composition, 58. Cultivation in Porto Rico, 177. In the Philippines, 697. In Island of Guam, 1064. Dessication of Fruit, 993. For Temporary Shade on Cocoa and Coffee Plantations etc. in Belgian Congo, 1174.
 "Banarina", 177.
 Banyan (*Ficus indica*), 430.
 "Barajillo" (*Meibomia Rensoni*), 184.
 "Barba de bode" (*Aristida pallens*), 1051.
 "Barbadinho", 1051.
 Barbel, 197.
Barbus spp., 197.
 Barley: Effect of Liming, 10. Study of Hybrids, 26. Manganese Content of Seeds, 150. Sodium Chloride Content of Chopped Barley, 185. Hereditary Behaviour of Dwarf Form, 242. Observations on Heredity, 395. Culture in Furrows, 923. Root Development, 940. Effect of Röntgen Rays upon Growth, 943. Smooth-Awned Types, 951. North African Barley and Malting, 952. Production and Cost in Morocco, 1288. Cropped Area and Yield in England, 1290. See also Industries depending on Plant Products and also Plant Breeding.
 Basic Slag: Effect on Grassland and Subsequent Crops, 14. Various Grades in Great Britain, 1146. On Alkalinity, 1276. Effect on Hay and Pastures, 1296.
Bassia sp., 266.
 "Batata sana", 1051.
Bauhinia esculenta, 162.
 Bauno (*Mangifera caesia*), 697.
 Bavaria: Breeding of Dual Purpose Cattle, 1334.
 Bay (*Pimenta acris*): Oil Yield from Leaves, in Montserrat, 368.
 "Baya Maria" (*Trichopterix* sp.), 169.
 Beans: Production of French Beans in Brazil, 135, 241. Manganese Content of Seeds, 150. Production of Varieties with Mottled Seeds, 157. Standard Prices of Seeds in U. S. A., 407. French Bean, Chemical Composition, 413. Effect of Nitrogenous Manures, 694. Nitro-culture Tests, 696. Action of Various Manures on Beans, 1050. Cropped Area in Morocco, 1292.
 Bear Grass (*Camassia esculenta*), 185.
 Beech: Relation between Height and Meteorological Conditions, 1320.
 Bee-Keeping: Notes on the South African Bee, 195. Value of Formaline as Disinfectant, especially in combatting Foul Brood, 196. Apiculture in Cuba and the Purity of Cuban Honey, 462. Treatment of Acarine Disease (Isle of Wight Disease), 463. Bee-Keeping in Rhodesia, 625. Experimental Centre in the Shetland Isles for rearing the Pure-bred Black, Scottish Bee, 626. Mellots as Honey Bearing Plants, 627. Diseases in Michigan, 628. Bee-Keeping in Tasmania, 759. Studies in Bee-Keeping in U. S. A., 865. Winter Care of Bees, 866. Insulating Capacity of Double Walled Bee-Hives, 1084. "La Loque" (*Bacillus alvei*), 1085.
 Beet: *Beta vulgaris*, 150, 915, 1064. Sodium Chloride Content of Dried Beet Pulp, 185. Decortication of Beet Seed, 319. Composition of Wild Beets, 391. Standard Prices of Seeds in U. S. A., 407. Effect of Application of Nitrogenous Manure on Forage Beet Yield, 694. Cost of Production, 764.

- Plant Cancers and their Relation to the Soil, 915. See also Mangolds and Sugar Beet.
- Beggiatoa*, 804.
- "Bekongue" (*Triumfetta cordifolia*), 419.
- "Belembi" (*Averrhoa Bilimbi*), 430.
- Belgian Congo: New Fibre Crops, 419. New Type of Copal Oil, 869. Cotton Production, page 930. Exports of Copal, 1172. Experiments in Shading of Cocoa, Coffee etc., 1174.
- Belgium: Practical Organisation of Milk Control, 202. Cattle Judging at Shows, 455. Forestry Journals, 587. Improvement in Administrative Methods in the Ministry of Agriculture, page 615. Agricultural and Horticultural Instruction, 905.
- Belladonna: Influence of Solar Radiation on Culture and Yield, 429. Cultivation in Province of Florence (Italy), 1062.
- Benik, 1031.
- Benincasa cerifera*, 1064.
- Berberis*, *1031.
- Berseem, 37. Digestibility Experiments, 75.
- Bessarabia: Production of Oil Seeds and Vegetable Oils, 1300.
- Beta vulgaris* var. *Cicla*, 1316.
- "Bhabar" (*Ischaemum angustifolium*), 169.
- "Bichos", 827.
- Billian (Borneo Ironwood), 443.
- Binba, 1031.
- Birds: Hybridism in Genesis of Tame Races, 1329.
- Bithinia impura*, 1353.
- Blackberry: Improvement by Crossing and Selection, 824.
- "Blauw peul" Peas, 821.
- Blueberry: Cultivation in U. S. A., 580.
- Blue Grass (*Poa pratensis*), 193.
- Blumea balsamifera*, 174.
- Bombax malabaricum*, 430.
- Bombus*, 402.
- Bombyx mori*, 93.
- Borassus flabelliformis*, 1311.
- Borax: Effect on Potato Growth and Yield, 1152.
- Borneo, British North: Illipe Nuts from *Shorea stenoptera* and other Dipterocarps, 266. Timber and Forest Products, 443. Forestry Journals, 587.
- Box (*Ficus glomerata*), 433.
- Boxwood, Indian (*Canthium didymum*) and Boxwood, West Indian (*Tecoma pentaphylla*), 442.
- Brachiaria brizantha*, 711, 1294.
- Brassica* spp., 33, 966, 1031, 1064, 1316.
- Brazil: Information concerning Amazon Region, 5. Possibilities of Growing Wheat in State of Piahy, 34. Lentil Growing, 38. Experiments in Growing Italian Rye-Grass (*Lolium italicum*), 41. Development of Agriculture, 135. Phytotechnical Station at Gaye-rovo (Parana), 241. Agriculture in Sergipe, 681. International Cotton Congress, Rio de Janeiro, 1922, 828. Cotton Production, page 930. Production in State of Parana, 901. Berne Fly (*Dermatobia cyaniventris*), 964. Cocoa Growing in State of Bahia, page 1169. Brazilian Forage Plants, 1051. Peste de Cezar (*Encephalomylites* in Horse in State of Parana), 1183. Crops, Public Services and Experimentation etc. in State of Bahia, 1131. Textile Plants, 1166. Climate of Mountainous Regions of Minas Geraes in relation to Agricultural and Zootechnical Conditions, 1252. Growth, Preparation and Trade with Castor-Oil Plant, 1302.
- Brazil Beans (*Phaseolus vulgaris* var.), 76.

- Bread-Making : Value of Ohio Wheats, 1101. Manioc Bread, 1102, 1369.
- Bread-and-Cheese (*Pithecolobium Unguis-Cati*), 368.
- Bream, 1354.
- Breeding of Live Stock : Mendelian Experiment in Crossing Aberdeen Angus and West Highland Cattle, 79. Zoometric Data for the Pure-bred Foal at Different Ages, 80. Stock Breeding Institute of Sidi-Tabet, Tunisia, 81. Stock Breeding in Brazil, 135. Mutations observed in Skunk (*Mephitis pudita* and *M. hudsonica*) in U. S. A., 284. Colour Inheritance in Mammals and Domestic Birds, 283. Breeding Sheep and Goats, in U. S. A., 295. Variability in Domestic Animals and Value of Statistics in Researches connected with Stock Breeding, 600. Mating of Nearly-Related Cattle, 601. Bill for Improvement of Agricultural Live Stock in England, 602. Thirty Years Experimental Stock Breeding in Utah, U. S. A., 603. Application to Breeding of Some New Views concerning Heredity, 739. Breeding in Martinique, 902. Selection as Means of improving Domestic Animals, 968. Development of Stock-Breeding in Sardinia, 971. In Greece, 972. In Morocco, 1074. Studies on Reproduction, 1077. In State of Bahia (Brazil), 1131. Swine Heredity, 1195. Investigations on Growth of Livestock, 1196. Comparative Zootechnical Value of the Zebu and the Ox, and Measurements of Zebu bred by Selection, 1198. Horse Breeding in Dalmatia and Bucovina, 1330. In Hungary, 1331. Development of Cattle Breeding in Palatinate : Simmenthal Breed, 1333. See also Cattle, Goats, Horses, Figs, Sheep and Stock Raising.
- Bristle-leaved red Top (*Tricholaena setifolia*), 711, 1294.
- Bromelia Karatas*, 1166.
- Bromus unioloides* (= *Ceratochloa australis*), 33, 258, 1051. *Bromus*, spp., 582.
- Bruguiera gymnorhiza*, 172, 1304.
- Buckwheat : Utilisation of Rock Phosphate, 13.
- Buffalo : Piroplasmosis, 66. Census in Philippines, 360. Water Buffalo, 744.
- Buffalo Grass (*Setaria sulcata*), 711, 1294.
- Bulgaria : Improvement of Oil Bearing Sunflower, 559. Tobacco Selection, 560. Cotton Production, page 930. Distribution and Density of Hail, 799. Cultivation of Opium Poppy, 957.
- Bupleurum protractum*, 33.
- Butia capitata*, 1031.
- Butter : Butter Making in Utah (U. S. A.), 603. In Maine (U. S. A.), Variations in Butter-Fat Percentage, 610. Records for Different Breeds of Milch Cows in Kansas, 612. Lecithin and Phosphorus Content, 638. Reciprocal Application of the Numerical Indices of Characters of the Fat in Cow Butter and in "Ghee" (Clarified Buffalo Butter), 642. Bacteria in Butter, 773. Studies in Butter and Butter Making in U. S. A., 774. Correlation between Quality of Cream and Butter and the Yeasts and Oidia they contain, 871. Cost and Sale Prices before the War in U. S. A., 1096. Calculation of Quantity of Yeasts and Moulds and their Relationship to Pasteurisation of Cream for Making Butter, 1227. Common Defects and how to avoid Them, 1228. Specific Gravity of Serum of diluted Butter Milk, 1229. Export

- tation in Italy, 1336. Production in Holland, 1337. Production in in Czecho-Slovakia, 1372. See also Dairying.
- Butterfly Pea (*Centrosema Plumieri*), 716.
- CABBAGE: Manganese Content of Red and White Vars. of Seed of Dutch Origin, 150. Standard Prices of Seeds in U. S. A., 407.
- "Cabello de negro", 1051.
- Cabra, 827. *Campomanesia Fendliana*, 1031.
- Cacao: Cultivation in Ecuador and Possibilities of Introduction into other Countries, 427. Cultivation in Grenada, 576. Cultivation in State of Bahia (Brazil), page 1169. Temporary and Permanent Standing, 1174. Production in Nigeria in 1921, 1130. Yields in State of Bahia (Brazil), 1131. Pathogenetic Consequences of Feeding Cattle on Cakes made of Cacao-Bean Shells, 1323.
- Caesalpinia dasyrachis*, 1174.
- Cajanus* spp., 10, 808, 1174.
- Calamus* sp., 1031.
- Callulos (*Vitis* sp.), 1031.
- Calophyllum*: *C. Calaba*, 368, 371. *C. Inophyllum*, 442.
- Calycophyllum brevipes*, 1031.
- Camassia esculenta*, 185.
- Camel: Nematodes in India, 70.
- Camellia japonica*, and *C. Sasanqua*, 1169. *Camellia* spp., 1169.
- Camelina* spp., 33.
- Camote, 827.
- Camphor: Possibility of Cultivation in Porto Rico, 52. Observations in Indo-China, 174. *Cinnamomum Camphora* as a Windbreak, 371. Camphor Wood, 443. Camphor in Tonkin, 1171.
- Caña brava (*Gynerium sagittatum*), 1367.
- Canada: Researches in Fertilising Value of Rain and Snow, 138. Prevention of Dust Storms, 143. Sources of Fixed Nitrogen, 144. Breeding Fur-Bearing Animals, 302. Forestry Journals, 587. Rearing of Reindeer, 629. Nitro-Cultures and their Distribution, 696.
- Canada Blue Grass (*Poa compressa*), 393.
- Canary Grass (*Phalaris canariensis*), 1288.
- Canella alba*, 577.
- Canthium didymum*, 442.
- "Capim", 1051.
- Capsella Bursa-pastoris*, 1033.
- Capsicum*: Cultivation in Algeria, 432. *C. annuum*, 702, 1316. *C. annuum* var. *abbreviatum*, 811.
- Carabaos: In Philippines, 360.
- Carapa moluccensis*, 172.
- Carbonication: By Combustion Gases, 19.
- Carica Papaya*: Cultivation and Commercial Value, and Composition of Fruit, 176. *C. Papaya*, 717. *Carica* spp., 1031.
- Carpet Grass (*Axonopus compressus*), 290.
- Carrapicho beíço de boi (*Desmodium ascendens*), 1051.
- "Carrasco do campo" (*Baccharis tarchonanthoides*), 1051.
- Carrasius* sp., 197.
- Carrot: Manganese Content of Seed, 150. Standard Deviation of Roots, 538.
- Carthamus*: *C. tinctorius*, 431. *Carthamus* spp., 227.
- Carya olivaeformis*, 535.
- Cashew (*Anacardium occidentale*), 430.
- Cassava: As Source of Alcohol, 1367.
- Cassia: *C. Langdorfi*, 1051. *C. siamea*, 808.
- Castanea mollissima*, 1031.
- Castanopsis*: *C. sclerophylla*, 1031. *Castanopsis* spp., 1304.
- Castor Oil: Cultivation in Morocco, 1301. Growth and Preparation in

- Brazil, 1302. Castor oil, 267, 1252, 1301, 1302.
- Casuarina* spp., 1031.
- Catalpa Bungei*, 1031.
- Cattle: Breeding: In Fiji, 82. In Italian Somaliland, 83. In Cuba, 288. In Morocco, 680, 848. In Italian Colonies, 682. In Sardinia, 971. In Province of Padua (Italy), 1200. Val di Chiana (Tuscany) Breed and its Improvement, 84. Comparison between Milk Yield of Young Cows and Mature Cows, 85. Improvement of Dairy Cattle by Milk Control in Denmark, 259. Cattle rearing in Coastal Plain, S. E. of U. S. A., 290. Danish Cattle Breeds, 289. Sterilisation of Cows, 292. Possibility of Increasing the Milk Yield of the Charolais Breed, 293. Census in Philippines, 360. New Methods of Judging, 455. Wintering and Summer Fattening in N. Carolina, U. S., 456. Frisian Cattle, 606. Dual Purpose Short-horn Breed, 607. Comparative Study of Maize Silage and Sorghum Silage for Fattening Purposes, 608. Silaged Forages for Milch Cows, 609. Lactic Secretion of Different Breeds, 610. Effect of Period of Lactation on Fat Percentage in Cow's Milk, 611. Butter Production Records for different Breeds of Milch Cows in Kansas, 612. Cattle Show in London, 686. Cost of maintaining Milch Cows in Michigan, 743. Advantages of Heavy Feeding of Milch Cows, 745. Importation of Tropical Cattle into Northern Australia 849. Studies of Beef Production, 850. Butter-Fat Percentage increase for Two Days by Partial Milking, 851. Effect of Temperature on Fat Percentage of Milk, 852. Methods of Castration of Bulls, 844. Podolian Breed in Tavoliere di Puglia Italy), 970. Argentina Cattle Crisis, 973. Saint-Tropez French Breed, 979. Different Thicknesses of Skin in Certain Breeds, 980. Exportation of Charolais Cattle, 1075. Identification by means of Nose Prints, 1076. Comparison of Early, Medium and Late Maturing Varieties of Silage Maize for Milk Production, 1079. Quantity of Feed consumed by Heifer from Time of Birth to Lactation Period, 1095. Glan-Donnersberg Breed, 1199. Feeding-Tests on half-Breed Store Cows in Calif, 1201. Net costs and Profits of Breeding in France 1215. Reduction in Cost of Stock and Products in U. S. A., 1210. Simmenthal Breed, 1333. Advisability of continuing to breed dual Purpose Cattle in Bavaria, 1334. Milch Cow in Italian Agri culture, 1336. Dairy Cows and Milk Production in Holland, especially Dutch Frisian Breed, 1337. See also Anatomy. Breeding, Feeds, Hygiene of Livestock and Stock Raising.
- Cat's Tail Grass (*Phleum*), 150.
- Cây bang (*Terminalia Catappa*), 1304.
- Cây voi (*Eugenia operculata*), 1304.
- Cedar, Borneo (*Hopea* sp.), 443.
- White (*Tecoma Leucoxyton*), 368.
- Cedrus atlantica*, 1322.
- Celery: Manganese Content of Seed. 150. Prices of Seeds in U. S. A., 407.
- Cellis* spp., 535.
- Centaurea melitensis*, 33. C. sp., 966.
- Centrosema Plumieri*, 716.
- Centrosema* spp., 1051.
- Ceô (*Engelhardia*), 1304.
- Cephalaria syriaca*, 33.
- Cephaloceros sanguinosus*, 1031.
- Cephalonema polyandrum*, 419.
- Cephalotaxus drupacea*, 1169.

- Ceratocloa australis* (= *Bromus unioloides*), 33.
Cercidium spinosum, 175.
Ceriops Roxburghiana, 172.
 Ceylon : Papain Industry, 176. Cinnamon Production, 577. Forestry Journals, 587.
Chaetothylax lythroides (= *Heinzelia lythroides*), 1051.
Chamaedorea sp., 1031.
 Chang vet (*Kandelia Rheedii*), 1304.
 Chapedes, 827.
Chasmopodium Afzelii, 169.
 Cheese : see Dairying.
 Chemistry and Plant Physiology: Composition of Californian Citrus Fruits, 22. Study of Nitrogen and Root Space as Factors limiting Yield of Maize in Egypt, 23. Growth Rate of Maize in Egypt, 24. Distribution of Manganese in Organism of Higher Plants, 149. Manganese Content of Seeds of Dutch Origin, 150. Factors determining Resistance to Cooking in Leguminosae and on the Means employed to remedy this Defect, 151. Determination of the Cause of Formation of Bacteroids in the Nodules of Leguminosae, 152. Plant Physiology Institutes in Great Britain, 226. Physiological Investigations in India, 227. Anatomy and Physiology of Sugar Cane, 240. Differentiation of Character in Lucerne in Relation to Length of Daylight, 372. Sexual Expression in Hemp in relation to Light and Temperature, 373. Chemical Composition of Green Maize at different Stages of Ripening, 389. Occurrence of Quercetin in a Type of Brown-husked Maize, 390. Composition of Wild Beets, 391. Influence of Light and Fluctuating Temperatures on Germination of *Poa compressa*, 393. Effect of Soil Temperature upon Development of Nodules, 394. Reliability of Nail Test for predicting Chemical Composition of Sweet Maize, 408. Formation of Alkaloids in Belladonna Leaves in relation to Solar Radiation, 429. Distribution of Manganese in Organisms of Higher Plants, 549. Chemical Composition of Diss Ergot and Oat Ergot, 550. Methods of Colloidal Chemistry and Plant Physiology, Sensitiveness of Lupins to Alkaline Earth Metals, 551. Influence of Mechanical Pressure on Growth and Structure of Wood, 552. Multiplicity of Species of Radicular Bacteria in Plants observed by means of Serological processes, 553. Stignas of certain Plants adapted to Sugar Cane Pollen, 698. Analysis of Pijian Wild Cane (*Saccharum officinarum*) var. (?), Roots of *Cordyline terminalis*, Exudation from *Myoporum platycarpum*, and some Australian Fruits, 699. Vitamine Content of Vegetable Oils, 701. Changes in Composition of Pepper during Growing Period, 702. Action of Selenium on Plant Growth and Modifications due to Radio-Activity, 703. Growth and Correlation in Sea Island Cotton, 704. Nitrogenous Compounds in Lucerne Hay, 810. Chemical Composition of Plants as Basis for Estimation of Water Requirements, 811. Influence of Humidity on Growth of Sainfoin Seeds, Unhusked and Husked, 812. Absorption of ions of Aluminium through Root System of Plants, 813. Use of Artificial Light in Growth of Plants, 814. Influence of X-rays on Dry Seeds and Germinating Seeds, 815. Root Development in Barley and Wheat, 940. Influence of Wheat Growth on Hydrogen-ion Concentration of

- Plant Food Solutions, 941. Effects of Borax on Plant Growth, 942. Effect of Röntgen Rays upon Growth of *Oryza sativa*, 943. Upon Seeds of *Vicia Faba*, 1038. Sulphur Content of Alfalfa, 944. Growth of Plants in relation to Soil Humidity, 1014. Process of Assimilation of Phosphoric Acid in Plants, 1027. Nickel and Cobalt in living Organisms, 1033. Chemical Analysis of Gramineae, *Panicum* spp., 1034. Action of soluble Salts of Lead on Plants, 1035. Role of Manganese in Plants, 1036. Influence of Lime on Germination, 1037. Effect of Iron and Aluminium Salts upon Growth of Maize, 1039. Reaction in Fresh Water caused by Aquatic Plants, 1041. Effect of Transpiration on Absorption of Salts by the Plant, 1042. Effect of Aluminium Salts and of Acids in various Strengths on Development of Plants in Water Cultures, 1133. Accidental Flora imported in Wool and Question of Acclimatisation in Germany, 1154. Study of Pollen of Fruit Trees, 1155. Characteristic Proteins in Maize, 1156. Part played by Respiration in Decrease of Carbohydrates in Leaves during Autumn Colour Change, 1157. Non-Symbiotic Germination of Orchid Seeds, 1158. Variation in Manganese Content of Leaves according to their Age, 1159. Role of Chemistry in Improvement of Plants, 1160. Influence of Plants upon Oxidation Processes in Soil, 1141. Zinc Constituent of Plants, 1136. On the Presence of Cobalt and Nickel in Plants, 1283. Biochemistry of *Sclerotinia cinerea*, 1284. Ammonia as a basal and final Product in Transformation of Nitrogen by Plants, 1285.
- Chenopodium*: *C. ambrosioides*, 1063. *Ch. spp.*, 33, 582, 966.
- Cherry: Superior Italian Varieties, 724. Dessication of Fruit, 993. Cherry Liqueur "Maraschino", 1219. Cherry Growing in Wisconsin, 1315.
- Chick Pea (*Cicer arietinum*), 709. Cropped Area and Yields in Morocco, 1292.
- Chico (*Achras Zapota*), 697.
- Chicory: Manganese Content of Seeds, 150.
- Chili: *Atriplex semibaccata* a good Forage Plant, 46. Characters of Chilean Horse, 286. Forestry Journals, 587. Potatoes in Islands of Chiloé, 827. Sulphur Industry, 1153.
- China: Linseed production, 33. Forestry, 59. Cinnamon Production, 577.
- Chloris*: *C. Gayana*, 82. *Chloris* spp., 258, 1051.
- Chloropicrin, 178.
- Chrysanthemum coronarium*, 33.
- Chrysothamnus* sp., 715.
- Chuño, 827.
- Cicer arietinum*, 10, 33, 709.
- Cicuta maculata*, 590.
- "Cicuta" (*Hydrocotyle leucocephala*), 1051.
- Cider: Should Apples for Cider Making be washed? 1008. Unfermented Sweet Cider, 1103. Disappearance of free Sulphurous Acid in Preserved Apple since used for Sweet Cider, 1218.
- Cilicia: Sheep Breeding, 457.
- Cinnamon: Sources, Production and Trade, 577. Cinnamon spp., 1171.
- Cinnamomum Camphora*, 371, 1109.
- Citromyces* sp., 364.
- Citrullus vulgaris*, 1031, 1316.
- Citrus Fruits: Composition of Californian Fruits, 22. "Tange-

- lolo", New Fruit obtained by crossing "Sampson Tangelolo" with *Citrus decumana*, 32. *Citrus* spp., 630, 535, 1316. Cultivation of Lemons in Argentina, 723. Cultivation in Rhodesia, 1065. Influence of Grafting on Resistance of Aurantiaceae to Cold, 1178. See also Oranges.
- Citrus decumana*, 32.
- Clidemia hirta*, 82.
- Clitoria cajanifolia* (= *Lotus fluminensis*), 1051, 1174.
- Clostridium Pastorianum*, 380.
- Clove: Clove Oil from Clove Stems in Zanzibar and Pemba, 55. Clove (*Eugenia caryophyllata*), 371.
- Clover: Effect of Liming, 10. Utilisation of Rock Phosphate, 13. Manganese Content of Seeds, 150. Selection, 401, 402, 403. Hubam Clover, 415. Depth of Sowing Seed, 690. Effect of Nitrogenous Manures on Yield, 694. Nitro-culture Tests, 696. Clover Flour in Poultry Feeding, 754. Sweet Clover as Green Manure, 809. Varieties introduced into U. S. A., 1031. See also Pastures.
- Cnetocephalus canis*, and *C. felis*, 362.
- Cochlearia Armoracia*, 1064.
- Cocoa, See Cacao.
- Coconut: Sodium Chloride Content of Meal or Cake, 185. Yield in the Philippines, 360. Interplanting, 430. Cultivation and Production of Copra in Dahomey, French West Africa, 573. In Philippines, 697. Self Pollination and Cross Pollination, 822. Coconut Cake as Feed for Milch Cows etc., 1192.
- Coffee: New Method of Harvesting, 53. Production in Brazil, 135. Exports from S. Paulo, Brazil, 426. Manuring Coffee, 426. *Coffea* spp. in Martinique, 902. Temporary and Permanent Shading, 1174. Yields in Bahia (Brazil), 1131.
- Cogon (*Imperata exaltata*), 1367.
- Coix Lacryma-Jobi* var. *Mayuen*, 258, 412.
- Colletotrichum cereale*, 1055.
- Collybia (Leptota) albuminosa*, 433.
- Colocasia esculenta*, 697, 1064.
- Columbia: Introduction of Sericulture, 92.
- Colza: Production, Consumption, and Export of Oil in Bessarabia, 1300.
- Common Red Top Grass (*Tricholaena rosea*), 711, 1294.
- Congress: Third International Congress of Household Economy Instruction, Paris, April, 1922, 4. International Conference for Defence against Epizootic Disease, Paris, 1921, 61. Conference on Nitrogenous Fertilisers at Rotterdam, 239. National Agricultural Conference in M. S., 685. International Cotton Congress, Rio de Janeiro, October, 1922, 828. Goat-Breeding Congress at Ruremonde (Holland), 982. Congress of National Federation of Live Stock Trade, Paris, 1380.
- Convolvulus arvensis*, 33.
- Copaifera*: *C. Copaifera* spp., 1172. *C. Demensei*, 869.
- Copal: World Production, 1172.
- Copra: Production in Dahomey, French West Africa, 573.
- Corahila, 827.
- Coral Wood, 442.
- Cordyline terminalis*: Analysis of Roots, 699.
- Coriandrum sativum*, 33.
- Corfu: Agricultural Situation, 361.
- Corispermum hyssopifolium*, 33.
- Coronilla varia*, 33.
- Coronopus didyma*, 582.
- Costa Rica: "Pejibaye" (*Gutierrezia utilis*), Fruit with High Food Value, 58.

- Cotoneaster, 1031.
- Cotton: Cultivation: In Korea, 48. In Montserrat, 368. In Algeria, 416, 535. In Queensland, 418. In Tunisia, 571. In Sergipe (Brazil) 681. In Nigeria, 1130. In French West Africa, 1298. Production of Unginned Cotton in Brazil, 135. Selection, 158, 241. Sodium Chloride Content of Cotton Seed Meal or Cake, 185. Pure-Line Selection of Bundelkhand Cottons in India, 249. Decline in Yield of Egyptian Cotton and its Causes, 263. Improvement of Production in Niger Territory of French Soudan, 417. Ratooning Experiments in South Africa, 572. Growth and Correlation in Sea Island Cotton, 704. Meade Cotton, to replace Sea Island Variety. Experiments in U. S. A., 713. Behaviour of Pima Cotton when grown under different Conditions of Soil Moisture and Available Plant Food, 714. Problems of Cultivation for discussion at International Congress, Rio de Janeiro, 1922, 828. Problems of Cotton Growing, page 972. Cotton Service in Brazil, 1131. As Source of Alcohol, 1367. Technological Value of New Hebrides Cottons, 1299.
- Cottus gobio*, 198.
- "Couvetinga" (*Solanum auriculatum*), 1051.
- Cowiea, 1032.
- Cowpea, 808.
- "Cravorana" (= "cravoda rôca") *Ambrosia polystachya*, 1051.
- Crepis virens*, 582.
- "Crindinya" (*Sponia micrantha*), 1051.
- Cristiceps* sp., 97.
- Crotalaria*: *C. juncea*, 50, 227. *Crotalaria* spp., 1051.
- Croton campestris*, 1051.
- Cryptostegya grandiflora*, 715.
- Clenium elegans*, 169.
- Cuatemoya (*Anona Cherimolia* × *A. squamosa*), 1031.
- Cuba: Studies relating to Anatomy and Physiology of the Sugar Cane, 240. Propagation of Sugar Cane, New methods, 271. Cattle Industry, 288. Apiculture, 462. Herbaceous Growth of Arborescent Plants for Production of Manure and Forage, 808.
- Cucumber: Prices of Seeds in U. S. A., 407.
- Cucumis*: *C. sativus*, 1064. *Cucumis* spp., 1316.
- Cucurbita*: *C. Pepo*, 578. *Cucurbita* spp., 1316.
- Cudrania* (*Muchera*) *tricuspidata*, 1031.
- Caica, 175.
- Custard-Apple (*Anona testudinea*), 1031.
- Cutch (*Acacia Catechu*), 172.
- Cydonia vulgaris*, 1316.
- Cymbopogon* spp., 169.
- Cynara Scolymus*, 1316.
- Cynodon*: *C. Dactylon*, 711, 1051, 1294. *C. plectostachyum*, 568.
- Cynosurus cristatus*, 582, 1296.
- Cyphomandra betacea*, 1031.
- Cyprinidon* sp., 197.
- Cyprus: Cotton Production, p. 930.
- Cyrenaica: Agricultural Conditions, 682. Data to Serve as Basis for Development of Systematic Pastoral Industry, 747. Poultry Rearing, 757.
- Czecho-Slovakia: Agricultural Experiment Stations, 366. Improvement of Arable Land and Meadows, 382. Farm Organisation in Bohemia, 483. Horse Breeding, 451. Exportation of Red Clover Seed, 406. Forestry Journals, 587. Button Grass (*Elymus aegyptiacus*), 727. Dairy Production, 1372.
- "DAB" (*Eragrostis cynosuroides*), 169.
- Dactylis glomerata*, 540, 582.

- Dactyloctenium aegyptiacum*, 1051.
- Dadop (*Erythrura lithosperma*), 474.
- Dairying: Milk Control in Belgium, 202. Method for Detecting Admixture of Goat's Milk to Milk of Cows, 203. Dairy Institute in Great Britain, 226. Variations in amount of Fat in Successive Samples of Cow's Milk, 498. Brown Glass Milk Bottles, 499. Influence of Foreign Matter upon Number of Bacteria in Milk, 500. Type of Lactic Acid produced by Starters and by Organisms thus isolated, 501. Connection between Number of Bacteria in Milk and Growth of Cheese obtained, 502. Cost of Milk Production in some States of North America, 490. Efficacy of Milking Machines, 637. Chemistry of Milk and Dairy Products, 638. Bacteriology of Milk and Dairy Products, 639. Influence of Surroundings and Temperature of Incubation on Bacterial Count of Milk, 640. Variations of certain Characters of Fatty Matter in Buffalo and Cow Milk corresponding with Change of Season and Feeding, 641. Reciprocal Application of Numerical Indices of Characters of the Fat in Cow Butter and in "Ghee" (clarified Buffalo Butter), 642. Manufacture of Cheese of Roquefort Type with Cows Milk, 643. Dairy Inspection Service in California, 679. Cost of Production in France, 764. Cost of Milk Production in Maryland, U. S. A., 768. Investigation on Lactose Ferments in Cream with Yeasty Flavour, 770. Experimental Cheese-Making at Lodi (Italy), 771. "Vittoria", Mixed Cheese, 772. Bacteria in Butter, 773. Dairy Products Investigation in U. S. A., 774. Apparatus and Methods of Analysis for Dairy Industries, 870. Correlation between Quality of Cream and Butter and Yeasts and Oidia they contain, 871. Amino-acids in Cow's Milk, 994. Composition of Imitation "Pecorino Romano" Cheese, 995. Commercial Production of Butter in U. S. A., 1096. Biology of Lactic Acid Bacteria, 1105. Relationship between Concentration of Hydrogen Ion and the Number of Bacteria in Milk, 1222. Accuracy of Weinzierl's Test for determining the Contamination of Milk by Excrement, 1223. Contamination of Milk by defective Corking of Bottles, 1224. Milking Machines and Hygienic Qualities of Milk, 1225. Foaming of Cream, 1226. Calculation of Quantity of Yeasts and Mould and their Relationship to Pasteurisation of Cream for making Butter, 1227. Common Defects in Butter and how to Avoid them, 1228. Specific Gravity of the Serum of diluted Butter Milk, 1229. Dairy Production in Czecho-Slovakia, 1372. Dairy Industry in Hungary, 1373. Scientific and Economical Study of Milk Refrigeration with Drum Refrigerators, 1374. Bitter Milk at late Stage of Lactation, 1375. Manufacture and Composition of Milk Powder and Influence on Preservability, 1376. Bacterial Contents of Milk Powder, 1377. Italian Cheeses, 1378.
- Dalbergia Sissoo*, 442.
- Dammara* spp.: Source of Copal, 1172.
- Dang (*Rhizophora mucronata*), 1304.
- Daphnopsis brasiliensis*, 1051.
- Darso: For fattening Baby Beef, 190.
- Date: Propagation by Seed, 435. Cultivation in Mesopotamia, 584. Date Palm in Irak, 1316.
- Datura: D. fastuosa* var. *alba*, 717.

- D. Melel*, 368. *D. Stramonium*, see Plant Breeding, 29.
- Daucus Carota*, 1316.
- Debab, 69.
- Delphinium* spp.: Poisonous to Livestock, 590.
- Denmark: Researches on Effect of Soil Conditions on Bacterial Life and Chemical Transportations taking place in Soil; Capacity for decomposing Mannite, 234. Danish Milk Recording Society, 289. Accuracy in Experiments carried out at Danish State Experiment Station with Varieties and Strains of Roots, 538. Forest Research Station, 536. Observations on Heredity at the Phytotechnical Station at Abed, 395. Preservation of Acorns and Beech-Mast, 589. Forestry Journals, 587.
- Dermatobia cyaniventris*, 964.
- Desmodium*: *D. tortuosum*, 165, 1131. *Desmodium* spp., 1051.
- Development of Agriculture: In Brazil, 135. Present Position of Agriculture in the Philippine Islands 360. Report of Californian Department of Agriculture for Period ending December 31, 1921, 679. Development of Natural Resources in Portuguese East Africa, 1129. White Settlement in World Agriculture, 1248. See also Agricultural Institutes, Experimentation.
- Dhaincha (*Sesbania aculeata*), 1250.
- Dhal (*Cajanus indicus*), 709.
- Dioscorea*: *D. alata*, 697. *Dioscorea* spp., 39, 368, 1051, 1064.
- Diospyros* spp., 535.
- Diptadenia* spp., 1051.
- Diplodia* sp., 364.
- Dipterocarpus turbinatus*, 442.
- Diroé (*Bruguiera* spp.), 1304.
- Diss, 550.
- Distillation: Experiments in Fermenting Kaki Fruits, 492. Distillation Experiments in the Preparation of Otto of Roses, 767. Maraschino prepared with pure Blastomyces, 1219. Distillation of Stump Wood and Logging Waste of Western Yellow Pine, 1221. Fermenting Maize Stalks for Making Acetone, Alcohol and Volatile Acids, 1366. See also Alcohol and Wines.
- Dock: *Rumex* spp., 1295 1353.
- Docynia Delavayi*, 1031.
- Dog: Italian Sheep-Dog, 301. Sheep-Killing Dogs in U.S.A., 1186. See also Hygiene of Livestock.
- Dolichos*: Chemical Composition of different Species, 413.
- Donkey: Resistance of Various Breeds to Skin Disease, 81. Breeding in Tunisia, 81. Census in Italian Somaliland, 83. Catalonia Breeds in Spain, 287. Contagious Abortion, 593.
- "Douradinha" (*Psychotria xanthophylla*), 1051.
- Dragon Tree (*Cordyline terminalis*), 699.
- Dromedary: Trypanosomiasis, 69. Hemorrhagic Septicemia, 181.
- Dutch East Indies: Cinnamon Production 577. Mangrove Swamps, 1067.
- EARTH WORMS: Influence of Soil Reaction on, 918.
- Echinophaga gallinaceus*, 362.
- Echinochloa pyramidalis*, 711, 1294.
- Ecuador: Cocoa Industry, 427.
- Eels, Destruction of Mosquitos, 1132. Place of Breeding, 1356.
- Egg Plant: In Island of Guam, 1064.
- Egypt: Observations on Growth of Maize, 23, 24. Moki Lima Beans (*Phaseolus lunatus*), 37. Experiments on Digestibility of Bersim (*Trifolium alexandrinum*), 75. Possibilities of Rearing Eri Silkworm (*Attacus ricini*), 93. Nitrogen Earths

- as Fertilisers in Egypt, 148. Cotton Selection: Method adopted by the Sultanic Agricultural Society, 158. Cotton, 263 and page 930. Fabrication of Nitrogenous Manures, 1029. Power Farming, 1093.
- Eimeria* spp., 198, 279.
- Electricity: Application to Cultivation, 814, 867.
- Elephant Grass (*Pennisetum* sp.), 169.
- Eleusine: *E. aegyptiaca*, 727. *E.* spp., 1051.
- Elonurus candidus*, 1051.
- "Embira branca" (*Daphnopsis brasiliensis*, and *Funifera utilis*), 1051.
- Empetrum nigrum*, 917.
- Engelhardtia*, 1304.
- Eragrostis*: *E. cynosuroides*, 169. *Eragrostis* spp. 1051.
- Ergot, 550.
- Erianthus*: *E. Ravennae* (= *Saccharum Ravennae*), 169. *E. Trinii*, 1051.
- Ericaceae: Nitrogen Fixation, 803.
- Eriosema* spp., 1051.
- Eritrea: Cultivation of Sulla, 45. Agricultural Conditions, 682. Livestock, 740.
- Eruca sativa*, 33.
- "Erivanco" (*Telanthera* spp.), 1051.
- Eruum Lens*, 38.
- Erysimum orientale*, 33.
- Erythrina*: *E. indica*, 430. *E. lithosperma*, 1174.
- Erythrophlaeum Fordii*, 1304.
- Eucalyptus*: Species in Algeria, 535.
- Euchlaena* spp., 204, 258.
- Eugenia*: *E. cariophyllata*, 55. *E. operculata*, 1304. *Eugenia* spp., 371, 430.
- Eupomatia laurina*, 699.
- "Eureka", Citrus Var., 22.
- Eustachys* spp., 711, 1294.
- Excoecaria Agallocha*, 172.
- Exhibitions: Smithfield Club Show in London, 686. See also Congress.
- Experimentation: Standardisation of Field Experiments, 367. Experimental Work in Progress at Rothamsted, England, 1251. See also Agricultural Institutions.
- FABA* spp. See Bean.
- "Fahl", 75.
- False Paspalum (*Brachiaria brizantha*), 711, 1294.
- Fandul (*Cajanus indicus*), 808.
- Federated Malay States: Roselle Fibre Industry, 420. Cinnamon Production, 577. Forestry Journals, 587. Alkaloidal Content of Leaves and Stems of Ipecacuanha, 722.
- Feeds: Alimentary Value of some Indo-Chinese Leguminosae, 413. *Amaranthus paniculatus* as a Staple Food in India, 1031. Effect of *Cucurbita Pepo* Seeds on Kidney Excretion, 578. Food Plants in Philippines, 697. Plant Foods and Human Foods in Germany, 1362.
- Feeds and Feeding of Live Stock: Digestibility of Bersin (*Trifolium alexandrinum*), 75. Brazil Beans "or Mulatinos", Var. of *Phaseolus vulgaris*, as Stock Feed, 76. Concentrated Food "Fruges Lin" or "Nutritivo Squassi" for Cattle, 77. Flour of Common Reed as Cattle Food, 78. Fish Meal as Stock Feed, 147. Calculation of Amount Required for Stock, especially when Grazing: per 500 kg. of Live Weight, 183. Value of Different Processes of Disintegrating Straw, 184. Sodium Chloride Content of Stock Feeds, 185. Gemshok Beans (*Bauhinia esculenta*) as Feeds for Cattle, 162. Change in the Fat of Peanut Fed Rabbits, 187. Comparative Feeding Value of Sunflower Silage and Darso Silage for Fattening Baby Beefs, 190. Use of Forage Crops for Fattening Pigs fed on Maize and Tankage, on Red Clover and Rape Pasture, 193. Institutes of Animal Nutrition in

- Great Britain, 226. Studies on Systematic Use of Food for Cattle in U. S., 280. Hay from liberally fertilised Young Grass a Concentrated Food, 281. Composition of Brans obtained by different Degrees of Milling, 282. Value of Beet Molasses for Fattening Steers, 291. Sorghum compared with Maize for fattening lambs, 295. Sorghum as Pig Food, 296. Horse-Chestnuts as a Food for Rabbits, 303. Swine Feeding, 460. Concentrated Pig Foods, 461. Use of Calcium Salts, 598. Boiled Cotton Seeds as Stock Feed, 599. Feeding Experiments with Livestock in Utah, U. S., 603. Intensive Feeding of Ewes at Lambing Time, 614. Oats as Pig Feed, 617. Experiments with St. John's Wort (*Hypericum perforatum*), in New South Wales, 736. Mannitol-Producing Organisms in Silage, 737. Malted-Grain Sickness of Cattle due to Malnutrition, 738. Calculation of Money Value of Nutritive Unit, 841. Insufficiency of Lime and Phosphoric Acid in Feeding, 842. Fattening of Steers, 850. Effects of Food upon the Fat Content of Goat's Milk, 858. Quantitative Botanical Analysis of Articial Stock Feeds, 966. Degree of Purity of Linseed Cake and Bran, 966. Figs as Livestock Feed, 989. Future of Grazing Industry in Brazil, 974. Nutritive Coefficients of *Panicum* spp., 1053. Rules for Feeding Cattle, 1072. Use of Waste Products from Chick Peas, Peas and Beans as Cattle Food, 1073. Dairy Cattle Feeding Experiments, 1078. Comparison of Early, Medium and Late Maturing Varieties of Silage Maize for Milk Production, 1079. Feed Cost of Heifer from Birth until the Beginning of the First Lactation Period, 1095. Food Value of Oats and Tares as Green Forage Hay or Silage, 1190. Digestibility of Several Lupin Products after removal of Bitterness and Utilisation in Milk Production, 1191. Coconut Cake as Feed for Milch Cows and Breeding Stock Generally, 1192. Asphodel as Food for Animals, 1193. Comparison between fundamental Ration, Ration with Protein Substances (Soy Cake) and Ration with Urea; Feeding Tests with Sheep and Goats, 1194. Feeding Tests on Half-Breed Store Cows in Calf, 1201. Acorns compared with Oats and Barley Seconds, as feeds for Swine, 1203. Swine Rations, 1204. Pathogenetic Consequences of Feeding Cattle on Cakes made of Cacao-Bean Shells, 1323. Prices and Starch Value of Feeds in Germany, 1327. Comparison between Calcium Chloride and other Calcium Salts as Feed, 1328. Cattle Feeding-Experiments in U. S. A., 1335. See also Forage Crops, Hygiene and Rural Economics.
- "Feijão", 1051.
- Fenugreek: Yield in Algeria, 951. Yields and Exports in Morocco, 1292.
- Festuca*: *F. pratensis*, 540. *Festuca* spp., 150, 258, 583, 1296.
- Peterita: Sodium Chloride Content, 185.
- Feverfew: Trials in Algeria, 535.
- Fibre Crops: Piedmont Hemp, 167. Agave and *Fourcroya gigantea*, 168. Giant Grasses for Paper Making, 169. Seed Trials with *Hibiscus* spp. in India, 227. Stripping Fibre in Philippines, 360. New Fibre Crops in Belgian Congo, 419. Roselle (*Hibiscus Sabdariffa* var. *alissima*) Industry in Federated Malay States, 420. Brazilian Textile

- Plants, 1166. Fibre Crops in Morocco, 1297. See also Cotton, Flax etc.
- Ficaria ranunculoides*, 1033.
- Ficus*: *F. argentea*, 1032. *F. Carica*, 535. *Ficus* spp., 430, 552, 699, 1031, 1316.
- Fig: In Algeria, 535. Analyses, 699. Dessication of Fruit, 993.
- Fiji: Livestock Industry, 82.
- Fine Guinea Grass (*Panicum maximum*), 711, 1294.
- Finland: Forestry Journals, 557.
- Fir, Douglas, 1319, 1320.
- Fish Breeding: Fresh Water Pisciculture in North Africa, 197. Coccids of *Cottus gobio* and of Carp Fry, 198. Pisciculture in Switzerland, 1091. Carp Breeding, 1206. Piscicultural Value of a Stream, 1353. Advantages of Keeping Carp in Ricefields for fertilising Soil, 1354. Researches in Germany, 1355. Eels and their Place of Breeding, 1356.
- Fish Meal, 185.
- Flax: Manganese Content of Seeds, 150. Selection, 250. New Flax Seed in Ireland giving high Yield and good Quality Fibre, 570. Effect of Nitrogenous Manure, 694. Cultivation and Yield of Linseed in Morocco, 1297. Cropped Area and Linseed Yield, in Bessarabia, 1300.
- "Flecha" (*Panicum echinolaena*), 1051.
- Florida Beggar Weed (*Desmodium tortuosum*), 105, 1131.
- Foeniculum officinale*, 1316.
- Forage Plants: Forage Maize, 40. Italian Rye-Grass (*Lolium italicum*), in Brazil, 41. *Phalaris bulbosa*, in Uruguay, 42. *Phragmites communis* as Cattle Feed in Germany, 43. Lucerne in N. Africa, 44. Sulla in Eritrea, 45. *Atriplex semibaccata* in Chile, 46. Barajillo (*Meibomia Rensoni*), good Leguminous Forage Plant indigenous in Central America, 164. Florida Beggar Weed (*Desmodium tortuosum*), 165. Use of Forage Crops in Fattening Pigs, 193. Ensilage, 204. Production in Southern France and North Africa, 258. *Pennisetum polystachyum*, New Fodder Grass from Uganda, 259. Alfalfa Production under Irrigation, 261. Influence of Rain on Hay Crop of Certain Forage Grasses in Sweden, 540. Chemico-Bacteriological Study of Different Qualities of Silaged Forages, 503. Alimentary Value of Some Indo-Chinese Leguminosae, 413. New Chinese Variety of Lucerne in S. Africa, 414. Sugar Sorghum as a good Rust resistant Feed, 567. Star Grass (*Cynodon plectostachyum*) Valuable Fodder Grass in South Africa, 568. Velvet Bean (*Mucuna utilis*) in Rhodesia, 569. Experiments with Fodder Plants in South Africa and their Chemical Composition, 709. Composition and Nutritive Coefficients of *Panicum* spp., 1053. Para Grass (*Panicum barbinode*) and *Paspalum* (*Paspalum dilatatum*) in Guam, 1054. Forage Sorghums, 1055. Ghessab (*Pennisetum spicatum*) in Sicily, 1056. Mangolds in combination with Maize, 1057. *Spartina Townsendi*; Excellent Forage for Cattle, 1176. Asphodel: As Food for Animals, 1193. Good Forage Grasses in S. Rhodesia, 1294. Value of Rape for Pigs, 1348. See also Clover, Lucerne and Feeds.
- Forestry: In China, 59. In Norway, 439. In Straits Settlements, 588. Forestry Service in Brazil, 135. Forest Research Station in Denmark, 536. Effect of Orientation upon Success of Transplantation of

- Forest Trees, 440. Preservation of Acorns and Beech-Mast in Denmark, 589. Renewal of Chestnut Woods in France, 832. Correlation between Type of Soil and Roots of Pine Saplings, 921. Forests of Lettonia, 960. Mangrove Swamps in Dutch Indies, 1067. Programme of Swedish State Institute of Experimental Forestry for Period 1922-26, 1181. Distillation of Stumps and felling Refuse of *Pinus ponderosa* (Western Yellow Pine), 1221. Storage of Coniferous Tree Seeds, 1319. Relation between Height Growth of Trees and Meteorological Conditions, 1320. Atlas Cedar Wood Oil, 1322. See also Chemistry and Physiology, and Timber.
- Foul Brood, 196.
- Fourcroya gigantea*, 168, 419, 1166.
- Foxes: Animal Parasites of, 71.
- Foxglove: Cultivation in Italy, 1062.
- Fox-tail Grass (*Alopecurus pratensis*), 150, 582, 690.
- France: Third International Congress of Household Economy Instruction, Paris, April 1923, 4. International Conference for Defence against Epizootic Disease, Paris, 1921, 61. Turkey Rearing in Sologne, 88. Power Farming Trial Week at Oudes, Haute Garonne, 94. Tractor Trials on Poor Gas, 95. Mechanical Flax Gatherers at the Show held at Wattignies-les-Lille, 96. Sources of Fixed Nitrogen, 144. Gascon and Lauraguaise Breeds of Pigs, 192. First Egg-Laying Competition, 194. Forage Production, 258. Experiments on Foot and Mouth Disease, 278. Organisation of Stations of Agricultural Research in France and French Colonies, 365. Autumn School for Shepherds at Rambouillet, 534. Cattle Judging in Normandy, 455. Cultivation of Loganberry, 581. Forestry Journals, 587. "Office Regional Agricole" in the South, 684. Timber Costs, 726. Cost of Production of Wheat, Beet, Potatoes and Milk, 764. Institute of Agronomic Research, 907. Mule-Breeding in Lower Poitou, 978. Vine Growing in Alsatia, 1066. Carp-Breeding in Auvergne, 1206. Power Cultivation of Vineyards, 1208. Net Costs and Profits of Stock Breeding, 1913-21, 1215. Export of Feeding and Manure Cake, 1232. Different Processes for Manufacture of Synthetic Ammonia, 1278.
- Fraxinus*: *F. Berlandierana*, 535. *F. polymorpha*, 1031.
- "Fruges Lin", 77.
- Fruit Growing: Institute for Fruit Growing in Great Britain, 226. Researches in Great Britain, 226. Trees for interplanting on Coconut Estates, 430. Fruit Growing in Algeria, 535. Difficulties in Crossing and Selection, 561. Fruit Growing in South of France, 684. New Test for Maturity of Fruit, 958. Study of Pollen of Fruit Trees, 1155. Possibilities in Mountainous Regions of Minas Geraes (Brazil), 1252. See also, Apples, Pears, etc.
- Fumigation: Effect of Chloropicrin Fumes on *Argas reflexus*, 178.
- Fungi: Sulphur-oxidising, 913.
- Funifera utilis*, 1051.
- Fur: Breeding Fur Bearing Animals in Canada, 302. Utilisation of American Moles, 1092.
- Fusarium* sp., 364.
- GABI (*Colocasia esculenta*), 697.
- Galactea tenuiflora* var. *villosa*, 1051.
- Galba (*Calophyllum Calaba*), 308, 371.
- Galeopsis Tetrabit*, 33.

- Galium*: *G. Aparine*, 33. *Galium* sp., 966.
- Galleria mellonella*, 462.
- Gallus sonnerati*, 1329.
- Garcinia multiflora*, 1031.
- Gasterosteus brachycentrus*, 197.
- Gemsbok Beans (*Bauhinia esculenta*), 162.
- "Gengra" (*Excoecaria Agallocha*), 172.
- Germany: *Phragmites communis* as a Cattle Feed, 43. "Brazil Beans" or "Mulatinos", Var. of *Phaseolus vulgaris* as a Stock Feed, 76. Nitrogen Products, 144, 1028. Condition of Nitrogenous and Phosphatic Fertiliser Industries, 145. Researches on Value of Different Processes of Disintegrating Straw, 184. Motor Cultivation, 304. Agricultural Machines, 305. Experiments with "Rhenania Phosphat", 384. Cattle Judging, 455. Forestry Journals, 587. Agricultural Machinery used, based on Official Estimate, 630. Spirillae, Pathogenic Agents of Contagious Abortion, 835. Nitrogen Supplies, 1028. Encouragement of Growth of Lupins, 1049. Splenic Inflammation of Pigs in Prussia, 1070. Nitrogen Industry, 1149. Accidental Flora imported in Wool, and Acclimatisation, 1154. Pine Bred Cattle on the Rhine Palatinate, 1199. Process for Manufacture of Synthetic Ammonia, 1278. Pedigree Selection of Göttingen Rye, 1286. Present Cost of 1 kg. Starch or its Equivalent in Different Feeds as compared with Pre-War, 1327. Importance of Breeding Heavy Draught Horses in Westphalia, 1332. Cattle Breeding in Palatinate, 1333. Advisability of Breeding Dual Purpose Cattle in Bavaria, 1334. Summer Pig Breeding, 1340. Present Position of Pig Breeding, 1344, 1335.
- Expediency of Rearing Swine on Grass, 1346. Lucerne as Pasture for Pigs, 1347. Pisciculture, 1355. Plant Foods and Human Foods, 1362.
- Ghessab (*Pennisetum spicatum*), 1056.
- Gié (*Quercus* spp.) and *Castanopsis* spp., 1303, 1304.
- Glauicum corniculatum*, 33.
- Glycine hispida*, 696.
- Gnetum gnemon*, 1031.
- Goats: Experiments in Rearing in U. S. A., 295. Census in Philippines, 360. Effect of Food upon Fat Content of Goats Milk, 858. Methods of Castration, 844. Breeding in Sardinia, 971. Southdown Ram x Limousin Goat, Industrial Value, 981. Goat-Breeding Congress at Ruremonde (Holland), 982. Goat as an Economic Factor, 1081. Eruptive Disease observed in Greece, 1187. Effect of Variations in daily Yield and in Diet on Composition of Milk, 1338. See also Breeding, Feeds, Hygiene and Stock Raising.
- Gobio fluviatilis*, 1354.
- Goose, see Poultry.
- "Goran" (*Ceriops Roxburghiana*), 172.
- "Gordura", 1051.
- Gossypium herbaceum*, 48. *G. spp.*, 1316.
- Gourd: Production, Consumption and Export of Oil in Bessarabia, 1300.
- Grafting: Influence on Resistance of Aurantiaceae to Cold, 1178. Phylloxera resistant Vinestocks, 1179. On Sensitiveness of Grafted Vines to Frost, 1180.
- Graham Flour, 185.
- "Gramma", 1051.
- "Graminha", 1051.
- Grape: Grape Preservation in Almerie: Cultivation and Preservation Experiments in Italy, 586. Dessication of Fruit, 993. Grape Products, 1371. See also Vines.

- Grasses : Depth of Sowing Cocksfoot, Meadow Foxtail and Rough-Stalked Meadow Grass, 690. Grasses of Agricultural Value in S. Rhodesia, 711. As Source of Alcohol and for Paper Pulp, 1367.
- "Gravata" (*Ananas* and *Bromelia* sp.), 1166.
- Great Britain : Cattle Breeding Experiments, 79. Present Position of Research in Agriculture and Application to Practical Farming, 226. Tractor Trials, 314. Experiments with Activated Sludge at Rothamsted, 383. Forestry Journals, 587. Trade in Irish Horses, 605. Bee-Keeping in Shetland Isles, 626. Pig-Breeding, 749, 750. Various Grades of Basic Slag, 1146. Process for manufacture of Synthetic Ammonia, 1278. Cultivation of Barley in England, 1290.
- Greece : Rice Growing in Messenia, 410. Cotton Production, page 930. Fertility of Soil, 900. Stock-Breeding, 972. Experimental Research on Eruptive Disease of Goat, 1187. Olive Oil Industry, 1099. Agricultural Methods, Cultivation and Stock Breeding, 1249. Viticultural Wealth, 1317. Production of Olive Oil, 1370.
- "Greeting", 443.
- Grenada : Cacao Cultivation, 576.
- Greywood, Indian Silver, 442.
- Grindelia squarrosa*, 33.
- Gritadeira (*Psychotria* sp.), 2152.
- Groundnuts see Peanuts.
- Guabiroba (*Compomanesia Fenzliana*), 1031.
- Guam; Vegetable Growing, 1064.
- Guatemala : Avocado, 434.
- Guava (*Psidium Gayana*), 430.
- Guayule (*Parthenium argentatum*), 715.
- Gudgeon, 1354.
- Guaiaacum guatemalense*, 1031.
- Guilhelma utilis*, 58.
- Guinea Fowl, 1329.
- Guinea Grass (*Panicum* spp.), 1053.
- Guizotia abyssinica*, 33.
- Gurjun (*Dipterocarpus turbinatus*), 442.
- Gynandropsis pentaphylla*, 717.
- Gynerium sagittatum*, 1367.
- HAEMARTHRIA FASCICULATA*, 711.
- Haemonchus longistipes*, 70.
- Halawi, 1316.
- Haldu (*Adina cordifolia*), 442.
- Haplopappus* sp., 715.
- Hawaii : Paper Mulching in Pine apple and Sugar Cane Cultivation, 579. Forestry Journals, 587.
- Heinzelia lythroides* (= *Chaetothylax lythroides*), 1051.
- Helenium Hoopesii*, 272.
- Helianthus annuus*, 33.
- Helminthia echioides*, 1287.
- Hemaethria fasciculata*, 711, 1294.
- Hemlock, Water (*Cicuta maculata*), 590.
- Hemp : Manganese Content of Seeds, 150. Piedmont Hemp, 167. Causes of Inferiority of Manila Hemp Fibres in recent Consignments, 333. Yield in the Philippines, 360. Influence of Light and Temperature on Sexual Expression, 373. Effect of Nitrogenous Manure, 694. Cultivation and Export in Morocco, 1297. Cropped Area and Yield in Bessarabia, 1300.
- Heritiera minor*, 172.
- "Herva", 1051.
- Heteropogon contortus*, 169.
- Hevea : In Brazil, 5. Notes on Alternate Tapping, 51. Utilization of Serum in Dilution of Hevea latex, 173. On Quality ; Variations and Causes, Economic Importance of Amazon Rubber Industry, 421. Origin of Latex of *H. brasiliensis*, 422. Influence of Tar on Hevea Bark, 575. Pressure in Roots of *H. brasiliensis*, 1170. Root System of Hevea in

- various Soils, 1306. Examination of Bark and its Importance in Tapping, 1307. Individual Variations in Starch Content of Bark of *H. brasiliensis*, 1308. On Presence of Quebrachite and Sugar in Latex according to different Circumstances, 1309. Note on Sugar in Latex, 1310.
- Hibiscus* spp., 227, 371, 420, 717, 1064, 1316.
- Hides and Skins: Yield in Bahia (Brazil), 1131. Export from Iraq, 1316.
- Hieracium pilosella*, 582.
- Hippomane mancinella*, 368.
- Hogplum (*Spondias Mangifera*), 430.
- Holcus*: *H. exiguus*, 535. *H. Sorghum Drummondii*, 1055. *Holcus* spp., 582, 1296.
- Holland: Conference on Nitrogenous Fertilisers and Future Prospects of Nitrate of Sodium at Rotterdam, 239. Forestry Journals, 587. Phenological Observations in 1921, 798. Goat Breeding Congress at Ruremonde, 982. Dairy Cow Breeding and Milk Production, 1337.
- Hominy: Sodium Chloride Content, 185.
- Honchenia ficifolia*, 419.
- Honolulu: Technical Supervision on Sugar Plantations, 683.
- Hookworms, 71.
- Hopea* sp., 443.
- Hordeum* spp., 26.
- Horse Radish Tree (*Moringa pterygosperma*), 430.
- Horses: Breeding: In Fiji, 82. In Italian Somaliland, 83. In Czechoslovakia, 451. In U. S. A., 452. In Morocco, 680. In Roumania, 845. In French Sudan, 975. In Italy, 976. In Dalmatia and Bucovina, 1330. In Hungary, 1331. Zoometric Data for Pure-Bred Foal at Different Ages, 80. Dongalo Breed, 188. Depreciation in Marked Value of Broken-kneed Horses, 189. Treatment of Parasitic Mange, 275. Measurement of Cutaneous Surface of Body, 285. Characters of Chilian Horse, 286. Ploughing Teams, 329. Census in Philippines, 360. Depreciation in Selling Value of Ined Horses. Permanent Lameness, 453. Lesbouyrie's Pincers for Castrating Horses, 454. Horse Pest, 594. New Endoscopic Methods for Examination, 595. Contagious Abortion of Mares, 597. Breeding Morgan Thorough-Breds on Government Farms in U. S. A., 604. Trade in Irish Horses, 605. Philippine Horse, 741. Twin Gestation in Mares, 846. Limits of Breeding Age in Thoroughbred Mares, 847. Angermüde Disease of Foals, 963. Breeds in Tavoliere di Puglia (Italy), 970. Mule-Breeding in Lower Poitou, 978. Export from Iraq, 1316. Lupinism, 1324. Importance of Breeding heavy Draught Horses in Westphalia, 1332. See also Anatomy and Physiology, Feeds, Hygiene and Stock Raising.
- Horticulture: Paper Mulch in Pine apple and Sugar Cane Cultivation in Hawaii, 579. Cultivation of Blueberries (Whortleberries) *Vaccinium* spp. in U. S. A., 580. Cultivation of Loganberry in France, 581. Gramineae and other Lawn Plants resistant to Drought, 582. Flower Bulbs on the French Riviera, 583. Vegetable Growing in Island of Guam, 1064. Influence of Grafting on resistance of Aurantiaceae to Cold, 1178. Cultivation of Pineapple, 1314. See also Fruit Growing.
- Hungary: Yield etc. of Forage Maize cut at different Stages, 40. Experiments on Composition of Sheep's

- Milk during Lactation Period, 102.
 Forestry Journals, 587. Horse-Breeding, 1331. Dairy Industry, 1373.
Hydnocarpus hutchinsonii, 697.
Hydrocotyle spp., 1051.
 Hydrocyanic Acid: In Sudan Grass, 700. Poisoning of Cattle by Prussic Acid in Sorghums, 728.
 Hygiene of Live Stock: Tuberculosis of Domestic Animals in Reference to Human Tuberculosis, 63. Resistance of various Breeds of Donkey to Skin Disease, 81. Horse Strongyles, 64. Piroplasmosis due to *Theileria parva* in North Africa, 68. Trypanosomiasis of Dromedary (Debab), 69. Critical Study of Some Nematodes of Camels in India, 70. Animal Parasites of Foxes with special reference to some species of Hookworms (*Uncinaria*), 71. Cystoid Forms of *Taenia serialis* in Psotic and Dorsal Muscles of Wild Rabbits and Hares in Sardinia, 72. Effect of Chloropicrin Fumes on *Argas reflexus*, 178. Autopyotherapeutic Treatment of Strangles, 179. Vaccination of Cattle against Anaplasmosis; Results of Inoculating High-class Breeding Animals with Sheep and Goats Blood infected by repeated Transmission, 180. Ghedda or Hemorrhagic Septicemia of the Dromedary, 181. Natural Spirillosis of Rabbit (*Spirochaeta cuniculi*), 182. *Helenium Hoopesii*, Harmful to Stock in U. S., 272. Use of Stomoxines in Treatment of Infectious Diseases, 273. Protozoon Parasites of Domestic Animals in Transcaucasia, 274. Mite-Destroying Power of some Substances used against Parasitic Mange in Horses, 275. Contagious Acute Encephalitis of Oxen, 276. Vaccination of Cattle against Rinderpest, 277. Experiments on Foot-and-Mouth Disease in France, 278. Intestinal Coccidiosis of Pig, 279. Researches on Rinderpest in the Philippines, 360. Foot and Mouth Disease in France, 444. *Solenopotes capillatus*, Sucking Louse in Cattle, 445. Stomoxes as Carriers of Dromedary Trypanosomiasis, 447. Diseases and Parasites of Sheep in Syria, 457. Poisonous Plants, 590. Is Sorrel Dock (*Rumex Acetosae*) poisonous to Cattle, 591. Treatment of Puerperal Infection in Domestic Animals with Iodide of Ioduretted Potassium, 592. Contagious Abortion in Female Asses and Mares, 593. Horse Pest, 594. New Endoscopic Methods for Examination of Horse, 595. Simultaneous Method of Inoculation with Anti-Rinderpest Cattle Plague, 596. Acute and Epidemic Form of Parenchymatous hepatic Inflammation in Sheep, 597. Treatment of Contagious Entero-Hepatitis in Turkeys, 620. Disease Investigations in California, 679. Control of Tuberculosis in California, 679. Supposed Poisoning of Sheep by Button Grass (*Eleusine aegyptiaca*), 727. Poisoning of Cattle by Prussic Acid in Sorghums, 728. Warts on Horses and Cattle, 730. Infectious Abortion in Cattle and Swine, 731. Use of Vaccines prepared with *Bacillus ovisepticus*, 732. Diseases in Domestic Birds transmissible to Man, 733. Spirochetosis in Rabbits, 734. Effectiveness of Tetrachloride of Carbon against *Uncinariae* (Nematoda Strongylidae), in Dogs, 735. Malted Grain Sickness of Cattle, 738. Poisoning by Green Carobs, 833. Colloidal Sulphur in Treatment of Sarcotic Mange in Horses,

834. Spirillae, Pathogenetic Agents of Contagious Abortion, 835. Cases of Contagious Abortion in Cows without Demonstrable Cause, 836. Treatment of Sterility of Non-pathological Origin in Cows, 837. *Necator suillus*, n. sp. Swine Parasite, 839. Disease of Young Pigs consequent on Dry Years, 840. Methods of Castration of Domestic Animals, 844. Diseases of Zebu, 853. Duration of Contagious Period in Foot-and-Mouth Disease, 962. Angermünde Disease of Foals, 963. Berne Fly (*Dermatobia cyaniventris*), 964. Osteomalaxy in Brianz Cattle and Osseous Cachexy in Swine Caused by Malnutrition, 965. Screw-Worm Fly (*Chrysomya macellaria*) and other Diptera Parasitic on Stock in U. S. A., 1069. Splenic Inflammation of Pigs, 1070. "Peste de Cezar" (Encephalomyelitis in Horse), in State of Parana (Brazil), 1183. Should Milch Cows which react against Tuberculine be sacrificed? 1184. Skin-Diseases among Livestock in Porto Rico, 1185. Experimental Research on Eruptive Disease of Goat, 1187. Pathogenetic Consequences of Feeding Cattle on Cakes made of Cacao Bean Shells, 1323. Lupinism in Horses, 1324. Johnie's Disease (Chronic Bacterial Dysentery or Paratuberculosis of Cattle), 1325. Disease of Newly Born Rabbits, 1326. See also Congresses.
- Hygiene, Rural: Effect of Variation in Milling on Digestibility of wheat Flours, 1. "Bacteriophagus" Microbe, 2. Public Health Services in Brazil, 135. Part Played by Rabbit and other Domestic Animals in protecting Man from Mosquitoes, 136. Fleas and Methods of Control, 362. Lathyrism, 363. Flora of Maize Flour, 364. Effect of *Cucurbita Pepo* Seeds on Kidney Secretion, 578. Action of Vitamines, 1010. Destruction of Mosquitoes by Fels, 1132. *Hymenaea Courbaril*, 58. *Hymenaea* spp., 1172. *Hymenoxys floribunda utilis*, 715. *Hyperbentia* spp., 169. *Hypericum*: *H. hirsutum*, 1187. *H. perforatum*, 736. *Hypochaeris radicata*, 582.
- ICHNANTHUS CANDICANS, 1051. *Ilex paraguarensis*, 697. *Imperata* spp., 169. India: Linseed Production, 33. Notes on Indigo, 50, 101. Nemato-des of Camels, 70. Giant Grasses for Paper Making, 169. Mangrove Species as Source of Tannin in the Sunderbans, Forest Division of Bengal, 172. Cultivation and Commercial Value of *Carica Papaya*, 176. Report of Imperial Economic Botanist, Pusa, 227. Maize Selection, 246. Investigations on Potato Storage during Hot Season in the West, 331. Timber, 442. Mushroom Industry, 433. Cultivation of Safflower, 431. Cinnamon Production, 577. Factors influencing Increase in Grape Yield in Western India, 585. Forestry Journals, 587. Cotton Production, page 930. Experiments in Assam, 1250. "Indian Coral" (*Erythrina indica*), 430. Indigo: Effect of Phosphate Manures and General Conditions affecting Yield and Quality of Seed in India, 50. Development of Industry in India and Nature of Changes occurring during Extraction, 101. Tests with Java Seed in India, 227.

- Indo-China : Alternate Tapping of *Hevea*, 51. Piroplasmosis, 66. Camphor, 174. Cinnamon Production 577. Cotton Production, page 930. Fertilisers, 927. Forest Areas, 1321. Camphor, in Tonkin, 1171. Tanning Substances, 1303, 1304. Palm Sugar in Cambodia, 1311.
- Industries depending on Animal Products : Changes in Composition of Sheep's Milk during Lactation Period, 102. Live Stock Industry in Fiji, 103. Turkey Industry in Sologne (France), 104. Hide Export from Iraq, 1316. See also Dairying, Fur and Meat.
- Industries depending on Plant Products : Extraction of Grape-Pip Oil by Means of the Dutch "Tordoir", 99. Paraffin from Colza Oil, 100. Indigo Industry in India, 101. Olive Industry in Spain, 265. Cider Brewery at Ettelbrück (Luxemburg), 537. Utilisation of Residues of Oil Extraction from Olives, 496. Milling and Baking of Adlay (*Coix-Lacryma-Jobi* var. *Mayuen*), 412. Modern Processes of Wine-Making Technique, 491. Fermenting Kaki Fruits, 492. Raw Materials used in Italian Alcohol Industry, 493. Relation between Nitrogenous Substances in Barley and Value in Brewing, 633. Utilisation of Tobacco Waste in Manufacture of Nicotine Extracts, 634. Factors affecting Quality of ripe Olives Sterilised at high Temperatures, 635. Rubber Latex for Paper Making, 636. Economic Poison Law in California, 679. Distillation. Experiments in Preparation of Otto of Roses, 767. Malting of North African Barley, 952. Figs as Raw Material for Alcohol Manufacture and as Stock Feed, 989. Sulphite Alcohol, 990. Dessication of Fruits, 993. Wooden Chests made of *Juniperus virginiana* for Protection of Insect attack on Clothes, 1068. Unfermented Grape Juices, 1103. Clarification of unfermented Fruit Juices, 1103. Manufacture of Tapioca Starch at Porto Rico, 1100. *Spartina Townsendi*; Paper Yielding Plant, 1076. Sugar Industry, in Russia before and after the War, 1220. Palm Oil as Motor Fuel, 1358. Fermenting Maize Stalks for making Acetone, Alcohol and Volatile Acids, 1366. Plants as sources of Liquid Fuel, 1367. Value of Cane and Beet Sugars for Jam-Marking, 1368. Grape By-Products, 1371. See also Milling and Bread Making and Oils.
- Inga* : *I. laurina*, 368. *I. Saman*, 1174.
- Insecticide : Utilisation of Pyrethrum Powder, 1175. Use of Arsenic, 1281.
- Insurance : Crop Insurance, 370.
- Ipomoea* : *I. Batatas*, 697, 1064. *Ipomoea* spp., 462.
- Ironwood, Borneo, 443.
- Irrigation : Protection of Lucerne under Irrigation in U. S. A. and New South Wales, 261. Influence on Composition of Soil, 922. Control of Soil Moisture by Auto-Irrigators, 1014. Irrigation in Tunisia, 1023. Selection and Treatment of Waters for Spraying Purposes, 1282.
- Isachne obscurans* (= *Panicum obscurans*), 169.
- Ischaemum angustifolium* (= *Andropogon involutus*), 169.
- Istaamran, 1316.
- Isukuru (*Machilus Thumbergii*), 1169.
- Italy : New Institutes for Agricultural Experiment, 3. Concentrated Food "Fruges Lin" or "Nutritivo Squassi", 77. Val di Chia-

- na (Tuscany) Breed of Cattle, 84. Hard-Pan in the Apulian Soils, 140. Satisfactory Results with Variety of Rice from U. S. A., 161. Piedmont Hemp, 167. Oil Bearing Sunflower on the "Riviera di Ponente", 170. New Service of Agricultural Ecology, 228. Critical Period of Wheat as regards Rainfall, 229. Crossing Experiments with Silkworms, 299. Construction and Use of Agricultural Tractors, 306. Experiments with Superphosphate, "Tetraphosphate" and Phosphorite, 385. Possibility of Growing Tea, 425. Viticultural Questions, 437. Sericulture, 465. Wheat Selection in Tuscany, 554. Forestry Journals, 587. Superior Cherry Varieties, 724. Sheep-Breeding in Ancient Daunia, and the Carapellesi Sheep, 748. Large Black Pigs, 859. Agricultural Problem in the South, and Dependence on Biological Conditions, 899. Agronomic Investigation and Research, 906. Production of Table Olives, 959. Live stock of Tavoliere di Puglia, 970. Improvement of Breeds of Horses, 976. Competition in Rice Transplanting in Province of Novara in 1921, 1048. Cattle-Breeding in Province of Padua, 1200. Different Process for Manufacture of Synthetic Ammonia, 1278. Milch Cows, 1336. Pig Breeding in Tuscany, 1349. Electro-Agriculture in Province of Bologna, 1357. Trentino Wines, 1363. Work of the Istituto sperimentale di Caseificio, Lodi, 1342, 1378.
- Isodes ricinus*, 1185.
- JALPAON (*Sorghum* sp.), 566.
- Jambosa (*Eugenia malaccensis*), 371.
- Japan: Superphosphate Industry, 12.
- Linseed Production, 33. Researches on Gases formed in Rice Fields during Decomposition of *Astragalus sinicus* used as Green Manure, 141. Barley Selection, 242. Forestry Journals, 587. Cotton Production, page 930. Less-Known Vegetable Oils and Fats, 1169.
- Jatropha*: *J. cardiophylla*, 715. *J. Curcas*, 267.
- Java: Sugar Cane, 270. Rubber Investigations, 422. Tea Seed Production, 719.
- Jingomashi (*Perilla ocymoides*), 1169.
- Johnson Grass (*Sorghum* sp.), 169.
- Juglans portoricensis*, 1031. *Juglans regia*, 1316.
- Juices: Unfermented Grape Juice, 1103. Grape Syrups, 1371.
- Jujube (*Zizyphus Jujuba*), 430.
- Juniperus virginiana*, 1061.
- Jute: In India, 227.
- KACHA, 443.
- Kadoesji (*Cephalocernus sanguinosus*), 1031.
- Kafir (*Andropogon Sorghum*): Type and Variability, 28. Kafir, 820. Sodium Chloride Content, 185.
- Kaki: Experiments in Fermentation of Fruits, 492.
- Kamerun Grass (*Andropogon Sorghum effusus*), 1055.
- Kamote (*Ipomoea Batatas*), 697.
- Kandelia Rheedii, 172, 1304.
- 'Kanota', Early Oat, 35.
- Kassod (*Cassia siamea*), 808.
- Kaya (*Torreya nucifera*), 1169.
- "Keroa" (*Sonneratia apetala*), 172.
- Khadhrawi, 1316.
- Khastawi, 1316.
- Kikuyu (*Pennisetum longistylum*), 568, 709, 711, 1294.
- Koko (= East Indian Walnut), 442.
- Kola: Production in Nigeria, 1130.
- Korea: Cotton Cultivation, 48.

- Kruen, 443.
Kyllingia odorata, 1051.
- LACTUCA* spp.: Number of Chromosomes in various species, 30. In Iraq, 1316.
Lagenaria vulgaris, 1064, 1316.
Lagerstroemia Flos-Reginae, 442.
Lamium purpureum, 1033.
 "Lanceta" (*Panicum echinolaena*), 1051.
Lansium domesticum, 697.
 Larkspur; Poisonous Species, 590.
 Latanier (*Thrinax barbadensis*), 902.
Lathyrus spp., 33.
 Laurel Wood (*Calophyllum Inophyllum*), 442.
Laurus Camphora, 1171.
 Lawns: Gramineae and other Lawn Plants resistant to Drought, 582.
Lawsonia inermis, 1316.
Leersia hexandra, 258, 1051.
 Lemons: See Citrus Fruits.
 Lentil: Cultivation in Brazil, '38.
 Yield and Exports in Morocco, 1292.
Leopoldina piassaba, 1166.
Lepidium sativum, 825, 1316.
Leptobacillus pento-aceticus, 1230.
 Lettuce: Manganese Content of Seed, 150. Prices of Seeds in U. S. A., 407. Effect of Artificial Light on Growth, 814. Cultivation in Guam, 1064. See also *Lactuca*.
Leucaena glauca, 1174.
Leuciscus callensis, 197.
 Libya: Past and Future of Olive Growing, 49. Sericulture, 1086.
 Lim (*Erythrophlaeum Fordii*), 1303.
 Lime: Experiments in Liming in U. S. A., 11. In Assam (India), 1250. Percentage in Basic Slag rendered soluble by different Liquids, 1276. See also Manures and Soils.
 Linseed: Determination of the Origin of the Market Linseed, 33.
 Sodium Chloride Content of Meal, 185. See also Flax.
 "Lisbona", Citrus var. 22.
 Litoco (*Calamus* sp.), 1031.
 Locoweed; Poisonous to Livestock, 590.
 Loganberry: Cultivation in France, 581. Dessication of Fruit, 993.
Lolium spp., 33, 258, 582, 1296.
Lotus: *L. corniculatus*, 1287. *L. fluminensis* (= *Chitoria cajanifolia*), 1051. *L. uliginosus*, 553.
 Lucerne: Utilisation of Rock Phosphate, 13. Influence of certain Fertiliser Salts on Growth and Nitrogen Content, 18. Manganese Content of Seeds, 150. Sodium Chloride Content of Hay, 185. For Ensilage in Argentina, 204. Production under Irrigation in U. S. A. and New South Wales, 261. Effect of Length of Day on Differentiation of Characters of certain Species, 372. Effect of Soil Temperature upon Development of Nodules, 394. Behaviour of Hybrids *Medicago sativa* × *M. falcata* from Standpoint of Production of Types of Lucerne suitable for Central Sweden, 400. New Chinese Variety in S. Africa, 414. Effect of Nitrogenous Manures, 694. Nitro-culture Tests, 696. Cultivation in Tucuman, Argentina, 710. Nitrogenous Compounds in Hay, 810. Sulphur Content, 944. Cultivation in Sub-Tropical Semi-arid Regions, 1164. As Pasture for Pigs, 1347.
Lucioiperca sandra, 1355.
Luffa aegyptiaca, 1064.
 Lupin: Manganese Content of Seeds, 150. Observations on Heredity, 395. Sensitiveness to Alkaline Earth Metals, 551. Effect of Nitrogenous Manures, 694. Cultivation in Germany, 1049. Digestibility of Several Lupin Products

- after removal of Bitterness, 1191.
See also Chemistry and Physiology.
- Lupinus* spp.: Nitrophagous Bacteria, 553. Action of Selenium on Growth and Modifications due to Radio-Activity, 703.
- Luxembourg: Fermentation Laboratory and Central Cider Brewery at Ettelbrück, 537.
- Lycopersicum esculentum*, 1031.
- Lysiloma Sabicu*, 442.
- Lysimachia thyrsiflora*, 1033.
- MACEDONIA: Cultivation of Opium Poppy, 957.
- Machilus Thumbergii*, 1169.
- Machineel (*Hippomane mancinella*), 368.
- Machinery and Implements: Power Farming Trial Week at Ondes, Haute Garonne, (France), 94. Trials of a Tractor running on Poor Gas, 95. Mechanical Flax Gatherers, 96. Wind-Mill with Coupled Wheels, 97. LUCE Sugar Cane Harvester, 199. Apple Sorting and Packing Machines, 200. Spring Awakening of Arable Land and Choice of Agricultural Machines, 235. HESS Ovariometer for Sterilisation of Cows, 292. Condition of Motor-Cultivation in Germany, 304. American and German Agricultural Machines, 305. Construction and Use of Agricultural Tractors, in Italy, 306. FULM Tractors for Ploughing and other Agricultural Work, 307. "AGRO" Fore-Carriage Tractor, 308. Power of Engines of Tractors, 309. Wedging a Tractor, 310. Rear-driven Tractors, 311. Charcoal Gas-Engine for Tractors, 312. On Accidents due to Tractors, 313. "BUCKEYE" Tractor Ditcher for Land Drainage, 314. Motor-Plough for Ploughing on the Flat, 315. New Machine with Flexible Teeth and Rotating Forks, 316. PANTZIER Machine for Chopping and Distributing Manure, 318. Beet Seed Decorticators, 319. HAUPT Potato-Planter with Cylindrical Hopper, 320. Motor Mowers, 321. Reaper Binder for Tractor, 322. Stooker for Large Threshing Machine, 323. LASKOWSKI Apparatus for Preventing Accidents during Threshing, 324. Light Road Tractor for carrying Harvest, 325. GUIDETTI and PIAZZA Cellar Presses, 386. On Choice of a Pump, 327. Deep Suction Pump, 328. Team-Ploughing, 329. Dynamometers for Testing Agricultural Machines, 330. LESBOYRIE's Pincers for Castrating Horses, 454. Comparison between Tractors and Motor Ploughs, 467. One Wheel Tractor L'HERMITE System, 468. "Massimo" Tractor for Ploughing on Slopes, 469. Heavy Oil Engine, 470. Means of Attachment for Tractors to Farm Vehicles, 471. Windlass for Cable Ploughing, 472. Plough for Rudolf Sack Tractor, 473. Notes on Implements for Motor Ploughing, 474. Method of Fixing Mould-Boards on Ploughs, Deutsche Last-Automobilfabrik System, 475. RICHTER Hoe for Potato Ridging, 476. Working Soil With Disk Harrow, 477. RENNIGER's Apparatus for Cleaning Seeds, 478. BREITE Potato-Sorter, 479. CARLSON Straw Press combined with Thresher, 480. Automatic Distributor of Oats for Horses, MICHE System, 481. Double Stroke Wind Engine, 482. Chest of FYNKE Type for testing Milk, 483. Mercury Vapour Current Transformer, 484. Co-operative Societies for Use of Machinery and Materials used in Mechanical Tillages for Assistance of

- German Agriculture, 630. SCHMIDT Tractor, specially constructed for Marshy Ground, 631. Apparatus of extracting Oily Matter by Ethyl Trichloride, 632. Milking Machines, 637. Pump for CALZONI-PARENTI Hydraulic Presses, 761. Consumption of Coal and Electricity in Machine Threshing, 762. Electricity in Agriculture, 814, 867. Posts supporting Agricultural Electric Wires, 868. Agricultural Implements in Syria and Lebanon, 903. DE CONINCK Plough Share, 986. Auto-irrigators, 1014. Power Farming in Egypt, 1093. Production of Agricultural Machinery in the Ukraine, 1207. Power Cultivation in Vineyards in France, 1208. Milking Machines, 1209. Lee Drainers, 1210. Electro-culture, 1211. "Micro-pump" R. Lefi, 1212. LONGHINI Seeder, 1213. CLARK'S Hydrogen Electrode Apparatus for Determination of Hydrogenion concentration, 1261. Electro-Agriculture in Province of Bologna (Italy), 1357. Palm Oil as Motor Fuel, 1358. Mechanical Flax Carding, 1359. Farm Garages, 1360.
- Madagascar: Forest Areas, 1321.
- Maguey, see Agave.
- Mahogany, White, 442.
- Mahogany, Honduras (*Swietenia macrophylla*), 371.
- Maize: Utilisation of Rock Phosphate, 13. Study of Nitrogen and Root Space as Factors limiting Yield in Egypt, 23. Observations on Growth in Egypt, 24. Linkage Relations, 27. Chemical Composition and Yield of Forage Maize cut at different Stages, 40. Production in Brazil, 135. Sodium Chloride Content, 185. Comparison Methods of feeding Maize and Tankage to Pigs on Red Clover and Rape Pasture, 193. For Ensilage in Argentina, 204. Selection, 241, 558, 705, 707. Inheritance of Character Crinkly Leaf, 245. Sectorial Chimera obtained by crossing Two Varieties in India, 246. Vitality of Seeds, 253. In S. France and in N. Africa, 258. Comparison with Sorghum for fattening Lambs, 295. Flora of Maize Flour, 364. Yield in the Philippines, 360. Chemical Composition of Green Maize at different Stages of ripening, 408. Chief Causes of low Yield in South Africa and Possible Means of Improvement, 565. Chemical Composition of Sweet Maize, 408. Quercetin in a Type of Brown-Husked Maize, 390. Effect of Nitrogenous Manure, 694. Action of Selenium on Growth and Modifications due to Radio-Activity, 703. Date of Sowing, 953. Is the Transplantation of Maize advantageous?, 1047. Varieties for Silage Purposes, 1052. Mangolds grown in Combination with Maize, 1057. Characteristic Proteins in Maize, 1150. Development of Mutilated Seeds, 1161. As Source of Alcohol, 1367. See also Feeds, Chemistry and Physiology and Plant Breeding.
- Malay Apple (*Eugenia malaccensis*), 430.
- Ma-li-chou (*Quercus* sp.), 1304.
- Malojillo (*Panicum barbinode*), 1053.
- Malta: Cotton Production, page 930.
- Mammea americana*, 371.
- "Manduvira grande" (*Crotolaria paulina*), 1051.
- Manganese: Distribution in Organism of Higher Plants, 149. Content of Seeds of Dutch Origin, 150.
- Mangifera*: *M. indica*, 371. *M. coesia*, 697. *M. coesia*, 1031.
- Mango, 371, 430, 697.
- Mangolds: Chemical Composition, 262. Standard Deviation, 538. In Com-

- bination with Maize, 1057. Experiments with Mangolds, 1165. Grown in Combination with Maize, 1057. Comparison of Yield and Dry Matter Content of Roots raised from Seed of same Variety grown in Denmark, Germany and England, 1165. ,
- Mangrove: Swamps in Dutch Indies, 1067. Barks for Tanning in Indo-China, 1304.
- Manihot*, 1064.
- Manila Hemp, 333, 360, 697, 902.
- Manniophyton africanum*, 419.
- Mantequilla, 827.
- Manures, General: Manurial Value of Tobacco Waste, 46. Fish Scrap, 147. Comparison of Farmyard with Artificial Manures, Researches at Rothamsted Experiment Station (England), 237. Physic Nut Cake as a Fertiliser, 267. Sulphur as a Factor in Soil Fertility, 386. Fertilisers in Spanish Agriculture, 544. Probable Effect produced by addition of Sulphur to Soil, 548. Tobacco Refuse as Fertiliser, 634. Requirements of Coffee Plants, 426. Fertiliser Law in California, 679. Effect of Gypsum on Soil Reaction, 807. Thirty Years Field Experiments with Manures and Fertilisers in Missouri, U. S., 925. Fertilisers in Indo-China, 927. Scattering of Fertilisers simultaneously with Sowing Seeds, 924. Function of Manganese Fertilisers, 938. Consumption of Fertilising Matter in Germany, 1913-1920, 1028. Fertilisers for Beans, 1050. Injurious Action of Composts, 1144. Borax in Fertilisers and Effect on Potato Growth and Yield, 1152. Agricultural Value of Sea-sand, 1269. Effect of Continuous Application of Chemical Fertilisers upon Soil Reaction, 1270. Manuring Fish Ponds, 1271.
- Waste Water from Wool-Washing as Source of Fertiliser, 1272. Effect of Various Manures on Yield of Barley, 1290. Manures for Castor-Oil Plant, 1301. Fertilising Value of Keeping Carp in Rice-fields, 1354.
- Manures, Green: Phosphate Fertilisers in Conjunction with Green Manures and Effect upon Spring Cereals in India, 50. Gases formed in Rice-Fields during Decomposition of *Astragalus sinicus* used as a Green Manure, 141. Decomposition of some common Green-Manuring Plants at different Stages of Growth in Black Cotton Soil of Central Provinces, India, 691. Sweet Clover as Green Manure, 809. Herbaceous Growth of Arborescent Plants for Manure in Cuba, 808. Inoculation of Leguminous Crops, 939.
- Manures, Nitrogenous: Availability of organic Nitrogenous Compounds, 17. Nitrogen Supplied by Rain and Snow, 138. Condition of Nitrogenous Fertiliser Industry in Germany, 145. Sebakh of the "koms" or Sebakh Koufri; Nitrogen Earths as Fertilisers in Egypt, 148. Sodium Chloride Content of Dried Blood, 185. Conversion of Straw into Farmyard Manure, 236. Nitrate of Sodium Industry, and Consumption of Nitrogenous Fertilisers, 239. Further Experiments with Activated Sludge in England, 383. Inoculated Leguminous Plants as Nitrogenous Fertilisers, 545. Effect of Straw on Biological Processes, 692. Influence of Wheat Straw on Accumulation of Nitrate in Soil, 693. Nitro-Cultures and Distribution in Canada, 696. Season for Application of Sodium Nitrate and on Behaviour of Leguminous Crops

- after Application of Nitrogenous Manure, 694. Supplies of Nitrogen Fertilisers, 934. Manufacture of Nitrates by Biochemical Oxidisation of Salts of Ammonia, 936. Notes on Composition and Stabilisation of Ammonium Nitrate in Presence of Oxidisable Material, 937. Effect of Nitrates on Various Stages of Wheat Development, 947. Fixation of Atmospheric Nitrogen and Fabrication of Nitrogenous Manures in Egypt, 1029. Comparative Value of Various Nitrogenous Manures for Sugar Cane Growing in Java, 1059. Transformation of Ammonia into Urea, 1150. Decomposition of Ammonium Nitrate by Heat, 1151. Effect of Application of Various Salts upon Nitrogen-fixing Properties of Soil, 1268. Progress of Nitrogen Fixation and Manufacture of Synthetic Ammonia, 1278. Advantages of Bicarbonate of Ammonia as Fertiliser both from Point of View of Production and Use, 1279. Chloride of Ammonia as Manure, 1280.
- Manures, Phosphatic : Present Condition of Superphosphate Industry in Japan, 12. Basic Slag, Effect on Grassland and Subsequent Crops, 14. Superphosphate Effect on Indigo Yield, 15. Phosphate Fertilisers, Effect in Conjunction with Green Manures upon Spring Cereals, in India, 50. Condition of Phosphatic Fertiliser Industry in Germany, 145. Experiments with "Rhenania Phosphat" in Germany, 384. Experiments with Superphosphate, Tetraphosphate and Phosphorite in Italy, 385. Requirements for Rice, 411. Relation between Organic Matter and Assimilation of Mineral Phosphate, 931. Production of Phosphoric Acid by Method of Electric Condensation and Precipitation, 1024. Enriching Extract of Phosphoric Acid by Means of successive Decomposition of Phosphorites, 1025. Fertilising Value of "Supra" disintegrated Phosphate in Belgium, 1026. Assimilability of various Phosphate Manures, 1027. Value of Tetraphosphate as a Fertiliser, 1145. Various Grades of Basic Slag in Great Britain, 1146. Influence of Humic Acids on Assimilation of Phosphoric Acid, 1273. Value of Insoluble Mineral Phosphates of Aluminium, Iron and Calcium, 1274. Effect of Mineral Phosphate upon Phosphoric Acid Absorption and Productivity of Maize and Sorghum, 1275. On Alkalinity of Basic Slag, 1276. Effect of Crude Phosphate and Basic Slag on Quantity of Hay and Pastures, 1296.
- Manures, Potassic: Experiments with Potash Fertilisers in U. S. A., 547. Availability of Potash in some Soil-Forming Minerals, 932. Potassium-Nitrate Ratio of Red Clover as influenced by Potassic Fertilisers, 933. Improvement of Alkaline Soils by Application of Gypsum and other Methods, 1143. Potassic Deposits in Poland, 1147. Pot-Culture Tests on Availability of Potassium in Greensand Composts, 1148. Potassic Deposits of Catalonia (Spain), 1277.
- "Maracuja de raposa" (*Passiflora toxicaria*), 1051.
- Marang (*Artocarpus odoratissima*), 697.
- Maranta : *M. arundinacea*, 1064. *M. juncea*, 902.
- Martinique: Cultivation and Organisation, 902.
- Matricaria inodora*, 33.
- Marsdenia rostrata*, 590.
- Maté (*Ilex paraguariensis*), 697.

- Mauritius: Cinnamon Production, 577.
 Meadow Fescue (*Festuca pratensis*), 150.
 Meat: Frozen Meat Industry in Brazil, 135. Unusual Odour of Wholesome Meat in Refrigerator, 775. Value of the Fifth Quarter in Meat Trade, 985. Production of Sauerkraut, 1230. Food Value of Bull Beef, 1379.
Medicago spp., 44, 535, 553, 696, 1316. *M. falcata*, 372. *M. lupulina*, 582.
 Medicinal Plants: Papain from *Carica Papaya*, 176. Camphor, 52, 174. *Datura Metel* as a Source of Scopolamine, 368. Cinnamon, 577, 1171. Value of Chaulmoogra Oil from *Taraklogenus Kurzii*, as Leprosy Cure, 697, 721. Alkaloidal Content of Leaves and Stems of Ipecacuanha, 722. Opium Poppy and Morphine Content, 957.
 Medlar: Japanese Medlar in Algeria, 535.
Meibomia Rensoni, 164.
Melia Azedarach var. *umbraculifera*, 535.
Melinis minutiflora, 1051.
Melilotus: *M. alba*, 553, 627, 808, *M. alba* var. *annua*, 415. *M. parviflorus*, 33. *Melilotus* spp., 534.
 Melon: Manganese Content of Seed of Water Melon, 150. Prices of Seeds in U. S. A., 407. Manhattan Melon (*Citrullus vulgaris*): Introduced into U. S. A., 1031. Cultivation of Musk Melon in Guam, 1064.
Mentha spp., 1316.
Menyanthes brasiliica, 1051.
Mephitis spp., 284.
 Mesopotamia: Cultivation of Date Palm, 584. Study of Soil, 1256. Export of Wheat, 1316.
 Mesquite (*Prosopis juliflora*), 808.
 Meteorology: Information concerning Amazon Region, Brazil, 5. Effect of Temperature upon Absorbent Properties of Soils, 8. Influence of Climate on the Fixity of Hybrids, 26. Meteorological Service in Brazil, 135. Effect of Lake Michigan (U. S.) upon Rainfall during Crop-Growing Season, 137. Fertilising Value of Rain and Snow, 138. Influence of Atmospheric Factors upon Composition of Wheat, 160. Critical Period of Wheat as Regards Rainfall in Italy, 229. Reduced Yield of Chief Farm Crops caused by Adverse Weather Conditions in U. S. A., 370. Control of Effects of Wind by Means of Plant Windbreaks in Tropical America, 371. Effect of Length of Day on Differentiation of Characters of Certain Lucerne Varieties and Possibility of utilising the Phenomenon as Practical Means of Identification, 372. Influence of Light and Temperature on Sexual Expression in Hemp, 373. And on Germination of *Poa compressa*, 393. Formation of Alkaloids in Belladonna Leaves in relation to Solar Radiation, 429. Influence of Temperature and Rains on Maize Yield in Argentina, 539. Influence of Rain on Hay Crop of Certain Forage Grasses at Svalöf, Sweden, 540. Present Phase of Protection against Frost by means of Fumigation in the Grand Valley of Colorado, 541. Correlation between Temperature and Date of Flowering in New England, U. S. A., 687. Phenological Observations in Holland, 798. Distribution and Intensity of Hail in Bulgaria, 799. Critical Period of Wheat as regards Rain, 1012. Effects of a dry Warm Year on Wheat Crops grown at Verrières (France), 1134. Climate of Mountainous Regions of Minas Geraes (Brazil) in relation to Agricultural and Zootechnical Condi-

- tions, 1252. Effect of Meteorological Factors on Quality and Quantity of Wheat produced in Argentina, 1253. Effect on Yield of Wheat of Variation in Degree of Humidity of Soil during and after Critical Period, 1254. Relation between Height Growth of Trees and Meteorological Conditions, 1320. See also Agricultural Ecology.
- Meadow Grass (*Poa pratensis*), 150.
- Mexico: Forestry Journals, 587.
- Michunes, 827.
- Microlaena stipoides*, 1031.
- Milcado, 827.
- Milha (*Paspalum* spp.), 1051.
- Milium multiflorum*, 258.
- Milk, See Dairying.
- Milkweed, 62, 590, 215.
- Milling: Connection between Degree of Milling and Composition and Food Value of Bran, 282. Value of Adlay (*Coix Lacryma-Jobi* var. *Mayuen*), 412. Milling Quality of Saskatchewan wheat, 948.
- Milo: Sodium Chloride Content, 185.
- Mimosa invisa*, 716.
- Mimusops Kanki*, 430.
- Mint: Cultivation in Guam, 1064.
- "Mio-mio" (*Baccharis cordifolia*), 1051.
- Mirabow, 443.
- Mirong (*Cassia* ?), 1304.
- Mischanthus (Eulalia)* spp., 258.
- "Misgawi", 75.
- Moki Lima (*Phaseolus lunatus*), 37.
- Molasses: Sodium Chloride Content, 185.
- Mole: American Moles as Pests and as Fur Producers, 1092.
- Momordica cochinchinensis*, 368. *M. Charantia*, 104.
- Monkey-flower Tree (*Phyllocarpus septentrionalis*), 1031.
- Monocymbium ceresiaeforme* = *Andropogon ceresiaeformis*, 169.
- Moringa pterygosperma*, 430.
- Morocco: Review of Agricultural Situation in North-West, 680. Autumn Cereals, 1288. Forest Areas, 1321. Fibre Crops, 1297. Growth of Castor-Oil Plant, 1301.
- Morus*: *M. alba*, 1316, *M. Kagaya*, 535. *Morus* spp., 808.
- Mosquitoes, 136.
- Mould, 1365.
- Moya Grass (*Pennisetum Alopecurus*), 169.
- Mucor* sp., 364.
- Mucuna utilis* (= *Stizolobium deeringianum*), 569.
- "Mulatinos", *Phaseolus vulgaris*, Var., 76.
- Mules: Lactic Secretion in Unmated Mule, 74. Breeding in Tunisia, 81. In Fiji, 82. In Italian Somaliland, 83.
- Mungp (*Phaseolus aureus*), 607.
- Musa* spp., 1064.
- Musa textilis*, 333. *M. paradisiaca*, 1316.
- Mushroom: Possibilities in India, 433.
- Mustard: Vitality of Seeds, 253. Cultivation in Guam, 1064.
- Myoporum platycarpum*: Analysis of Exudation from, 699.
- Myrabolan: Tannin Value, 172.
- NAPIER GRASS (*Pennisetum purpureum*), 711, 712.
- Narcissus* spp., 583.
- Nasturtium sylvestre*, 582.
- Necator suillus*, 839.
- Nematodirus mauritanicus*, 70.
- Nephelium* spp., 1031, 1304.
- Neurotrichus gibbsii*, 1092.
- New Hebrides: Technological Value of Cottons, 1299.
- New South Wales: Alfalfa production under Irrigation, 261. Analysis of Mangolds, 262. Feeding and Contact Experiments with St. John's Wort (*Hypericum perforatum*), 736.

- Nghien (*Nephelium* sp.), 1304.
Nicotiana: *N. rustica*, 1313. *N. Tabacum* var. *havanensis*, 240.
 Nigeria: Crop Production, 1130.
 Nipa, Palm: As Source of Liquid Fuel, 1367.
 Nitrogen: Influence of Certain Fertiliser Salts on Growth and Nitrogen Content of Some Legumes, 18. Nitrogen and Root Space as Factors limiting the Yield of Maize in Egypt, 23. World's Nitrogen Products, 144. Chlorine Index as Comparative Measure of Nitrogen Content of Soils, 231. Nitrogen Fixation, 801, 803. Nitrogen Industry in Germany, 1149. Relation between Nitrogen in Soil and Livestock Farming, 926. Nitrite Ferment, 1020. Fixation of Atmospheric Nitrogen in Egypt, 1029. Ammonia as basal and final Product in Transformation of Nitrogen by Plants, 1285. See also Soils and Manures.
 Norway: Sources of Fixed Nitrogen, 144. Forestry, 439. Forestry Journals, 587. Process for Manufacture of Synthetic Ammonia, 1278.
Ocuis cardinalis, 135.
umida spp., 1329.
 Nutritivo Squassi", 77.
utlalia spp.: Cause of Piroplasmosis, 66.
 OATS: Effect of Liming, 10. Relation of Organic Matter and Feeding Power of Plant to Utilisation of Rock Phosphate, 13. Kanota: Early Oat introduced into Kansas, U. S. A., 35. Manganese Content of Seeds, 150. Sodium Chloride Content, 185. Selection, 241, 819. Svalöf Odal, New Early Variety of White Oats to North Sweden, 243. Inheritance of Character "Yellow Striping of Leaves" in Oat, 244. Mansholt III, Var. resistant to Lodging, 256. Selection and Hybridisation Experiments in Sweden, 397. Researches on Question of Fatuoid Mutation of *Avena sativa*, 398. Influence of Rain on the Hay-Crop, 540. Orion of Svalöf, Early Black Var., 556. Oats as Pig Pig Feed, 617. Culture in Furrows, 923. Assimilability of Various Phosphatic Manures, 1027. Yields in Germany, 1028. As Cattle Feed 1072. As Pig Feed, 1082. Digestibility of Oats and Tare Silage, 1190. Cultivated Area in Morocco, 1288. Market Price of Oat Feeds in Germany, 1327. See also Chemistry and Physiology, Feeds, and Plant Breeding.
 Oba sulu, 413.
 Oils: Extraction of Grape Pip Oil by means of the Dutch "Tordoir", 99. Paraffin from Colza Oil, 100. Oil of Gembok Beans (*Bauhinia esculenta*), 162. Oil-Bearing Sunflower, 170. Safflower Oil, 227. Olive Oil: In Corfu, 361. In Spain, 265. In Greece, 1099, 1370. Illipe Nuts (*Shorea stenoptera*) and other Dipterocarps yielding Oil, 266. Physic or Purging Nut (*Jatropha Curcas*), Value of Oil, 267. Olive Oil Value of Seeds of *Momordica cochinchinensis*, 368. Bay Oil, 368. Improvement of Oil Bearing Sunflower, 559. Economic Value of Sunflower Oil, 431. Oil from Pips of French Grapes, 495. Chaulmoogra Oil, 697, 721. New Type of Copal Oil from Belgian Congo, 869. Less-Known Vegetable Oils and Fats of Japan, 1169. Atlas Cedar Wood Oil, 1322. Codliver Oil; Effect on Leg Weakness in Newly hatched chickens, 1350. Production of Oil Seeds and Vegetable Oils in Bessarabia, 1300.
 Oil Palm: Suggested Improvements

- in Nigeria, 1130. Experimental Station proposed in Ivory Coast and at Dahomey, 1168. Palm Oil as Motor Fuel, 1358.
- Okra: Cultivation in Guam, 1064. *Olea europaea*, 1031, 1316.
- Olives: Past and Future of Olive Growing in Libya, 49. Cultivation and Production in Spain, 265. In Corfu, 361. In Algeria, 535. In South-West of U. S. A., 1058. Factors affecting Quality of ripe Olives sterilised at high Temperatures, 635. Production of Table Olives in Italy, 959. Observations on the Flower, 1167. Olive Oil, Production in Greece, 1099, 1370.
- Olive tafahi (*Olea europaea*), 1031.
- Onion: Manganese Content of Seeds, 150. Prices of Seeds in U. S. A., 407. Cultivation in Guam, 1064.
- Onobrychis sativa*, 553, 812.
- Opium Poppy: Factors influencing Alkaloid Content and Yield of Latex in India, 428.
- Opuntia*: *O. europaea*, 1316. *O. Ficus-indica*, 1316. *Opuntia* spp., 535.
- Orange: Development of Navel Orange Industry in U. S. A., 225. Changes occurring in the course of Preservation, 332. See also Citrus Fruits.
- Orchids: Non-symbiotic Germination of Seeds, 1158.
- "Oro" (*Phaseolus panduratus*), 1051.
- Oryza sativa*, see Barley.
- Oryzopsis* spp., 258.
- Osyris tenuifolium*, 54.
- Oxytropis Lamberti*, 590.
- PACAYA (*Chaemaedorea* sp.), 1031.
- Pacayito (*Chaemaedorea* sp.), 1031.
- Pachyrhizus tuberosus*, 1064.
- Packing and Transport: Apple Packing Houses, 200. Packing House for Tobacco, 201. Transport of Market Produce by Aeroplane, 206.
- Padank (*Pterocarpus* spp.), 442.
- Pai t'sai (*Brassica pechinensis*), 1031.
- "Pampuan" (*Ichnanthus candicans*), 1051.
- Panicum* spp., 33, 169, 258, 711, 902, 1051, 1053, 1294.
- Papain, 176.
- Papaya: In Guam, 1064.
- Paper: Paper Mulch for Pineapples and Sugar Cane, 579. Utilisation of Rubber Latex, 636. *Spartina Townsendi* as Paper Making Material, 1176.
- Para Grass (*Panicum* spp.), 169, 1054.
- Parsley: Prices of Seeds in U. S. A., 407. Cultivation in Guam, 1064.
- Parsnip: Prices of Seeds in U. S. A., 407.
- Parthenium argentatum*, 715.
- Paspalum*: *P. dilatatum*, 1054. *P. scrobiculatum*, 711, 1294. *P. virgatum*, 711, 1294. *Paspalum* spp., 258, 1051.
- Passiflora* spp., 1051.
- Pasto imperial (*Paspalum scoparium*), 1051.
- Pasture: Basic Slag. Effect of, upon Grassland, 14. Pastures in Fiji, 82. Method for calculating the Production of Pastures, 166. Comparison of Methods of Feeding Maize and Tankage to Pigs on Red Clover and Rape Pastures, 193. Utilisation of Grazing Grounds of the Deforested Lands of the South of U. S., 290. Advantages of Temporary Pasture on Sheep Farms, 294. Pasturing of Pigs, 1082. Species of *Rumex* in Grasslands, 1295. Effect of Crude Phosphates and Basic Slags on Quality of Hay and Pastures, 1296. Lucerne as Pasture for Pigs, 1437. Expediency of rearing Swine on Grass, 1346. Rape as Valuable Pasture for Pigs, 1348.

- Patola (*Luffa aegyptiaca*), 1064.
 "Patwa" (*Hibiscus cannabinus*), 227.
Pavetta indica, 1031.
 Peach: Dessication of Fruit, 993.
 Peanut: Sodium Chloride Content, 185. Change in the Fat of Peanut Fed Rabbits, 187. Selection in Brazil, 241. Yield etc. in S. Africa, 709. For Fattening Pigs, 1082. Studies in Senegal, 1168. *Arachis hypogaea*, 1316.
 Pears: New Test for Maturity of Fruit, 958. Dessication of Fruit, 993.
 Peas: Effect of Liming, 10. Influence of Certain Fertiliser Salts on Growth and Nitrogen Content, 18. Manganese Content of Seeds, 150. Cultural Tests in Brazil, 241. Prices of Seeds in U. S. A., 407. Nitro-culture Tests, 696. Correlation between Colour of Spermoderm and Shape of Seeds, 821. Cultivation in Guam, 1064.
 Peat: Nitrogen Content, 17. Soil Acidity and Composition of Peat Bog, 917.
 Pecan (*Carya olivaeformis*), 535.
 Pechay (*Brassica chinensis*), 1064.
 Pehalonga Grass, 1294.
Pellonia, 1032.
Penicillium spp., 364.
Pennisetum: *P. clandestinum*, 1294. *P. longistylum*, 568. *P. spicatum*, 1056. *Pennisetum* spp., 169, 258, 259, 535, 709, 712.
Penitacme burmanica, 442.
 Pepino (*Solanum muricatum*), 1031.
 Pepper: Cultivation in Guam, 1064.
Perca fluviatilis, 1354.
 Perennial Canary Grass (*Phalaris bulbosa*), 1294.
Perilla ocymoides, 1169.
Persea spp., 1031.
Persica Davidiana, 535.
Petroselinum sativum, 1316.
Phalaris: *Ph. bulbosa*, 42, 1294. *Phalaris* spp., 33, 258, 535.
Phaseolus: *Ph. lunatus*, 37, 1064. *Ph. Mungo*, 1316. *Ph. vulgaris*, as Stock Feed, 76. Selection, 156. *Phaseolus*, spp. 10, 696, 1051.
 Philippines: Duck Feeding Experiments, 90. Instruction and Investigation in Plant Breeding at the College of Agriculture, 153. Variation and Correlation of Characters among Rice Varieties, 155. Present Position of Agriculture, 360. Rice Cultivation, 409. Forestry Journals, 587. Food Plants, 697. Horses, 741. Improvement of Sugar Cane by Selection, 823. Selection of Sweet Potatoes, 945. New and Noteworthy Plants, 1031.
Phleum: Manganese Content of Seeds, 150. Composition by Weight, 1296. *Ph. pratense*, 582. *Ph.* spp., 258, 259, 540.
Phoenix dactylifera, 1316.
Phoma spp., 803.
Phragmites: *P. communis*, 78. *Ph. Karka* (= *P. Roxburghii*), 169.
Phyllocarpus septentrionalis, 1031.
Physa fontinalis, 1353.
Picea: *P. Meyer*, 1031. *P. nigra*, 917.
 Pigs: Gascon and Lauraguaise Breeds in France, 192. Fattening, 193. Census in Philippines, 360. Improved German Pig as Means of improving Swine in Gorizia (Italy), 615. Influence of Age upon Fertility of Sows, 616. Stock in North-West Morocco, 680. Breeding: In England, 749. In Germany, 1344. 1345. In Australia, 1344. In Tuscany, 1349. Effect of Rationing on Development, 751. Disease of Young Pigs consequent on Dry Years, 840. Iberian Breed in Spain, 860. Effect of Breeding on Immature Sows, 861. Large Black Pigs of England, 750; of Italy, 859. Gargano Breeds in Italy, 970. Sardinian Pig, 971. Gloucestershire

- Old Spot Pigs, 983. Pasturing, 1082. Net Costs and Profits of Breeding, 1215. Reduction in Cost of Stock and Products, in U. S. A., 1210. Rearing Young Pigs without Milk Rations, 1339. Summer Pig Breeding in Germany, 1340. Development and Feeding of Pure Bred Yorkshire Pigs, 1342. Bavarian Breed "Landrasse" in Process of Extinction, 1343. Expediency of Rearing Swine on Grass, 1346. Breeding Autumn-Farrowed Pigs in U. S. A., 1341. See also Anatomy, Breeding, Feeds, Hygiene of Livestock and Stock Raising.
- Pigeon: Colour Inheritance, 283.
- Pigeon Pea (*Cajanus indicus*), 1064.
- Pimenta acris*, 368.
- Pine: Relations between Soil Type and Root Form of Seedlings, 921. Corsican Pine, 1320.
- Pineapple: Utilisation of Paper as Mulch in Hawaii, 579. *Ananas sagenaria*, 1166. Notes on Cultivation, 1314.
- Pinus*: *P. scopulorum*, 921. *P. sylvestris*: Manganese Content of Seeds, 150. *Pinus* spp., 916, 1021, 1221, 1319.
- Piroplasma* spp.: Cause of Piroplasmosis, 66. On Cattle, 174.
- Piteira (*Fourcroya gigantea*), 1166.
- Pithecolobium Unguis-Cati*, 368.
- Pisum* spp., 553, 696.
- Planorbis marginata*, 1353.
- Plantago*: *P. lanceolata*, 582, *P. media*, 1033.
- Plant Breeding: Pure Line and Pure Chain. Contribution to Terminology of Genetics, 25. Barley Hybrids, especially from Standpoint of Fixity of Segregation of Characters in F_2 , 26. Linkage Relations in Maize, 27. Type and Variability in Kafir (*Andropogon Sorghum*), 28. Relation between Appearance of Globe Mutant in *Datura Stramonium* and Behaviour of Chromosomes, 29. Number of Chromosomes in *Lactuca* spp., 30. "Akala" (*Rubus Macraei*), Endemic Hawaiian Raspberry and Possibilities of Improvement by Hybridisation and Selection, 31. "Tangelolo", New Citrus Fruit obtained by Crossing the "Sampson Tangelo" with *Citrus decumana*, 32. Instruction and Investigation in Plant Breeding at the College of Agriculture in the Philippines, 153. Genetic Behaviour of Spelt Form in Crosses between *Triticum Spelta* and *T. sativum*. Possibility of obtaining Synthetic Forms of Wheat, 154. Variation and Correlation of Characters among Rice Varieties cultivated in the Philippines, 155. Leaf-Tissue Production and Water Content in a Mutant Race of *Phaseolus vulgaris* as compared with the Parental Race, 156. Production of Varieties of Bean with Mottled Seeds, 157. Cotton Selection, 158. Plant Breeding Institutes in Great Britain, 226. Work of Phytotechnical Station at Gayerovo (Paraná), Brazil, 241. Hereditary Behaviour of a Dwarf Form of Barley in Japan, 242. Svalöfs Odal, New Early Variety of White Oats suited to North Sweden, 243. Inheritance of Character "Yellow Striping of Leaves" in the Oat, 244. Inheritance of Character, Crinkly Leaf in Maize, 245. Sectorial Chimera obtained by crossing two Varieties of Maize in India, 246. Case of Dimorphism in Rice connected with Segregation Phenomena, 247. On the Fixity of Characters in New Hybrid Potatoes, 248. Pure Line Selection of Bundelkhand cottons in India, 249. Male-Sterility in Flax subject to Two Types of

- Segregation, Ambilateral and Unilateral, 250. Bud Variations of Economic Importance in the Sugar Cane, 251. Breeding Experiments with Roselle (*Hibiscus Sabdariffa*), 252. Observation on Heredity at the Phytotechnical Station at Abed (Denmark), 395. New Vine Selection Station in Austria, 396. Selection and Hybridisation with Object of obtaining Types of Oats for Norrland (N. Sweden), 397. Fatuoid Mutation of *Avena sativa*, 398. Behaviour of Hybrids *Medicago sativa* × *M. falcata* from Standpoint of Production of Types of Lucerne suitable for Central Sweden, 400. On Origin of New Line of Red Clover with Short Corolla Tube, 401. Fertilisation of Red Clover (*Trifolium pratense*) in Germany, 402. Genetic Behaviour of New Seed Colour in *Trifolium pratense*, in Sweden, 403. Histological Characters of Root of Sugar Beet from Point of View of Selection, 404. Rice Selection in Philippines, 409. Improvement of "Civitella" Variety of Wheat by Individual Selection in Tuscany, 554. "Rubin", Early Spring Wheat for Central Sweden obtained by Crossing the Native Dala Variety with Kolben of Svalöf, 555. Orion of Svalöf, Early Black Variety of Oat for Norrland obtained by the Cross Ligowo × O668, 556. Enumeration of the Dominant Characters of Barley, 557. Behaviour of the Character "Ramified Female Inflorescence" in the Cross of Maize Plants having Normal Ears, 558. Improvement of Oil Bearing Sunflower by Selection, 559. On Advisability of Selecting the Native Tobacco in Bulgaria, 560. Difficulties in Improvement of Fruit Trees by means of Crossing and Selection, 561. Possibility of Transmitting by Vegetative Propagation the Character of High Productivity in certain Apple Trees, 562. Means of obtaining by Suitable Crossing, Varieties of Grapes without Pips, 563. Problem of Maize Selection in Kenya (Africa), 705. Improvement by Selection of *Agave Sisalana*, 706. Yellow Stripes on Leaf, a Hereditary Character of Maize, 707. Morgan's Theory of Mechanism of Chromosomes, Applicability to Problems of Plant Genetics, 816. Selection of "Bianchetta" and "Gentil Rosso" Wheats at Andria in Apulia (Italy), 717. Natural Hybrids of Wheat Rye at Saratov (Russia), 818. Hybrids Red Rustproof × Black Tartarian Oats, 819. Improvement of Sorghum by Crossing and Selection, 820. Correlation between Colour of the Spermoderm in Peas and Shape of Seeds, 821. Self-pollination and Cross-pollination in Coconut Palm, 822. Improvement of Sugar Cane by Selection, in Philippines, 823. Improvement by Crossing and Selection of Raspberry (*Rubus idaeus*) and Blackberry (*Rubus fruticosus*) in U. S. A., 824. S. B. Y. and Blo. 38. Two New Varieties of Sweet Potato, 945. Pedigree Selection of Göttingen Rye (Germany), 1286.
- Pleiocarpidia*, 1032.
 Plum: Dessication of Fruit, 993.
Poa: *P. compressa*, 393. *P. pratensis*, 150, 193, 582. *P. trivialis*, 1296. *Poa* spp., 1031.
Podocarpus elata, 999.
 Poland: Potassic Deposits, 1147.
Polychroa (= *Pellonia*), 1032.
Poon (*Sterculia foetida*), 430.
Polygonum spp., 10, 33, 582, 966.

- Poplars : In Algeria, 535.
- Poppy : Cultivation of Opium Poppy in Bulgaria and Macedonia, 957. Cropped Area and Yield of Oil in Bessarabia, 1300.
- Populus pekinensis*, 535.
- Portia (*Thespesia populnea*), 430.
- Porto-Rico : Yam Culture, 39. Possibilities of Growing Camphor Tree, 52. Banana-Growing, 177. Sugar Cane Varieties, 718. Manufacture of Tapioca Starch, 1100. Skin-Diseases among Livestock, 1185.
- Portugal : Forestry Journals, 587.
- Portuguese India : Interplanting on Coconut Estates, 430.
- Portulaca* sp., 1316.
- "Postomeira" (*Eriosema crinitum*), 1051.
- Potamogeton natans*, 1353.
- Potatoes : Carbonication, Effect of, 19. Development of Tubers; Experiments in U. S., 163. Storage; Comparative Effect of Light and Darkness, 205. Selection in Brazil, 241. Fixity of Characters in New Hybrid, 248. Investigations on Storage during Hot Season in W. India, 331. Cultivation in Corfu, 361. In Chili, 527. In Guam, 1064. Cost of Milk Production in France, 764. Effect of Borax in Fertilisers on Growth and Yield, 1152. Influence of Weight of Set on the Crop, 1162. Supposed Degeneration of Potato, 1163. Seed Propagation in Assam (India), 1250.
- Poultry : Turkey Rearing in Sologne, France, 88. Shortening the Incubation Period by Exposing Eggs to Radium Emanation; Experiments in Austria, 89. Comparative Efficiency of Animal and Plant Protein in Stimulating Egg Production; Duck Feeding Experiments in the Philippines, 90. First Egg-laying Competition in France, 194. Rejuvenescence, 450. Rearing in Utah, U. S., 603. Four New Breeds of Fowls, 618. Croad Langshan Breed, 619. Treatment of Contagious Entero-Hepatitis in Turkeys with Ipecacuanha, 620. Inheritance of Silky Plumage in Fowls, 621. Respective Influences of Cock and Hen in Egg Production, 622. Dryden Method of choosing Laying Hens, 623. Duck as an Egg Layer, 624. Diseases Transmissible to Man, 733. Rate of Growth of Domestic Fowl, 752. Nutrient Requirements of Growing Chicks, 753. Clover Flour and Grape Pip Flour in Feeding, 754. Duck Hybrids, 755. Problems of Incubation, 756. Rearing in Cyrenaica, 757. Feeding Methods in U. S. A., 758. Bresse Breed, 862. "Colloncas de Aretes" of Chili (*Gallus inauris*), little known South American Species of Fowl, 863. Egg Laying Characteristics, of Hen, 864. Distribution of Enzymes in Alimentary Canal of Chicken, 1083. Rearing of Geese in U. S. A., 1205. Reduction in Cost of Stock and Products in U. S. A., 1210. Hybridising in Genesis of Chickens, 1329. Effect of Cod-Liver Oil in "Leg Weakness" in Newly Hatched Chickens, 1350. "Type" in Poultry Breeding, 1351. Intensive Chicken Rearing, 1352.
- Preservation : Potato Storage, 205, 331. Changes occurring in Oranges in course of Preservation, 332. Causes of Inferiority of Manila Hemp Fibres in recent Consignments, 333. Chemico-Bacteriological Study of Different Qualities of Silaged Forages, 503. Grape Preservation in Almería, 586. Preservation of Acorns and Beech-Mast, 589. Unusual Odour of Whole

- some Meat on Refrigerator, 775.
 Preservation of Forage by Means of Electric Current, 776. Analyses of Italian Preserved Fruits, 1104.
 "Prima Vera" (= White Mahogany), 442.
Prosopis juliflora, 808.
Prunus spp., 535, 1031, 1316.
 Prussic acid, see Hydrocyanic Acid.
Pseudotsuga taxifolia, 1319.
Psidium: *P. Guayana*, 430. *Psidium* spp., 535.
Psoroptis communis, 1185.
Psychotria bacteriophila, 1031.
Psychotria spp., 1051.
Pterocarpus spp., 54, 442.
Pulex irritans, 362.
 Pumpkin: Effect of Seeds on Kidney Excretion, 578.
Punica Granatum, 1316.
 Pussur (*Carapa moluccensis*), 172.
 Pynima (*Lagerstroemia Flos-Reginae*), 442.
 Pynkado (*Xylia dolabriformis*), 442.
Pyrenaria, 1032.
 Pyrethrum: Cultivation in Switzerland, 1175.
Pyrus spp., 1031. *P. Malus*, 1316.
- QUEENSLAND: Cotton Production, 418.
Quercus spp.: Indicators of Soil Types, 1013. For tanning, 1304.
- RABBIT: Natural Spirillosis, 182.
 Changes in Fat when fed on Peanuts, 187. Colour Inheritance, 283. Horse-Chestnuts as a Food, 303. Spirochetosis, 734. Disease of Newly Born Rabbits, 1326.
 Radish: Prices of Seeds in U. S. A., 407. Horse-Radish in Guam, 1064. Cultivation in Guam, 1064.
 Rape: Utilisation of Rock Phosphate, 13. Cropped Area and Yield in Bessarabia, 1300. As Valuable Pasture for Pigs, 1348.
Raphanus sativus, 33, 1316.
Rapistrum orientale, 33.
 Raspberry: Improvement by Crossing and Selection, 824. Dessication of Fruit, 993.
 Ray Grass, Italian, 150.
 Red Rhodes Grass (*Eustachys perurea*), 711, 1294.
 Red Top: Utilisation of Rock Phosphate, 13.
 Reed, Common: Use as Cattle Food, 78.
 Reindeer: Rearing in Canada, 628.
 Resinous Plants: *Blumea balsamifera*, 174. Cuica Resin from *Cercidium spinosum*, 175. Copal, 1172.
Rhizophora mucronata, 172, 1304.
Rhizopus nigricans, 364.
 Rhodes Grass (*Eustachys Gayana*), 711, 1294.
 Rhodesia, see Africa South.
 Rhodesian Tussock Grass (*Setaria Lindenberghiana*), 711, 1294.
Rhynchosia spp., 1051.
 Rice: Utilisation of Rock Phosphate, 13. Wild Rice in Brazil, 21. Varieties tested in Valencia (Spain), 36. Production in Brazil, 135. Variation and Correlation of Characters among Varieties cultivated in the Philippines, 155. Satisfactory Results obtained in Italy with Variety from U. S. A., 161. Sodium Chloride Content, 185. Dimorphism, 247. Yield in the Philippines, 360. Cultivation in the Philippines, 409. In Messina, Greece, 410. Phosphatic Requirements, 411. Competition in Rice Transplanting in Province of Novara (Italy), in 1921, 1048. Cultivation in Nigeria, 1130. Selection in Assam (India), 1250. Possible Correlation between Fertility of Soils under Rice and their Titration Curves, 1262. Cultivation in Sarawak, 1291. Fertilising Value of Keeping Carp in Ri-

- cefields, 1354. As Source of Alcohol, 1367.
- Ricinus communis*, 33, 1252.
- Roach, 1354.
- Rollinia* spp., 1031.
- Rosas, 827.
- "Rosa dos campos" (*Dipladenia ilustavis* vars.).
- Rose: Preparation of Otto of Roses, 767.
- Roselle, 420, 1064.
- Rotboellia compressa* var. *fasciculata*, 1051.
- Roumania: Horse-Breeding, 845.
- Rubber: Rubber Latex for Paper making, 636. Rubber Content of North American Plants, especially *Asclepia* spp. and *Apocynum* spp., 715. Cover Crops on Young Rubber Plantations, 716. Yield in Bahia (Brazil), 1131. Cultivation of Soil in Rubber Plantations, 1305. See also *Hevea*.
- Rubus*: *R. Macraei*, 31. *Rubus* spp., 687, 824, 1031.
- Ruellia* spp., 1051.
- Rumex*: *R. acetosa*, 591. *R. pulcher*, 33. *Rumex* spp., 1295.
- Rural Economics: Cost of Producing one Quintal of Grapes in the District of Asti, Piedmont (Italy), 98. Cost of Milk Production in N. American States, 490. Evaluation of Risk in Agricultural Enterprises and Insurance of Crops against Adverse Weather Conditions, 370. Cost of Rice Production in the Philippines, 409. Cost of Colt Breeding up to Three Years in U. S., 452. Farm Organisation in Bohemia, 485. Timber Costs in France, 726. Cost of Maintaining Milch Cows in Michigan, 743. Cost of producing Wheat on 481 Farms in Various States in N. America, 763. Cost of Production of Wheat, Beet, Potatoes and Milk in France, 764. Cost of Milk Production in Maryland, U. S. A., 768. Production of Large and Small Farms in Sweden, 987. Cost of Growing Ghessab (*Pennisetum spicatum*), in Syracuse (Sicily), 1056. Cost of Manual Labour in Milk Production, 1214. Comparison between Net Costs and Profits of French Stock Breeding 1913-21, 1215. Reduction in Values of Farm Products, in U. S. A., 1216. Feeds Cost of a Heifer from Birth until Beginning of first Lactation Period, 1095. Variations in Cost and Sale Prices of Butter before the War and from 1913-21 in U. S. A., 1096. Cost in Germany of some Feeds and 1 kg. of Starch Equivalent, 1327. Value of Animal Products in Relation to Crop Yield since 1919 in U. S. A., 1361. Plant Foods and Human Foods, 1362.
- Rural New Yorker: Potato Var., 153.
- Russia: Forestry Journals, 587. Forests of Lettonia, 960. Production of Agricultural Machinery in the Ukraine, 1207. Sugar Industry before and after the War, 1220. Cultivation of Tobacco, 1312 in Crimea.
- Rye: Utilisation of Rock Phosphate, 13. Digestibility Coefficients of Rye Straw disintegrated by Various Methods, 184. Sodium Chloride Content, 185. Wheat Rye Natural Hybrids in Russia, 818. Pedigree Selection of Göttingen Rye, 1286. Area cultivated in Morocco, 1288.
- Rye Grass (*Lolium* spp.), 41.
- SABICU (*Lysiloma Sabicu*), 442.
- Saccharomyces* spp., 1219.
- Saccharum* spp., 169, 258, 535, 699, 1367.

- Safflower : Cultivation in India, 431.
 Sainfoin : Effect of Nitrogenous Manures on Yield, 694. Influence of Humidity on Growth of Unhusked and Husked Seeds, 812.
Salix macrostigma, 197.
Salix pratensis, 1033.
Salix Humboldtiana, 535.
Salsola Kali, 33.
Salvia Hempssteadiana, 1031.
 Sandal Wood, 54.
Sansieviera spp., 419.
Santalina madagascariensis, 54.
Santalum spp., 54.
Sapientia sebiferum, 1303.
 Sarawak : Rice Planting, 1291.
Sarcophytes scabiei, 1185.
 Sardinia : Varieties of Wheat Grown, 826. Development of Stock Breeding, 971.
Sarcocystis blanchardii, 274.
 Sauerkraut, 1230.
Scandix Pecten Veneris, 33.
Scapanus townsendii, 1092.
Sclerotinia cinerea, 1284.
 "Sebakh", 148.
Secamone elliptica, 590.
Sechium edule, 1064.
 Seeds : Grain Tests in India, 227. Determination of Value by Bio-chemical Means, 253. Bio-Chemical Index for determining Vitality of Seeds, 405. Exportation of Red Clover Seed from Czecho-Slovakia, 406. Decline in Price of Vegetable Seeds in U. S., since 1918, 407. Rapid Determination of Germinating Power, 825. Sowing of Seeds and Scattering of Fertilisers simultaneously, 924. Investigation on Hard Seed Germination, 940. Influence of Weight and Size of Seeds as Factors influencing Yield, 1011. On Catalysis of Seeds, 1044. Development of Mutilated Seeds of Maize, 1161. Seed Trade in Belligerent Countries, 287.
 Selangan batu, 443.
 Serial (*Hepea* sp.), 443.
 Sericulture : Breeding in Tripolitania, 91. Introduction into Columbia, 92. Possibilities of Rearing the Eri Silkworm (*Attacus ricini*) in Egypt, 93. Notation of Shape of Cocoon and its Variation, 297. Simple Method of obtaining Several Generations in the Same Year, 298. Crossing Experiments with Varieties having Bivoltine Males, in Italy, 299. Connection between Hour of Gathering Mulberry Leaves and Silk Yield of *Bombyx mori*, 300. Output of Cocoons in Syria, 464. Pebrine in Italy, Causes of Persistence, 465. Use of Low Temperature to destroy *Bombyx* Chrysalids, 466. Acceleration of Development of Silkworm, 760. Presence and Significance of numerous Bacterial Spores in Body of Silkworm Moth, 984. Sericulture in Libya, 1086. Value of Maintaining Even Temperature during incubation of Silkworm's Eggs, 1087. Porced Hatching of Eggs with shortened Hibernation, 1088. Expediency of Testing a Modified Method of preparing Eggs in Connection with Pebrine Infection, 1089. Duration of Virulence of Pathogenic Agent of Jaundice in Silkworm, 1090.
Sesamum indicum, 1316.
Sesbania aculeata, 709, 1250.
Sesbania aegyptiaca, 1174.
Setaria spp. 33, 711, 966, 1051, 1294.
 Seychelles : Cinnamon Production, 577.
 Shade Plants : Temporary and Permanent Shading of Cocoa, Coffee etc., 1174.
 Sheep : Rearing : In Italian Somliand 83, In U. S. A., 295. In Syria and Cilicia, 457. In Morocco, 680. In Italian Colonies, 682. In Tunisia, 843. In Tavoliere di Pu-

- glia (Italy), 970. In Sardinia, 971. Changes in Composition of Sheep's Milk during Lactation Period, 102. Rearing on Temporary Pastures in U. S. A., 294. Census in Philippines, 360. Studies in Sheep-Rearing at School for Shepherds, Rambouillet (France), 534. Fertility in Shropshire Sheep, 458. Lamb-Fattening Experiments in U. S. A., 459. Herdwick Sheep, 613. Intensive Feeding of Ewes at Lambing Time, 614. Shropshire Breed, 746. Data to serve as Basis for Development of Systematic Pastoral Industry in Cyrenaica, 747. Breeding in the Ancient Daunia (Italy), and the "Carapellesi", Sheep 748. Romney Marsh Sheep, 856. French Breed of La Chamoise, 854. Catalonia Breed, Spain, 835. Romney Marsh Bred in New Zealand, 856. Present Condition of Merino Sheep Breeding in Australia, 857. Experiments in Industrial Crossing of Southdown Ram \times Limousin Goat, 981. Sheep-losses owing to Attacks of Dogs, 1186. Accidental Flora imported into Germany in Wool, 1154. Sheep-Killing Dogs in U. S. A., 1186. Net Costs and Profits of Breeding in France, 1215. Reduction in Cost of Stock and Products in U. S. A., 1210. See also Anatomy, Breeding, Feeds, Hygiene, of Livestock and Stock Raising.
- Shorea stenoptera*, 266.
- Sida* spp., 1166.
- Silage**: Theoretical and Practical Study of Ensilage of Forage Plants and Adaptation to Process of Requirement of Argentina, 204. Comparison of different Kinds of Maize Silage and Sorghum Silage for fattening Cattle, 608. Silaged Forages for Milch Cows, 609. Maize Silage, 1052. Digestibility of Oats and Tares Silage, 1190.
- Silene*: *S. dichostoma*, 1257. *S. gallica*, 33.
- Silybium Marianum*, 33.
- Sinapsis* spp., 33, 966.
- Sisal: Trial Tests in Algeria, 535.
- Sissoo (*Dalbergia Sissoo*), 442.
- Sisymbrium Sinapistrum*, 33.
- Skunk: Mutations observed in *Me. phitis*, spp., 284.
- Snail, 1353.
- Sneezewort, Western (*Helenium Hoopesii*), 272.
- Soi, 1303.
- Soil: Specific gravity of Certain Soil Constituents from Point of View of Fineness of Soil Particles, 7. Effect of Temperature upon absorbent Properties of Soils, 8. Relation between Nitrogen Content of Soil and Yield of Indigo, 9. Hardpan in the Apulian Soils and its Origin, 140. Inversion of Saccharose by Mineral Acidity of Soil, 142. Investigations on Soils and Fertilisers in U. S. A., 225. In Great Britain, 226. Evaporation and other Properties found to be connected with Soil Constitution, 230. Chlorine Index as a Comparative Measure of the Nitrogen Content of Soils, 231. Presence of Arsenic and Iodine in Soils and Subterranean Water in Argentina, 232. Concentration of Hydrogen-Ion, 233. On Average Soil Temperature, 374. Preparation of Soil Solution, 376. Connection between Hydrogen-Ion Concentration of Soils and their Need of Lime, 377. Stratification and Hydrogen-Ion Concentration of Soil in Relation to Leaching and Plant Succession with Special Reference to Woodlands, 378. Carbon Coefficient for determining Organic Matter in Soil, 379. Irrigation schemes in Niger

- Territory of French Soudan, 381. Improvement of Arable Land and Meadows in Czecho-Slovakia, 382. Temperature and Effects on Development of Nodules of Leguminosae, 394. Clay as an Ampholyte, 542. Partial Sterilisation of Soil by Means of Arseniate of Soda, 543. Methods of studying Concentration and Composition of Soil Solution, 688. Nitrogen Fixation in Ericaceae, 803. Fertility of Soils in Greece, 900. Reactions between Soils and Various Chemical Compounds, 908. Aluminium Salts in Soil, 909. Nature of Soil Acidity in North-East India, 910. Nitrogen Economy in Soils, 912. Plant Cancers and their Relation to Soil; Studies on *Beta vulgaris*, 915. Soil Factors and Plant Growth, 916. Soil Acidity and Plant Composition of Peat Bog, 917. Influence of Soil Reaction on Earth Worms, 918. Quantity of Assimilable Phosphoric Acid and Potassium in Soils, 919. Necessity for defining Soil Types in Investigations on Yield, 920. Relations between Soil Type and Root Form of Pine Seedlings, 921. Plant Indicators of Soil Type, 1013. Control of Soil Moisture by means of Auto-Irrigators, 1014. Factors influencing Determination of Sulphate in Soil, 1015. Presence of Cobalt and Nickel in Arable Soil, 1016. Carbon and Nitrogen Relations of Nitrite Ferment, 1020. Soil Fatigue, 1022. Effect of Ferrous Sulphate on Soil, 1135. Zinc as a Normal Constituent of Soil under Cultivation, 1136. Base Exchange and Alkalinity in Egyptian Soils, 1137. Determination of Organic Matter in Soil, 1138. Partial Sterilisation, 1139. Influence of Plants upon Oxidation Processes in the Soil, 1141. Classification of Soil Moisture, 1142. Study of Soil of First Egyptian Zone (Charbijsa), 1255. Study of Soil of Territory of Right Bank of the Diahlah (Mesopotamia), 1256. Aeration of Soil as Ecological Factor, 1257. Effect of Soil Drying upon Soluble Soil Constituents, 1258. Leaching of Nitrate Salts of Calcium, Sodium and Potassium from Soil by Rain, 1259. Free Acidity of Mineral Soils, 1260. Determinations of Concentration of Hydrogen-Ions by means of Clark's Hydrogen Electrode Apparatus, 1261. Possible Correlation between Fertility of Soils under Rice and their Titration Curves, 1262. Effect of Magnesium and Calcium in Limestone upon Chemical Composition of Soil and on Plants, 1263. Distribution of Phosphorous Ion on upper Layers of Soil in relation to Vegetation and Addition of various Salts, 1264. Oxidation of Sulphur in Alkaline Soils, 1265. Biochemical Methods for determining Fertility, 1267. Effect of Application of various Salts on Nitrogen-fixing Properties of Soil, 1268. Exchanges of Bases in Soil, 1271. See also Drainage and Irrigation.
- Soil Microbiology: Effect of Soil Conditions on Bacterial Life and Chemical Transportations; Capacity for Decomposing Mannite, 234. Studies on *Clostridium Pastorianum* as Fixer of Nitrogen, 380. Use of Various Culture Media in characterising Actinomycetes, 689. Soil Fauna of Agricultural Land, 800. Influence of Salts on Bacterial Activities of Soil, 801. Influence of Azotobacter added to Soil, on Plant Growth, 802. Micro-organisms of Sulphification, 804. Soil Bacteriology, 904. Soil Acidity

- and bacterial Activity, 911. Isolation of Sulphur-Oxydising Bacteria from Soil, 913. Method of Counting Number of Fungi in Soil, 914. Tests of Vesuvian Bacteriology, 1017. Influence of Moisture and Soluble Salts on Bacterial Activities of Soil, 1018. Influence of Hydrogen-Ion on Growth of Azotobacter, 1019. Effect of Tree Products on bacterial Activities in Soil: Ammonification and Nitrification, 1021. Action of Carbonic Acid liberated by Micro-organisms in improving Arable Land, 1140. Bacteria Connected with Oxidation of Sulphur in Soil and Media used for Isolation Purposes, 1266.
- Soja hispida*, 553, 703.
- Solanum*: *S. auriculatum*, 1051. *S. melongena*, 1064. *S. muricatum*, 1031. *S. nigrum*, 582. *Solanum* spp., 1316.
- Solenopotes capillatus*, 445.
- Somaliland: Livestock Census, 1921, 83.
- Somaliland, Italian: Agricultural Conditions, 682.
- Sonneratia apetala*, 172.
- Sorghum*: *Sorghum* spp., 169, 709, 1051. Sodium Chloride Content of var. Peterita, and Sorghum Fodder, 185. For Ensilage in Argentina, 204. Grain Sorghums versus Maize for fattening Lambs, 295. As Pig Food, 296. Experiments in Singapore with *Sorghum vulgare*, 566. Sugar Sorghum, 567. Hydrocyanic Acid Content in *S. exiguum*, 700. Prussic Acid Content, Poisonous Effect on Cattle, 728. Improvement by Crossing and Selection, 820. Forage Sorghums, 1055.
- Sorrel (*Rumex Acetosa*): Possible poisonous Effect on Cattle, 591. Red Sorrel, Utilisation of Rock Phosphate, 13.
- Soya: Utilisation of Rock Phosphate, 13. Vitality of Seeds, 253. World Production, 257. Chemical Composition, 413. Nitro-culture Experiments, 696. Effect of Different Reactions on Growth and Formation of Nodules, 1293.
- Spain: Catalogue of Plants and Trees cultivated, 20. Cultivation and Production of Olive Tree, 265. Donkey of Catalonia, 287. Fertilisers, 544. Forestry Journals, 587. Catalonia Sheep, 855. Potassic Deposits of Catalonia, 1277.
- Spanish Ash (*Inga laurina*), 368.
- Spartina*: *S. cynosuroides* (= *S. schreberi*), 169. *S. Townsendi*, Soil-binding and Paper Yielding Plant, 1176.
- Spear Grass (*Heteropogon contortus*), 169.
- Spergula maxima*, 33. *Spergula* sp., 966.
- Sphacelotheca Sorghi*, 1055.
- Spigelia anthelmia*, 1051.
- Spinacia oleracea*, 1316.
- Spinach: Manganese Content of Seeds 150. Prices of Seeds in U.S.A., 407. Cultivation in Guam, 1064.
- Spirochaeta cuniculi*, 182.
- Spondias mangifera*, 430.
- Sponia micrantha*, 1051.
- Sporobolus argutus*, 1051.
- Spruce, Engelmann, 1319. Spruce, Sitka. Relation between Height and Meteorological Conditions, 1320.
- Squash: Prices of Seeds in U.S.A., 407.
- St. John's Wort (*Hypericum perforatum*), 736.
- Staphylococcus* spp., 592.
- Star Grass (*Cynodon plectostachyum*), 568.
- Stenotaphrum glabrum*, 1051.
- Sterculia foetida*, 430.
- Stickleback, 1354.
- Stizolobium Deeringianum* (= *Mucuna utilis*), 569.

- Stock-Raising: Livestock in Eritrea, 740. Correlation between lack of Nitrogen in Soil and Raising of Livestock, 926. Stock of Tavoliere di Puglia (Italy), 970. Importance of Breeding heavy Draught Horses in Westphalia, 1332. See also Breeding, Cattle, Goats, Horses, Pigs, and Sheep.
- Straits Settlements: Forests, 588.
- Stratiotes aloides*, 1033.
- Strawberry: Dessication of Fruit, 993.
- Streptococcus: S. lacticus*, 501. *S. pyogenes*, 592.
- Strychnos spinosa*, 1031.
- Stylosanthes viscosa*, 1051.
- Styrax* spp., 1031.
- Stylobium* spp., 808.
- Sudan: Irrigation Schemes in Niger Territory and Extension and Improvement of Cotton Production, 417.
- Sudan, French: Horses, 975.
- Sudan Grass: Hydrocyanic Acid Content, 700. Yield in S. Africa, 709. Forage Value in U. S. A., 1055. Sudan Grass sp., 535.
- Sugar Beet: Histological Characters of Root from Point of View of Selection, 404. Cultivation in Louisiana, U. S. A., 423. Sugar Beet Pulp as Cattle Feed, 603. Effect of Nitrogenous Manure, 694. Assimilability of various Phosphatic Manures, 1027. Yields in Germany, 1028. Use of Refractometer in Individual Examination, 1060. Rôle of Chemistry in Improvement of Plants, 1160. Cultivation in Louisiana, U. S., 423.
- Sugar Cane: Production in Brazil, 135, 1131. In Philippines, 360. In Algeria, 579. Luce Sugar Cane Harvester, 199. Anatomy and Physiology of Sugar Cane in Cuba, 240. Bud Variations, 251. Qualities of Java Seedling Canes, and suggested Introduction into Louisiana, U. S. A., 270. Propagation, New Methods in Cuba, 271. Tests in Montserrat, 368. Paper Mulching, 579. Importance of Technical Supervision on Plantations, 683. Analysis of Fijian Wild Cane (*Saccharum officinarum*), var. (?). Germination and Preservation of Pollen, 717. Varieties in Porto Rico, 718. Improvement by Selection, in Philippines, 823. Experiments with Nitrogenous Manures in Java, 1059. Testing and Selection in Assam (India), 1250.
- Sugar Industry: Palm Sugar in Cambodia, 1311. As Source of Alcohol, 1367. Value of Cane and Beet Sugars for Jam-Making, 1368.
- Sulla, 45.
- Sulphur: As a Factor in Soil Fertility, 386. Probable Effect on Addition to Soil, 548. Influence of Varying Amounts of Sulphur on Soil, 645. Micro-organisms of Sulphification, 804. Sulphur Content of Alfalfa, 944. Sulphur Industry in Chili, 1153. Oxidation in Alkaline Soils, 1265. Bacteria connected with Oxidation of Sulphur in Soil, 1266.
- Sulphurous Acid: In Preserved Apple Juice, 1218.
- Sumatra: Tea Seed Production, 719.
- "Sundri" (*Heritiera minor*), 172.
- Sunflower: Oil-bearing Sunflower in Italy, 170. Comparison of Silage with Darso Silage for Fattening Baby Beef, 190. Improvement of Oil Bearing Sunflower, 559. Composition of Rhodesian Sunflowers, 955. Cropped Area and Yield in Bessarabia, 1300.
- Superphosphate, See Manures, Phosphatic.
- Swamp Couch Grass (*Hemathria fasciculata*), 711, 1294.
- Sweden: Sources of Fixed Nitrogen, 144. Experiments on Cause of

- Formation of Bacteroids in Nodules of Leguminosae at Experimental-fältet, Stockholm, 152. Selection Experiments, 243, 397, 398, 400, 555, 556. Forestry Journals, 587. Production of Large and Small Farms, 987. Programme of Swedish State Institute of Experimental Forestry for Period 1922-26, 1181.
- Swedes : Standard Deviation of Roots, 538.
- Sweet Potato : In Montserrat (W. Indies), 368. Cultivation in Guam, 1064.
- Swietenia macrophylla*, 371.
- Switzerland : Sources of fixed Nitrogen, 144. Cattle Judging at Shows-455. Forestry Journals, 587. Pisci, culture, 1091. Cultivation of Pyrethrum, 1175.
- Symplocos ferruginea* (= *S. javanica*), 1303.
- Syncephalastrum* sp., 364.
- Syria : Sheep Breeding, 457. Present Condition of Sericulture, 464. Agricultural Implements, 903.
- TABUCKI GRASS (*Andropogon Sorghum verticilliflorus*), 1055.
- "Tafla", 148.
- Talahib (*Saccharum spontaneum*), 1367.
- Tall Couch Grass (*Cynodon Dactylon*), 711, 1294.
- Tamarindus indica*, 430.
- Tamarix aphylla*, 1031.
- Tambookie Grass, 169.
- "Tangaraca" (*Psychotria Marcegravia*), 1051.
- "Tangeldo", 32.
- Tannin : Mangrove Species as Source of Tannin, 172. Tannin Content of some South Indian Wattles (*Acacia* spp.), 574. Tannin Substances of Tonkin, 1304. Tanning Substances in Indo-China, 1303.
- Tapioca : Manufacture of Tapioca Starch, 1100.
- Taraktogenus Kurzii*, 721.
- Taraxacum officinale*, 1033.
- Taro (*Colocasia esculenta*), 1064.
- "Taungya", 10.
- Tea : Possibilities of Growing in Italy, 425. Seed Production of Java and Sumatra, 719.
- Teak, 430.
- Tecoma Leucoxylon*, 368.
- Tecoma pentaphylla*, 442.
- Tectona grandis*, 430.
- Telanthera* spp., 1051.
- Tellia apoda*, 197.
- Tephrosia* spp. : 1174.
- Terminalia* : *T. belerica*, 172. *T. pro-cera*, 442.
- Tetragonobolus purpurea*, 553.
- Thalia* spp., 1051.
- Theileria* spp. : Cause of Piroplasmosis, 66, 68.
- Themeda* spp., 169.
- Thespesia populnea*, 430.
- Thitka (*Pentace burmanica*), 442.
- Thlaspi arvense*, 33.
- Thrinax barbadensis*, 902.
- Thuja : *Th. occidentalis*, 916. *Th. plicata*, 1021, 1320.
- Tillage : Influence of Deep Tillage on Different Crops, 805.
- Timber : As a Source of Liquid Fuel Supply, 60, 1367. Timber of India and Burma, 442. Timber and Other Forest Products in British North Borneo, 443. Price paid to Producer and Price charged to Consumer for Wood in France, 726. Timber Yield in Bahia (Brazil), 1131. Colonial Timbers and Work of Bordeaux Colonial Institute, 1321. See also Forestry.
- Timothy Grass : Effect of Liming, 10.
- Utilisation of Rock Phosphate, 13.
- Tineola biseliella*, 1061.
- Tipuana Tipu*, 535.
- Tobacco : Virginian and Turkish Tobaccos 56. White Burley var. in Canada, 57. Production in Brazil,

135. In Philippines, 360. In Nigeria, 1130. In Brazil, 1131. In Assam (India), 1250. In the Crimea, 1312. Manurial Value of Tobacco Waste, 146. Flue-Curing Tobacco Barns and Packing House, 201. Seed Trials in India, 227. Selection, 560. Trials Tests in Algeria, 535. Chemistry and Manufacture, 1173. Nicotine Content of South African Tobacco, 1313. See also Industries depending on Plant Products.
- Toltena, 827.
- Tomato : Prices of Seeds in U. S. A., 407. Wild Variety introduced into U. S. A., 1031. Tree Tomato (*Cyphomandia betacea*), 1031. Cultivation in Guam, 1064.
- Torilis nodosa*, 33.
- Torreyia nucifera*, 1169.
- Trachylobium verrucosum*, 1172.
- Trachypogon* spp., 169.
- Tractors, see Machines and Implements.
- Trade : Export of Feeding and Manure Cake in France, 1232. Frauds in Algerian Wool Trade and their Prevention, 1231. Trade in Forage Seeds in Belligerent Countries, 1287. Export of Dates from Iraq, 1316. National Federation of Livestock Trade, Congress at Paris, 1380. Trade with Irish Horses, 605.
- Transcaucasia : Work in Chemical and Bacteriological Laboratory at Prokhladnœ on Protozoon Parasites of Domestic Animals, 274.
- Transport, see Packing.
- "Trevo" (*Trifolium polymorphum*), 1051.
- Tricholaena* : *T. rosea*, 1051. *Tricholaena* spp., 711, 1294.
- Trifolium* : *T. alexandrinum*, 37, 75, 535. *T. polymorphum*, 1051. *Trifolium* spp., 582, 1031.
- Trigonella Foenum-graecum*, 33, 553, 1316.
- Trinidad : Establishment of West Indian Agricultural College, 369.
- Triodia irrilans*, 169.
- Tripolitania : Silkworm Breeding, 91. Agricultural Conditions, 682.
- Tripsacum* spp., 258, 1051.
- Tristachya Lehmanni*, 169.
- Triticum* spp., 564, 696, 818, 1316.
- Triumfetta cordifolia*, 491.
- Trypanosomiasis 274, 447.
- Tumble Weed, (*Amaranthus albus*), 185.
- Tunis Grass, 535, 1055.
- Tunisia : Stock Breeding Institute of Sidi-Tabet, 81, 843. Cotton Growing, 571. Irrigation Projects, 1023. Forest Areas, 1321.
- Turkey : Linseed Production, 33. Forestry Journals, 587.
- Turkeys, See Poultry.
- Turnip : Manganese Content of Seeds, 150. Standard Deviation of Roots, 538. Prices of Seeds in U. S. A., 407. Cultivation in Guam, 1064.
- Tussock Grass (*Setaria Lindenberghiana*), 711, 1031.
- Tzu (*Catalpa Bungei*), 1031.
- UBI (*Dioscorea alata*), 697.
- Uganda : New Fodder Grass (*Pennisetum polystachyum*), 259.
- Ulmus* spp. : In Algeria, 535.
- Uncinaria* sp., 71.
- Uniola racemiflora* (= *U. virgata*), 169.
- United States : Experiments, Soils and Manures : Sources of Fixed Nitrogen, 144. Utilisation of Grazing Grounds of De-forested Lands in the South Eastern Coastal Plain, 290. Standardisation of Field Experiments in U. S. A., 367. Studies on Sulphur as Factor in Soil Fertility by Gypsum Industries Association, 386. Potash Fertilisers, 547. Thirty Years Field Experiments with Crop Rotation,

- Mamre and Fertilisers in Missouri, 925. Process for Manufacture of Synthetic Ammonia, 1278. Bee-keeping, 628, 865. Crops: Kanota, an Early Oat introduced into Kansas, 35. Development of Potato Tubers: Experiments made in Colorado, 163. Cotton Production, p. 930. Sugar Beet Cultivation in Louisiana, 423. Introduction of Java Seedling Sugar Canes into Louisiana, 270. Dairy Investigations, 85, 637, 638, 639, 640, 643. Forage plants, 164, 190, 193, 261. *Helenium Hoopesii*, Poisonous Plant to Stock in Utah, 272. Forests as Source of Liquid Fuel Supply, 60. Forestry: Journals, etc., 587. Fruit-Growing: Cultivation of Blueberry (Whortle berry), *Vaccinium*, spp., 580. Olive-Growing in South-West, 1058. Phylloxera-resistant Vinestock in California, 1079. Cherry Growing in Wisconsin, U.S., 1315. General: New Bureau of Agricultural Economics and Scientific Work of Department of Agriculture, 225. Report of California Department of Agriculture, 679. National Agricultural Conference, 685. Teaching of Soil Bacteriology, 904. Seeds and Plants introduced by Agricultural Department, 1031. Industries: Production of Fish Scrap and Meal, 147. Apple Packing Houses in N. W. Districts, 200. Livestock: Cattle Fattening Experiments, 190, 191, 280, 456, 1335. Horse Breeding, 80, 452. Sheep, 294, 459. Swine Feeding Experiments in Kansas, 460. Meteorological Investigations, 137, 370, 541. Poultry: Feeding Methods, 758. Rearing of Geese, 1205. Rural Economics: Steady Decline in Price of Vegetable Seeds since, 1918, 407. Cost of Milk Production in States of North America, 490. Cost of Maintaining Milch Cows in Michigan, 743. Cost of Milk Production in Maryland, 768. Variations in Cost and Sale Prices of Butter before the War and 1913-21, 1096. Lucerne Investigations in Arizona, Yuma, Phoenix and Tucson, 1164. Reduction in Values of Farm-Products, 1216. Value of Animal Products as Percentage of Value of Crops, 1919-22, 1361.
- Urena lobata*, 1166.
Urena spp., 419.
 Uruguay: Cultivation of *Phalaris bulbosa*, 42.
- VACCARIA PARVIFLORA*, 33.
Vaccinium spp., 580.
 Vanilla: Cultivation and Preparation for Commercial Use, 720. Varieties cultivated in Martinique, 902.
 Vat (*Nephelium Litchi*), 1304.
 "Velame de Campo" (*Croton campestris*), 1051.
 Velvet Bean (*Mucuna utilis*), 560, 808.
Veronica spp., 1353.
 Vetch: Effect of Nitrogenous Manures on Yield, 694.
Viburnum spp., 1031.
Vicia: *V. Faba*, 553, 703, 709, 1316. *V. Ervilia*, 363. *V. sativa*, 1285. *Vicia* spp., 966.
Vigna: *V. Catjang*, 808, 1316. *V. luteola*, 1051. *V. sinensis* (Chemical Composition), 413. *V. exillata*, 1051.
 "Villa Franca", Citrus var. 22.
 Vines: Viticultural Questions in Italy, 437. Substituting Shield Grafting for Double Cleft Grafting, 438. Factors influencing Yield in Western India, 585. Viticultural Service in California, 679. Principal Vines grown in Dalmatia, 830. Question of American Stock for

Vines of Trentino, 831. Vine-Growing in Alsatia, 1066. Phylloxera-Resistant Vine-stock in California, 1179. On Sensitiveness of Grafted Vines to Frost, 1180. Viticultural Wealth in Greece, 1317. Deep Ploughing and its Effect on Vine Chlorosis, 1318. See also Grapes and Plant Breeding. *Vitis*: *V. liliaefolia*, 1031. *V. vinifera*, 1316. *Vitis* spp., 535. *Volvaria lervastius*, 433.

V. (Cassia siamea), 808.

Walnut: Porto Rico Variety (*Juglans portoricensis*), 1031.

Wassourinha (*Stylosanthes viscosa*), 1051.

Wattles: Tannin Content of Some South Indian Species, 574.

Western Yellow Pine (*Pinus ponderosa*), 1221.

West Indies: Giant Grasses for Paper Making, 169. Experimentation and Yield of Cotton, Sugar Cane, Bay Trees etc. in Montserrat, 368. Establishment of West Indian Agricultural College in Trinidad, 369. Plant Wind-Breaks, 371. Cacao Cultivation in Grenada, 576. Cinnamon Production, 577. Cotton Growing, page, 930.

Wheat: Effect of Variation in Milling on Digestibility of Wheat Flours, 1. Effect of Liming, 10. Effect of Rock Phosphate on Growth, 13. Possibilities in State of Piauhy, Brazil, 34. Composition Affected by Meteorological Conditions, 160. Manganese Content of Seeds, 150. Synthetic Forms, 154. Varietal Trials with Spring Wheat in N. Dakota, U. S., 159. Sodium Chloride Content of Stock Feeds, 185. Report of Imperial Economic Botanist Pusa, India, including Physiological Investigations, 227. Crit-

ical Period as Regards Rainfall in Italy, 229. Comparison of Farmyard and Artificial Manures, 237. Selection in Brazil, 241. Varieties Cultivated in Province of Cagliari, Sardinia, 254. Selection: Observations on Heredity in Denmark, 395. "Civitella" var.: Improvement by Selection in Tuscany, 554. "Rubin", Early Spring var. for Central Sweden, 555. Monograph on Wheat Plant, 564. Cultivation in Morocco, 680. Influence of Wheat Straw on Accumulation of Nitrates in Soil, 693. Effect of Nitrogenous Manures, 694. Manitoba Wheat in Algeria, 708. Cost of Production in United States, 763. Cost of Production in France, 764. Efficiency of Deep Tillage, 805. Genetic Selection of "Bianchetta" and "Gentil rosso" in Apulia (Italy), 817. Natural Hybrids of Wheat Rye at Saratov (Russia), 818. "Trigu biancu", "Trigu arrubiu" and "Trigu moru" Varieties in Sardinia, 826. Culture in Furrows, 923. On Root Development, 940. Influence of Development of Hydrogen-Ion Concentration of Nutritive Solutions, 941. Yield in Germany, 1028. Effect of Nitrates, 947. Milling Quality of Saskatchewan Wheat, 948. Critical Period as regards Rain, 1012. Assimilability of Various Phosphate Manures, 1027. Hard Moroccan Wheats, 1046. Effects of a Dry, Warm Year on Crops at Verrières (France), 1134. Bread Making Value: Rôle of Chemistry, 1160. Climate of Mountainous Regions in Brazil and Effect on Yield, 1252. Effect of Meteorological Factors in Argentina, 1253. Effect of Variations in Degree of Humidity of the Soil during and after Critical Period, 1254.

- Cropped Area in Morocco, 1288.
On Tillering, 1289. Production
and Consumption in England, 1920.
Export from Iraq, 1316.
- White Bombwe (*Terminalia procera*),
442.
- Whortleberry : Cultivation in U. S. A.,
580.
- Willows : For tanning in Algeria, 535.
- Wind-breaks, 368, 371.
- Wines : Modern Processes of Wine
Making Technique, 491. Wine
from Kaki Fruits, 492. Copper in
Light Wines, 765. Composition
of Bulgarian Grapes, Must and
Wines, 988. Composition of Wines
of Lees and of Lees of Wine, 1097.
Arsenic in Grapes, Musts and Wines
due to use of Insecticides, 1217.
Types produced in the Trentino,
1363. "Deferrage", 1365. Wine
Mould and Mouldiness in Cellars,
1365.
- Wool : Frauds in Algerian Wool
Trade and their Prevention, 1231.
Waste Water from Wool-washing
as Source of Fertiliser, 1272. Ex-
port from Iraq, 1316.
- Wormseed (*Chenopodium ambrosioi-
des*), 1063.
- XENOPSYLLA CHEOPSI, 362,
Xylia dolabriformis, 442.
- YACARATI-À (*Carica dodecaphylla*),
1031.
- Yam : Cultivation in Porto Rico, 39.
In Montserrat, 368. In Guam,
1064.
- Yam Bean (*Pachyrhizus tuberosus*),
1065.
- Yeast, 364.
- Yeogama (*Perilla ocymoides*), 1169.
- ZAHIDI, 1316.
- Zebu : In Madagascar as Meat Pro-
ducer, 853. Selection for Milk
Production in Brazil, 1197. Com-
parative Zootechnical Value of the
Zebu and the Ox, 1198.
- Zelkova, 535.
- Zigadenus venenosus*, 590.
- Zizyphus : *Z. Jujuba*, 430. *Z. Spina-
Christi*, 1316. *Z. vulgaris*, 1310.
Zizyphus spp., 1031.
- Zornia diphylla*, 1051.

B) INDEX OF AUTHORS

- ABBOTT W. E., 857.
 Achard E., 457.
 Ackert J. E. and Payne F. K., 839.
 Acqua C., 1087; 1088; 1090.
 Adair E. W., 93.
 Aiyer E. R. P., see Plymen F. S.
 Albertoni L., 1071.
 Aldara V. C., 822.
 Aldrighetti F., 615.
 Alessandri L., 1062.
 Allen J. A., 735.
 Allen W., 463.
 Alpe V., 1336.
 Alves de Lima A. M., 1369.
 André G., 332.
 Annett H. E., Sen H. D. and Singh
 H. D., 428 and see Wiancke A. T.
 App E. A., 774 (note).
 Appleman C. D., 408.
 Arndt C. A., 1039.
 Arny A. C. and Mc Ginnis F. W., 939.
 Arrhenius O., 542; 918; 1262.
 Ashbang V. J., see Supplee G. C.
 Atkins W. R. G., 50; 233.
 Atwood H., 758.
 Aucker G. J., 639.
 Austen W., 203.
 Avanzi E., 385; 546; 554; 694;
 805.
 Azzi G., 229; 1012; 1254.
 Akerman A., 243; 398; 555; 556.
 BABCOCK C. J., 1226.
 Back E. A., 1061.
 Baillaud E., 1168.
 Bailey D. E., see Hammer, B. W.
 Bain J. B. and Braun G. E., 490.
 Bain J. B., Braun G. E. and Wood
 W. D., 490.
 Bain J. B. and Posson R. J., 490.
 Bain S. B., see also Combs S.
 Baird H. S., 774 (note).
 Baker F. C., Brëw J. B. and Conn
 H. J., 639.
 Bal D. V., 691.
 Bandry A., 924.
 Barbosa de Souza Y., 1131.
 Barker E. E., 251.
 Barthel C., 152.
 Bateson W. and Gairdner A. E., 250.
 Baudouy, see De Marsay, V. H.
 Bauer F. C., 13; 931.
 Baumann F., see Honcamp F.
 Bazzocchi A., 976.
 Beach B. A. and Hastings E. G.,
 1325.
 Bear F. E., 912.
 Beaver H. S., see Schultz E. W.
 Becking J. H., Den Berger L. G.
 and Meindersma H. W., 1067.
 Becker, 844.
 Bellis B., see Supplee G. C.
 Belluzzi G., see Sane L.
 Benavet J., 989.
 Benoit S., 1380.
 Berner F. L. and White C. T., 727.
 Bertrand G., 149.
 Bertrand G. and Mokragatz M., 1016;
 1283.
 Bertrand G. and Rosenblatt M., 549;
 1159.
 Besana C., 1378 (note).

- Bianchi G., 1200.
Bilau K., 305.
Bioletti F. T., Flossfeder C. H. and Way A. E., 1179.
Bippart, 477.
Bishop O. G., see Grantham J.
Bishopp F. C., 362, 445.
Bishopp F. C., Mitchell G. D. and Parman D. C., 1069.
Bisset N., 620.
Bjanes O. T., 439.
Black W. H., 850.
Blackshaw G. N., see Mundy H. G.
Blair A. W., see Lipman J. G.
Blakeslee A. F., 29.
Blanc, 94.
Blanc G., Melanidi C. and Caminopetros J., 1187.
Blandini E., 254; 826.
Blaringhem L., 26; 157.
Blizzard W. L., 190.
Bobiloff W., 422; 1170.
Boas F. and Merckenschlager F., 551.
Bocher H., 938.
Boeuf, 952.
Bogris D., 1099.
Bolko E. and Sokolowa O., 1025.
Bonauguri and Clerici, 965.
Bonazzi A., 1020.
Bondon C., 859.
Bonnet J., 632; 1035.
Borchert A., 196.
Borghesani G. A., 906.
Borghi M., 1371.
Bortase V. and Gregg A., 1269.
Bos H., 798.
Boshnalkian S., see Leighty C. E.
Bosman G. J., 565.
Bourdorff K. A., 1138.
Boulenger C. L., 64; 70.
Boullanger E., 936.
Bouyoucos G., 900.
Boyd A. G., 418.
Boze S. R., 433.
Branford R. and Doyle T. M., 593.
Braun G. E., see Bain J. B.
Braun K., 706.
Brdlik, 485.
Breed R. S., 637.
Breed R. S. and Stocking Jr., 639.
Brenchley W. E. and Jackson V. C., 940.
Brentana D., 77.
Brew J. D., 1225 and see Baker, F. C., 639.
Brewer R. A., see Jones J. M.
Briganti G., 724.
Briggs G., 1054; 1064.
Brioux C., 919.
Brody S., 752 and see Ragsdale A. C.
Brown B. A., see White G. C.
Brown P. E., 904; 920; 1152; 1161.
Brown P. E. and Garrison H. S., 953.
Brown P. E. and Stallings J. G., 545.
Bru P., 1063.
Brunkow O. R., Peterson W. H. and Fred E. B., 1230.
Brünnich J. C., 712.
Bruno A., 907.
Bryan O. C., 1293.
Buckle P., 800.
Bugby M. O., see Grady R. J.
Buger G., 1066.
Bulic S., 830.
Bungo M., 242.
Burgess P. S., 1270.
Burt B. C., 249.
Burton G. L., 705.
Bushnell L. S., 386.
Butt, N. Y., see Harris F. S.
CABRAL J. C., 34.
Cacciatore M., 831.
Caldwell J. S., 1103.
Calmette A., 1184.
Calvino M., 271; 808.
Caminopetros J., see Blanc, G.
Campbell C., 1167.
Camus J. S., 409.
Canliffe N., see Hilay W. E.
Cardenas Andrade O., 827.
Cardot J., 1311.
Carpenter P. A. and Harler C. R., 910.
Carr R. H., see Showalter M. F.

- Carter E. G., see Greaves, J. E.
Casabosch D., 855.
Casella D., 1155.
Casement D. D., 1341.
Casoria M., 1093.
Castelli M., 326; 469; 472.
Castelló D., 863.
Caton G. and Guselotto A., 831;
1363.
Cauchemez L., 279.
Cavalcanti P., 1198.
Cavara F., 425.
Cayla V., 421.
Cella R., 976.
Centanni E., 273.
Cerelet M., see Heim F.
Cerighelli R., see Maqueine L.
Chace E. M., 22.
Chambers W. H., see Harding H. A.
Champlin M. S. and Goulden G. H.,
948.
Chaplin M. S., 923.
Chapman C. M., see White G. C.
Chapman P. W., 627.
Charon A. J., 293.
Charon A. J., Oinéné G. and Yoneno
G., 450.
Chaveau C., 1301.
Chérot and Cruzet, 1023.
Chesley A. S., 1173.
Chevalier, see Corbières.
Chevillotte-Mével O., 1085.
Chiappelli R., 1354.
Chocensky C., 1372.
Chomley F. G. and Chaffey F. A.,
261.
Chrétien M., 853.
Christensen A., 1209.
Christensen H. R., 234.
Christie A. W., see Cruess, V. W.
Christie W., 244.
Church T. A., 579.
Cifetti R., 1365.
Clark C. F., 163.
Claron C., 986.
Clawson A. B., see Marsh C. D. and
Marsh D. W.
Cleve-Granhof, 304.
Coates E. C. and Kidder A. F.,
423.
Coats R. H., 302.
Coll M. W., 1186.
Colombe M., 455.
Colsmán, 304.
Colville F. Y., 580.
Combes R. and Kohler D., 1157.
Combs S. and Bain J. B., 490.
Conn H. S., 689 and see Baker F. C.,
639.
Connaway J. W., Durant A. J., and
Newman H. G., 731.
Conner A. B., 28.
Conner S. O. and Sears O. H., 1133.
Conti M., 482.
Consolani G., 567.
Cooper M. R. and Washburn R. S.,
763.
Corbières and Chevalier, 1176.
Cordes, W. A., see Hammer B. W.
Correa A. V., Letelier M., Juan de
D. Rodríguez and Vial D. G., 286.
Cortesi F., page 927.
Couderc G., 1178.
Craig J. F., 591.
Crepin J., 982; 1081.
Crevost C. and De Fenis F., 1171.
Crichton A., see Topping R. B.
Crochetelle J., 581.
Croizat, 464.
Cron A. B., see Vinhall, N. N.
Cross W. E., 270.
Cruess W. V., 635.
Cruess W. V. and Christie A. W.,
993.
Cusick J. T., 638.
DADE, 1220.
Dahle C. D., see Palmer L. S.
Dalla Torre G., 773; 870.
Dalmasso G., 98; 1208.
Dantín Cereceda J., 20.
Darlow A. E., see Magee W. T.
Das B. M., 172.
Daubler E. C. and Barnes M. F., 837.
Dauterbande J., 1358.

- Davidson J., 947.
 Davis M. B., 562.
 Davis W. A., 50; 101.
 Davison W., 849.
 De Amaral Castro J., 53.
 De Campos D., 828.
 Dechambre P., 739; 841; 985.
 De Cillis E., 49.
 De Dominici A., 140; 151.
 De Fayard J., 495.
 De Ferris, see Crevost C.
 Degois E., see Voiteulier C.
 Delamarre de Monchaux, 88.
 Delanse P., 362.
 Delmard A., see Goris E.
 De Manjarrés, 496.
 De Marsay H., and Baudouy, 461.
 De Mauny, 1215.
 Demerec M., 707.
 Demolon A., 1276.
 de Moraes Barros P., 974.
 Demuth G. S., 865.
 Denison I. A., 909.
 Deong R. F., 1282.
 De Peralta F., 1014.
 de Silveira A. A., 1252.
 De Souza P., 41.
 De Souza Brito E. C., 1051.
 Desprez F., 256, 1011.
 Dessaisaix R., 308; 315; 330.
 Detlefsen J. A., 284.
 De Vilmorin J., 1134; 1160.
 De Vries O., 173.
 De Zulueta A., 298.
 D'Hérelle F., 2.
 D'Hubert A., 1022.
 Dickson R. E., see Jones J. M.
 Diffloth P., 1082.
 Dimitroff C., 988.
 Di Paola F., 833.
 Di Tocco R., 466.
 Dolci E., 167.
 Dominguez F. A., 1053.
 Donatien A., 181; 276.
 Donk M. G., Skattuck C. H. and Marshall W. D., 1221.
 Donkin J. E., 414.
 Dorsey M. J., 561.
 Dowell S. T., 187.
 Down P. A., see Supplee G. C.
 Dowson V. H. W., 584; 1316.
 Doyle C. B., see Meloy G. S.
 Doyle T. M., see Branford R.
 Drummond J. C. and Zilva S. S., 701.
 Dryden J., 864.
 Dubois R., 1132.
 Du Boistesselin H., 990.
 Ducellier L., 708; 954.
 Duchon F., see Nemec A.
 Ducomet and Rivière, 1163.
 Dudgeon G. C., 263.
 EARLE F. S., 718.
 Eberhard, 1323.
 Eckles C. H., 280; 601; 639 (note).
 Eckles C. H., Palmer L. S. and Spratt W. W., 611 (note).
 Ellenberg H. B., 739 (note).
 Ellinger T., 616.
 Emerson R. A., 245.
 Emerson P. and Barton J., 933.
 Erdman L. W., 807.
 Eredia F., 374.
 Eriksson J., p. 269.
 Errichelli E., 438; 1318.
 Eshleman C. H., 137.
 Esskuchen E., 1199.
 Eyster W. H., 27.
 Ezendam J. A., 966.
 FABER A., 289.
 Faes H., 1175.
 Falco F. F., 462.
 Farley F. W. and Greene S. W., 290.
 Farley F. W., Peden P. T. and Curtis R. S., 456.
 Fascetti G., 870; 995; 1342; 1378.
 Faucon P., 534.
 Faulkner O., 1130.
 Fehlinger H., 1166.
 Feige E., 600.
 Ferrin E. F. and Winchester H. B., 460.

- Filotti M., 1300.
 Filter P., 33.
 Findlay A. and Rosenbourne C., 937.
 Fitch G. B., 612.
 Flack E. V., see Mundy H. G.
 Fleming C. E. and Peterson N. F., 590.
 Floriano A., 1302.
 Flossfeder C. H., see Bioletti F. T.
 Floyd Cross, see Newsom I. E.
 Forbes E. B., 598.
 Forbes E. B., Halverson J. O., Morgan L. E. and Schulz J. A., 598.
 Forbes E. B., Halverson J. O. and Schulz J. A., 598.
 Forbes E. B., Halverson J. O., Schulz J. A. and Wells E. B., 598.
 Forbes E. B., Hunt C. A., Schulz J. A. and Winter A. R., 598.
 Forbes E. B. and Schulz J. A., 598.
 Forbes, R. H., 37.
 Forlani R., 1086.
 Fouassier M. and Lhomme J., 802.
 Fournier, 416.
 Fracanzani G. A., 754; 859.
 Fraps G. S., 185; 295 (note); 932; 1275.
 Fraser C., 557.
 Frateur J. L., 968.
 Fred E. B. and Peterson W. H., 1230; 1366, see also Brunkow, O. R.
 Freeman G. F., 158.
 Freeman H. A., 57.
 Frezzotti G., 761.
 Fröhlich, 1347.
 Fryer J. R., 393.
 Furtado C. X., 430.
 Garicke W. F., 1289.
 Garnier A., see Lapland M.
 Garrison H. S., see Brown E. G.
 Gatty R. F., see Vinall H. N.
 Gauthier M., 198.
 Gavard G., 292.
 Gayer C., see Zeidneck.
 Ghigi A., 1329.
 Gibbs W. M. and Werkman C. A., 1021.
 Gibier L., 432.
 Gineis, 81; 843.
 Girard E., 51; 192; 764.
 Girard-Vaton D., 1098.
 Girgea E., 1300.
 Giron E. G., 946.
 Girotti N., 74.
 Giuliani R., 449.
 Glund W., 1269.
 Gonzáles Ríos P., 177.
 Goossens, 419.
 Gorbea P., 1100.
 Gorini C., 1105.
 Goris E. and Delmard A., 429.
 Goseco Andres, 90.
 Gouin R., 842; 979.
 Goulden G. H., see Champlin M.
 Gowen J. W., 455; 610 and see Pearl R.
 Goy, 76.
 Grady R. J. and Bugby M. O., 774 (note).
 Graftiau J., 1026.
 Graham E., 599.
 Grammatica, 831.
 Grantham J. and Bishop O. G., 1306.
 Grau A., 978; 1077 and see Voitelier C.
 Gray A. S., 291.
 Greaves J. E., 801; 922 and see also Hirst C. T.
 Greaves J. E. and Carter E. G., 1018.
 Greaves J. E., Carter E. G. and Lund J., 1268.
 Greaves J. E. and Hirst C. T., 376.
 Gregg A., see Bortase V.
 Greilsammer R., 95; 312.

GABOTHULER A., 203 (note).
 Gadre S. T., 55.
 Gadre S. T. and Mukeyi B. C., 767.
 Gainey P. L., 1019.
 Gairdner A. E., see Bateson W.
 Galbusera S., 72.
 Gandot G., 606.
 Gandrup J., 575.
 Gardikis J. J., 410.

- Grevillius A. Y., 78.
 Grigorov G., 799.
 Grilli V., 63.
 Grimaldi L., 90.
 Groud C., 54.
 Guabrado G. A., 1102.
 Guardasoni M., 1336.
 Guinder A., 835.
 Günther, 1333.
 Gusetotto A., see Catoni G.
 Gustavson A. P., 1258.
- HAASIS F. W., 921.
 Haecker T. L., 850.
 Haigh L. D., Moulton C. R. and Trowbridge P. F., 280.
 Halbersleben D. A., see Mussehl E. E.
 Halfin J. G., see Hart E. B.
 Hall A. D., 226.
 Hall E. H., 944.
 Hall H. H., 1129.
 Hall H. M. and Long F. L., 715.
 Hall W. S., 415.
 Hallman E. T., 731.
 Halverson J. O., see Forbes E. B.
 Hamilton D., 1228.
 Hammer B. W., 501; 639.
 Hammer B. W. and Bailey D. E., 639.
 Hammer B. W. and Cordes W. A., 499; 770.
 Hammond J. W., 459.
 Hamrick M., 541.
 Hansen J., 184; 1194.
 Harding H. A., Prucha M. J., Kohman E. F., Weeter H. M. and Chambers W. H., 500.
 Harker Y. A., 1278.
 Harler C. R., see Carpenter P. H.
 Harper M. W., 452.
 Harraker P. E., see Healy D. S.
 Harris A. J., 156.
 Harris F. S. and Butt N. J., 603.
 Harris F. S. and Pittman D. V., 261.
 Hart E. B., Halfin J. G. and Steenbock H., 1350.
 Hartwell B. L., 11.
- Haskell S. B., 934.
 Hassiotis S., 1317.
 Hastings E. G., see Beach B. A.
 Hawley R. C., 60.
 Hayes H. K. and Wilcox A. N., 951.
 Healy D. J. and Harraker P. E., 1261.
 Heap A. J., 619.
 Hecke G. H., 679.
 Heim F. and Cercelet M., 1303.
 Heim F. and Roerich O., 1299.
 Hélo, 417.
 Hendrickson A. H., 725.
 Henry A., 275.
 Henry M., 736.
 Hepburn N. W., 638.
 Hermann J. A., 426.
 Hernandez A., 360.
 Hessling N. A., 539; 1253.
 Hibbard P. L., 1143.
 Hijikata J., 994.
 Hilay W. E. and Candiffe N., 1320.
 Hirst C. T. and Greaves J. E., 1015
 and see Greaves, J. E.
 Hitier H., 1075.
 Hobbs R., 607.
 Hobmaier M., 963.
 Hofficer H. G., 1153.
 Hogan A. G., see Mumford F. B.
 Høijer R., 987.
 Holdefleiss P., 183.
 Holmes A. D., see Langworthy D. F.
 Honcamp F., 184.
 Honcamp F. and Baumann F., 184.
 Honcamp F. and Nolte O., 282.
 Hooper S. C., see Talbot P. R.
 Hooper J. J., 80; 85.
 Hooper J. J. and Nutter J. W., 637
 (note).
 Höstermann, 814.
 Houard L., 573.
 Howard A. L., 442.
 Howard A. L. and Howard G. L. C., 227.
 Howard A. L. and Remington G. S., 431.
 Hucker G. J., 502.
 Huddleson F., 731 and see Staffett H. J.

- Huddleson R. R., see Muller M. F.
 Hudig J. and Meijer C., 1145.
 Hudson J. R. and Tanner F. W., 1223.
 Hughes F., 1029; 1255.
 Hulton H. R., 633.
 Hunt C. A., see Forbes E. B.
 Hunter C. A., 503.
 Husband A. D., see Taylor H. W.
 Hutchinson H. B., 236.
 Hüttinger, 281.

 IMBODEN J. G., 980.
 Immink D. M., 587.
 Inglis R. A., 696.
 Ishikawa M., 12; 30.
 Istomin D., 1207.

 JACKLEY J. G., 1224.
 Jackson V. G., see Brenchley, W. E.
 Jaumain E., 206.
 Jennings A. C., 201.
 Jakimoff W. L., 274.
 Jensen S. O., 639.
 Jiminez O., see Popenhoe W.
 Joffe J. S., 913 and see Waksman
 S. A.
 Johannsen W., 589.
 Johnson H. W., 377.
 Jolyet A., 1553.
 Jones D. F., 816.
 Jones F. R. and Tisdale W. B., 394.
 Jones J. M., Brewer R. A. and Dick-
 son R. E., 295.
 Jones L. H. and Shive J. V., 941.
 Jones S. V. H., 621.
 Josa G., 1336.
 Juritz C. F., 1146; 1313.

 KAUL, W., 304.
 Kaupp B. F., 622.
 Kaye F., 636.
 Keen B. A., 230.
 Keen B. A. and Raczkowsky, 230.
 Kelley A. P., 1013.
 Kelly B. H., 628.

 Kempton, J. H., 558.
 Khadilkan T. R., 246.
 Kidder A. F., see Coates E. C.
 Kinds R., 1174.
 King C. J., 714.
 Kinman C. F., 39; 1058.
 Kioumiourdjieff I. V., 559.
 Klimmer M., 553.
 Knudson J., 1158.
 Knuth P. and Stephan J., 597.
 Kohler D., see Combes R.
 Kohnan. E. F., see Harding H.
 Komuro H., 943; 1038.
 Kopp A., 1314.
 Koppe, 455.
 Kretschmer K., 1373.
 Kristensen R. K., 538.
 Kroemer K., 1180.
 Krug, 1217.
 Kuhlman A. H., see Wilson G. W.
 Kurz J., 552 and see Riddell F. J.
 Kuyper J., 1059.

 LADAS S., 1249.
 Lambardi M., 84.
 Lamson G. A., 756.
 Langworthy C. F. and Holmes, A. D., 1.
 Lapicque L., 1041.
 Laplaud M. and Garnier A., 854.
 La Roussière, see Rouleau.
 Lars-Gunnar R., 1257.
 Lauterwald F., 1229.
 Lay C., 1073.
 Leball C., 962.
 Lécaillon A., 755.
 Le Cointe P., 5.
 Lee A. R., 1205.
 Le Fevre E., see Thom C.
 Le Fort, 1206.
 Legendre J., 136.
 Léger L. and Stankowitch, 198.
 Legrand J. F., 52.
 Leighty C. E. and Boshnalkian S.,
 154.
 Leinati L., 448.
 Leitch Marie and Leitch Marguerite,
 434.

- Leluc J., 417.
 Lemmermann O., 1362.
 Le Moal, see Warcollier.
 Lenter, 1332.
 Leoncini G., 1264.
 Leopardi R., 306.
 Leroy A. M., 848; 850.
 Lesage P., 825.
 Lesbouyries, 454.
 Letelier M., see Correa A. V.
 Levaditi C., Marie A. and Nicolaus S., 182.
 Levine M., 915.
 Lhomme J., see Fouassier M.
 Lierman, 325.
 Liesegang H., 1260.
 Lignières J., 180; 973.
 Lindhard E., 1165.
 Linhard E., 401.
 Lipman C. P., 1135.
 Lipman J. G., Prince A. L. and Blair A. W., 695.
 Lizaso J., 741.
 Lombardi L., 984; 1089.
 Long F. L., see Hall H. M.
 Loew O., 1328.
 Lopriore G., 1287.
 Louis-Dop, 571.
 Lund A. V., 1209.
 Lund J., see Greaves J. E.
 Lyon C. J., 687.
 MAAS J. G. and Rutgers A. A. L., 1305.
 Mac Taggart A., 18.
 Mack K., 1273.
 Madsen M. L., 592.
 Magee W. T. and Darlow A. E., 295.
 Magnus H., 184 (note).
 Mailhé A., 100.
 Mainwaring C., 955.
 Malamationos C. J., 361.
 Mameli Calvino E., 240.
 Man H. H. and Nagpurkar S. D., 331.
 Mangin L., 832; 927.
 Mansell A., 746.
 Manzoni L., 492.
 Marais J. S., 1274.
 Marcenaro A., 301.
 Marchand G., 1193.
 Marcq J., 455.
 Marie A., see Levaditi C.
 Marion A. G., 1298.
 Marsh C. D. and Clawson A. B., 62.
 Marsh D. W., Clawson A. B. and Marsh H., 272.
 Marshall F. R., 294.
 Marshall F. R. and Potts C. G., 614.
 Martiny, 304.
 Marx A., see Schultz E. W.
 Mascheroni E., 775.
 Mason T. G., 704.
 Masse A., 61.
 Massy, 1322.
 Masurowsky B., 578.
 Mat, page 615.
 Mather W., 1263.
 Matheson K. J., 643.
 Mathieu E. H., 566.
 Matignon C., 1149; 1150.
 Matons A., 265.
 Matthews A., 856.
 Maquenne L. and Cerighelli R., 1037.
 Marquard K. J. C., see Readhouse C. J.
 Maume L., 1280.
 Maupas A., 205.
 McCall A. G., 11.
 McCampbell C. W. and Winchester H. B., 850.
 McCandlish A. C., 1095.
 McGinnis, F. W., see Amy A. C., 939.
 McHargue J. S., 1036.
 McIntyre J. D., see Sievers A. T.
 McSwiney J., 1250.
 Mead S. W., see Regan W. M.
 Mehrling H., 1271.
 Meister G. K., 818.
 Melanidi C., see Blanc B.
 Melle H. A., see Stent S. M.
 Mello N., 1326.
 Meloy G. S. and Doyle C. B., 713.
 Mendiola N. B., 153; 823, 945.
 Merello M., 733.

- Merkenschlager F., see Boas F.
Merrill F. D., 1032.
Mezzadrolì G., see Munerati D.
Miège E., 1046.
Mieville M. R., 168.
Miller E. C., 295; 810.
Miller E. S., see Robinson C. S.
Miller M. F. and Huddleson R. R., 925.
Milner R. D. and Demuth G. S., 865.
Miner S. R., see Pearl R.
Mitchell G. D., see Bishopp F. C.
Mitchell H. H., 1010.
Mödschieder, 1331; 1337.
Mokragatz M., see Bertrand G.
Monbet M., 179.
Montanari C., 1136.
Montanaro N., 465.
Montesoro E. G., 36.
Moore B., 916.
Moore B. and Taylor N., 917.
Moreschi B., 1336.
Morettini A., 1047.
Morgen A., Windheuser G., Shöler G. and Ohlmer E., 1191.
Morgen A., Windheuser G. and Ohlmer E., 1194.
Morley L. W., 774 (note).
Mosseri V. M., 148.
Moulton. C. R., Trowbridge P. F. and Haigh L. D., 280.
Moussu G., 840.
Muencher W. C., 1042.
Mukeyi B. C., see Gadre S. Y.
Müller B., 470; 1340; 1344.
Müller and Sandbrink, 1203.
Mumford F. B., 861.
Mumford F. B., Hogan A. G. and Salmon W. D., 850.
Mundy H. G., 165; 1294.
Mundy H. G., Blackshaw G. N. and Flack E. V., 711.
Munerati O. and Mezzadrolì G., 1060.
Munhoz da Roca, 901.
Munro W. A., 143.
Muraour H., 1149.
Murneck A. E., 958.
Murray A. J., 1188.
Murray T. G., 692.
Mussehl E. P., Halbersleben D. A. and Sandsted R. U., 753.
NACHSHEIM H., 1195.
Nagpurkar S. D., see Man W. H.
Neller J. R., 942; 1141.
Nemce A. and Duchon F., 253; 405.
Ness H., 824.
Neville H. O., 288.
Neubauer, 281.
Newsom I. E. and Floyd Cross, 732.
Nicolas E., 189, 453.
Nicolas E. and Rinjard P., 277.
Nicolaus S., see Levaditi C.
Nikoloff M., 957.
Nilsson-Ehle H., 397.
Nocard, see Roux E.
Nolte O., 7 and see Honcamp F.
Novelli N., 161; 411.
Novelli N., Tognato I. and Roffia A., 1048.
Noyes H. A., 811.
Nutter J. W., see Hooper J. S.
OAKLEY R. A. and Westover H. L., 372.
Occhialini O., 1167.
Ogilvie J. P., 1368.
Ohlmer E., see Morgen A.
Oinéné G., see Charon A. G.
Oldaker C. E. W., 759.
Oldershaw A. W., 14.
Oliveira M., 964.
Onodera S., 141.
Oosthuizen J. du P., 572.
Oppermann A., 536.
Osugi S., 142.
PAERELS J. J., Tjebbes K. and Uphof J. C., 821.
Pailthorp P. R. and Samson H. W., 200.
Palmer L. S., 638; 1375 and see Eckles C. H.

- Palmer L. S. and Dahle C. D., 1376.
 Pantanelli E. and Vivarelli L., 772.
 Parker F. W., 688; 1142.
 Parker J. H., see Salmon S. C.
 Parman D. C., see Bishopp F. C.
 Parow, 1327.
 Passelègue G., 309; 321; 1359.
 Paterson A. M. and Winchester H. B., 459.
 Paul P., 1210.
 Payne F. K., see Ackert J. E., 839.
 Pearl R., Gowen J. W. and Miner J. R., 610.
 Pearson F. A., 774 (note).
 Percival J., 564.
 Pergola V., 1349.
 Perkins A. J., 617; 1344.
 Persico W., 170.
 Peterson N. R., see Fleming C. E.
 Petersen W. H., 1076 and see Brunkow O. R. and Fred E. B.
 Petersen W. H., Fred E. B. and Verhulst J. H., 1366.
 Petit M. A., 1144.
 Petry E., 815.
 Pessa G., 1277.
 Pfiffel, 1330.
 Phillips E. F., 865; 1084.
 Pichard G., see Rivière G.
 Pieraerts J., 869.
 Pigorini L., 297; 299.
 Pinard V., 624.
 Pirovano A., 437.
 Pitcher F. J., see Robertson G. S.
 Pittman D. V., see Harris F. S.
 Plahn H., 404.
 Plaisance G. P., 737.
 Plimmer R. H. A., 1083.
 Plimmer R. H. A., Rosedale J. L., Topping R. B. and Crichton A. I., 1352.
 Plymen F. J. and Ayer A. R. P., 641; 642.
 Poenaru J., 738.
 Pool W. A., 596.
 Popenhoe W. and Jimenez O., 58.
 Porcherel A., 283.
 Posson R. J., see Bain J. B.
 Potter E. L. and Withycombe R., 191; 850.
 Potts C. G., see Marshall F. R.
 Potts R. C., 774.
 Pouget and Bonnier, 1364.
 Poulain A., 296.
 Prayag S. H., 585.
 Prandi O., 765.
 Prell G., 25.
 Prescott J. A., 23; 24; 75; 1137.
 Prianschnikow, 1285.
 Pricolo A., 68.
 Prince A. L., see Lipman J. G.
 Pritzler, 203 (note).
 Probst, 1345.
 Provenzale F., 747; 757; 1351.
 Prucha M. J., 637 (note) and see also Harding H. A.
 Prudhomme R., 413.
 Puig y Nattino J., 42.
 RACZOWSKY, see Keen B. A.
 Ragsdale A. C. and Brody S., 852.
 Ragsdale A. C., Brody S. and Turner C. W., 498.
 Ragsdale A. C. and Turner C. W., 611.
 Rainey W., 82.
 Ramsay A. A., 262.
 Rayner M. C., 803.
 Read J. W. and Ridgell R. H., 379.
 Redfield H. W., 639; 871.
 Reese H. H., 604.
 Regan W. M. and Mead S. W., 851.
 Rehse A., 846.
 Reid E., 613.
 Reinhardt R., 1324.
 Remington G. S., see Howard A. I.
 Remy M. P., 178.
 Remy T. and Weiske F., 384.
 Renson C., 164.
 Riccardo S., see Rossi G.
 Ricci U., 828.
 Rice B. J., 1348.
 Richards E. H. and Sawyer G. C., 383.
 Richmond T. E., see Whiting A. I.
 Richter J., 977.
 Riddel F. T., 637; 774 (note).

- Riddell F. T. and Kurtz W. J., 743.
Ridgell R. H., see Read, J. W.
Riechert F. and Trelles R. A., 232.
Riedel F., 19.
Riley W. A., 71.
Ringelmann M., 97; 235; 310; 311;
319; 327; 329; 1360.
Rinjard B., see Nicolas E.
Rivera A., 1185.
Rivera V., 812; 899.
Riveros E., 723.
Rivière, see Ducomet.
Rivière C., 197.
Rivière G. and Pichard G., 543; 1139.
Roadhouse C. L. and Marquardt J. C.,
639 (note).
Roberts E., 458.
Roberts E. J., see White R. G.
Roberts R. H., 1315.
Robertson F. J., 1281.
Robertson G. S., 1146; 1296.
Robertson G. S. and Pitcher F. J.,
609.
Robinson C. S., Winter O. B. and Mil-
ler R. J., 17.
Robinson W. L., 193.
Rock J. B., 31; 721.
Rodriguez J. de D., see Correa A. V.
Roerich E., see Heim F.
Roffia A., see Novelli N.
Roger R., 1295.
Rosario P., 748.
Rosedale J. L., see Plimmer R. H.
Rosell y Vilá M., 287.
Rosenblatt M., see Bertrand G.
Rosenfeld A. H., 683.
Ross H. A., 745; 1096.
Ross J. W., 625.
Rossi F., 1374.
Rossi G. and Riccardo S., 1017.
Rouleau de La Roussière, 726.
Roussy B., 285.
Roux E., Vallée H. and Nocard, 278.
Rudolfs W., 1265.
Ruppert F., 182; 734.
Russell E. J., 237; 1290.
Ruston A. G., 1214.
Rutgers A. A. L., see Maas J. G.
SACCHI R., 300.
Saillard E., 391.
Saitschek A., see Weiser S.
Salaman R. N., 1162.
Salisbury E. J., 378.
Salmon S. C. and Parker J. H., 35.
Salmon S., see Wiancko A. T.
Salmon W. D., see Mumford, F. B.
Samson H. W., see Pailthorp P. R.
Sandbrink, 1339 and see Müller.
Sandersted R. W., see Mussell E. E.
Sando C. E., 390.
Sandstrom W. M., see Willaman S. S.
Sani L. and Belluzzi G., 834.
Sannino F. A., 437; 491; 586.
Sanyal P. B., 176.
Sarabia A. G., 46.
Saulnier J., 680.
Saunders H. L., 1151.
Sawyer G. C., see Richards E. H.
Scaramuzzi D., 1072.
Scasso J. M., 204.
Scavone G., 1056.
Schaffner J. R., 373.
Schecht F., 402.
Scheffer T. H., 1092.
Schein M. A., 66; 444.
Schempp, 467.
Schenckenaum R., 1154.
Schiel, 844.
Schmid A., 1196.
Schmidt J., 1356.
Schneider, 1346.
Schribaux, 248.
Schroeder E. C., 731.
Schultz E. W., Marx A. and Beaver
H. J., 1222.
Schulz J. A., see Forbes E. B.
Schveltz T. F., 710.
Schwanencke, 630.
Schweizer J. K., 1219; 1308.
Scott H., 693.
Scars, O. H., see Conner S. O.
Seedorf W., 1286.
Sellschop P. F., see Skibbe A.
Semichon L., 1097.
Sen H. D., see Annett H. E., 428.
Sergent E., 69; 447.

- Sessa L., 493.
Sheets E. W. and Tuckwiller R. H., 1201.
Sheey E. J., 858.
Shive J. V., see Jones J. M.
Shöler G., see Morgen A.
Showalter M. F. and Carr R. H., 1156.
Shutt F. T., 11; 138; 146; 160.
Sievers A. T. and McIntyre J. D., 702.
Simon E., 484; 1049.
Singh H. D., see Annett H. E., 428.
Skaife S. H., 195.
Skibbe A. and Sellschop P. F., 709.
Slate W. L., see Whites G. C.
Smith A. M., 443; 1148.
Smith B. J., 634.
Smith R. S., 547.
Smith W. H., 1335.
Sokolowa O., see Bolko E.
Sourisseau J. H., 323; 868.
South F. W., 420.
Spann A., 1169.
Sparapani G. C., 965; 1379.
Spencer R. S., 750; 983.
Spezzati M., 970.
Spitz G., 595.
Spoon W., 1309.
Sproett W. W., see Eckles C. H.
Spring F. G., 716.
Spurway C. H., 908.
Srinivasan K. C., 574.
Stafseth H. J. and Huddleson J. F., 731.
Stallings J. G., see Brown P. E.
Stanislaus I. V. S., 720.
Stankowitch, see Léger L.
Stavrescu P., 845.
Steel T., 699.
Steenbock H., see Hart E. B.
Stendel, 474.
Stent S. M. and Melle H. A., 568.
Stephan J., see Knuth P.
Stephenson R. E., 911.
Stewart G., 261.
Stiritz B. A., 1227.
Stoa T. E., 159.
Stocking Jr., see Breed R. S.
Stockklausner, 1334; 1343.
Stoklasa J., 703; 813; 1146; 1267.
Stoquer, 8.
Stout A. B., 563.
Stringher V., 3.
Succi A., 1057.
Supplee G. C., 638.
Supplee G. C. and Ashbang V. J., 1377.
Supplee G. C. and Bellis B., 638.
Supplee G. C., Whiting W. A. and Down P. A., 640.
Surcouf J., 760.
Swann T., 1024.
Swanson C. O., 700; 751.
Swingle W. T., 32.
TALBOT P. R. and Hooper J. C., 590.
Taegen, 762.
Tanner F. W., see Hudson J. R.
Tanret G., 550.
Tarantino G. B., 188; 740.
Tardivot F., 1304.
Taylor G., 1248.
Taylor H. W., 56.
Taylor H. W. and Husband A. D., 1338.
Taylor N., see Moore B.
Theiler A., 594.
Tholstrup Pedersen, 1209.
Thom C. and Le Pèvre E., 364.
Thompsonstone E., 10.
Tillotson C. R., 1319.
Tisdale W. B., see Jones F. R.
Tjebbes, see Poerels J. J.
Tocheff J. V., 560.
Tognato L., see Novelli N.
Topping R. B., see Plimmer R. H.
Trabut L., 44; 258; 435.
Trabut L. and Marie R., 535.
Traum J. and Hart G. H., 836.
Trefel, 844.
Trelles R. A., see Riechert F.
Trowbridge P. F., Moulton C. R. and Haigh L. D., 280.
Truffaut G. and Bezssonof N., 380.
Tschaen E., 583.

- Tuckwiller R. H., see Sheets E. W.
Tudhope W. E. D., 427.
Turner A. G., 1065.
Turner C. W., see Ragsdale A. C.
Turrill W. B., 582.
- UNGEWITTER, 145.
Uphof J. C., 1164 and see Paerels, J. J.
Urbain M. G., 1183.
- VALGREN V. N., 370.
Vallée H., see Roux E.
Vallisneri A., 971.
Valmari J., 1259.
van Dillen L. R., 1310.
van Hanten A., 1050.
van Meldert L., 742.
Varacos G., 870.
Veil, 231.
Veitch F. P., 1272.
Velu H., 1074.
Venkatraman T. S., 717.
Verhulst J. H., see Peterson W. H.
Vernadsky W. J., 1033.
Vernet N. G., 174.
Vestergaard H. A. B., 395.
Vezzani V., 1336.
Vial D. G., see Correa A. L.
Vibar T., 155.
Vila M., see Rosell.
Vinnall H. N., 728.
Vinnall H. N. and Gatty R. E., 1055.
Vinnall N. N. and Cron A. B., 820.
Visco S., 363.
Vitali G., 1213.
Vitel G., 1307.
Vivarelli L., 817; 959 and see Pantanelli E.
Voelcker J. A., 226.
Voitellier C., 862.
Voitellier C. and Degois E., 981.
Voitellier C. and Grau A., 686.
von Wrangell M., 1027.
WAGNER J. PH., 537.
- Wakabayashi S., 819.
Waksman S. A., 804; 914; 1266.
Waksman S. A. and Joffe J. S., 804.
Wallace H. C., 225.
Walters J. A. T., 569.
Wanderley de Aranjó Pinho, page 1169.
Warcollier and Le Moal, 1218.
Washburn R. S., see Cooper M. R.
Watson J. A., 79; 629.
Way A. E., see Bioletti F. T.
Webster J. F., 1256.
Weeter H. M., see Harding H. A.
Weisemann, 483.
Weiser S., 102.
Weiser S. and Saitschek A., 40.
Weiske F. M. P., see Remy.
Weiss E., 468.
Wells, E. B., see Forbes E. B.
Werkman C. A., see Gibbs W. N.
Wester D. H., 150.
Wester P. J., 412; 697.
Westover H. L., see Oakley R. A.
White G. C., Chapman L. M., Slate W. I. and Brown B. A., 1079.
White R. G. and Roberts E. J., 609.
Whitford H. N., 1367.
Whiting W. A., see Supplee G. B.
Whiting A. L. and Richmond T. E., 809.
Wiancko A. T., Arny A. C. and Salmon S. C., 367.
Wiemann, 1070.
Wieninger E., 89.
Wilcox A. N., see Hayes H. K.
Wilbert J., 975.
Willaman J. J., 1284.
Willaman J. J. and Davison F. R., 1284.
Willaman J. J. and Sandstrom W. M., 1284.
Williams C., 926.
Williams R. O., 576; 690.
Williamson H., 730.
Wilson H. F., 866.
Wilson Y. W. and Kuhlman A. H., 603; 1204.

- Winchester A. B., see Ferrin E. F.,
Mc Campbell C. W. and Pat-
terson A. M.
Windheuser G., see Morgen.
Winter A. R., see Forbes E. B.
Winter O. B., see Robinson
C. S.
Winthers S. R., 1078.
Withycombe R., see Potter E. L.
Witte H., 400; 403; 540.
Wood, 847.
Wood T. B. and Woodman H. E.,
1190.
Wood W. D., see Bain J. B.
Woodman H. E., 1190.
Woodward J., 386.
Woll F. W., 637; 774 (note); 1192.
YAPP W. W., 610 (note).
Yoneno G., see Charon A. G.
ZAGO R., 1336.
Zay C., 1104.
Zédé M., 440.
Zeidneck and Gayer C., 241.
Zeischmann O., 1189.
Zeroli F., 437.
Zilva S. S., see Drummond J. C.

III. — PLANT DISEASES

A) INDEX

- Abaca: *Cosmopolites sordidus* in the Philippines, 1126.
- Acacia: *A. arabica*: *Phenacoccus hirsutus* in Egypt, 1009. *A. melanoxylon*: *Platyphus omnivorus* in New South Wales, 359. *Acacia* spp.: Myrmecophily, 122. *Icerya purchasi* near Paris, 131, 132. In Provence, 891.
- Acer: *A. campestre*: *Rhytisma acerinum* (*Melasmia acerina*) and *Rhyt. punctatum* in Italy, 117. *Acer* sp.: *Verticillium albo-atrum*, 1234.
- Achaea janata: *Microplitis eusirus* and *Rhogas (Heterogamus) percurrans* reared from *A. j.* in India, 348.
- Acherontia atropos: On Egg Plant and Olive in Cyrenaica, 1240.
- Acorn: Solution of Sublimate as Anticryptogamic for Preservation Purposes, 589.
- Acrostichum sp.: *Ceroplastes rubens* in Seychelles, 345.
- Accidium macedonicum: On Phyteuma limonifolium in Macedonia, 107.
- Africa, East: *Chrysomphalus aurantii* in Kenya, 354.
- Africa, North: Observations on the infection of the Date Palm under the name of "Doud", 675.
- Africa, South: *Argopistes oleae* on Olive in Cape Province and *A. sexvittatus* on Wild Olive in Cape Province, Natal and Orange Free State, 890. Cotton Bollworm, 572. Leaf Blight of Apples, Pears and Chestnuts (*Entomosporium* sp.), 786. Pear Scab, Control of, in Cape Province, 780. Pests of Maize, 565. *Teracolona submacula* on several Plants, 1008. *Venturia pirina*, 780. Wart Disease of Potatoes (*Synchytrium endobioticum*), 781.
- Agrilus: *A. foreicollis* on Rose in Bulgaria, 113. *A. viridis*, 113.
- Agromyza sp.: On Vigna Catjang in Rhodesia, 000.
- Agropyron repens: *Ophiobolus cariceti*, 1110.
- Agrostis: Special Forms of *Puccinia graminis* in Sweden, p. 270.
- Agrotis ypsilon: Host of *Microplitis similis* in India, 348.
- Aira: Special Forms of *Puccinia graminis* in Sweden, p. 270.
- Albizia Leblek: *Caryoborus gonagra* in India, 1398. *Phenacoccus hirsutus* in Egypt, 1009.
- Alcidia dipterocarpi: Bred from Seeds of *Dipterocarpus* in the United Provinces (India), 357.

- Aleurocanthus woglumi*: New Method of Control in Cuba, 1244.
- Algeria: *Claviceps purpurea* on Oats, 999. *Icerya purchasi* and *Novius cardinalis*, 892. *Porthetria dispar* and Parasites, 1247.
- Allium Cepa*, 343.
- Almond: *Laspeyresia molesta* in Liguria, 134.
- Alopecurus pratensis*: *Puccinia graminis* n. sp. *P. Avenae* in Sweden, p. 270.
- Althaea rosea*: *Puccinia Malvacearum*, 108.
- Aluminium: Connection between Quantity in Sugar Beet and Infection by Bacterial Organisms, 1039.
- Amaranthus*: *A. polygamus*: Mite in Pres. of Bombay, 795. *A. retroflexus*: *Mordellistena pustulata* in Manitoba (Canada), 1124.
- America, South: *Dothidella Ulei* on *Hevea brasiliensis*, 342.
- Ampelodesmos*: *Claviceps purpurea* in Algeria, 999.
- Amygdalus communis*: *Exoascus deformans* in Catalonia (Spain), 777.
- Andropogon Sorghum*: *Leptocorisa varicornis* in India, 521.
- Anona: *A. reticulata*: Injurious Pests in Brazil, 664. *A. squamosa*: *Tetranychus yothersi* in Florida, 1127.
- Anthonomus grandis*: Damage to Cotton Crops in U. S. A., 1395. "Meade" Var. of Cotton, resistant in U. S. A., 713. Regulations in Egypt, 307.
- Antirrhinum* sp.: *Verticillium albo-atrum*, 1234.
- Antrocephalus destructor* and *A. renalis*: Reared from *Hypsipyla robusta* in India, 1398.
- Anua tyrrhaea*: On Pomegranates in Cyrenaica, 1240.
- Anuraphis persicae*: On Peach in Piedmonte (Italy), 888.
- Aonidia*: *A. oblusa* on *Verschaffeltia splendida* in Seychelles, 345. *A. pseudaspidiolus* on *Vanda teres* in Colorado, 663.
- Apanteles*: *A. glomeratus* Parasite of *Pieris brassicae* in France, 125. *A. melanoscelus* Parasite of "*Bombyx dispar*" (*Porthetria dispar*) imported into New England, 1242.
- Aphaereta auripes*: Parasite of *Rhagoletis suavis* in U. S. A. 355.
- Aphelinus mali*: Parasite of *Eriosoma lanigera* introduced into France, 126.
- Aphid: Injurious to Crops in Brazil, 664.
- Aphis gossypii* and *A. sorghi*: Host of *Leucopis* sp. in Sudan, 893.
- Aplastomorpha vandinei*: Nat. Enemy of *Caulophilus latinasus* in U. S. A., 1402.
- Apophyllia murina*: On Various Plants in Rhodesia, 1403.
- Apple: *Laspeyresia pomonella* in Colorado, 523. *Oidium farinosum* in Italy 1121. *Penicillium expansum* in California, 1120. *Phyllosticta solitaria* (Apple Blotch), 344. *Trichothecium candidum* in Italy, 658.
- Apricot: *Carpocapsa pomonella* in Cyrenaica, 1240. *Laspeyresia molesta* in Liguria, 134. *Lymantria dispar* in Vaucluse (France), 878. *Operophtera* (*Cheimatobia*) *brumata* in France, 1005.
- Arachis hypogaea*: *Cercospora Arachidis* var. *macrospora* in Lombardy, 578.
- Areca Catechu*: *Pinnaspis buxi* in Seychelles, 345.
- Argentina: *Ganoderma sessile* on Fruit Trees and Forest Trees, 1001. Potato Diseases, 652.
- Argentine Ant (*Iridomyrmex humilis*), 873.
- Argopistes oleae* and *A. sexvittatus* on Olives and Wild Olives in S. Africa, 890.
- Arsenate: In Control of Weeds, 1281.

- Arthrololus apatela*: Parasite of *Laspheyresia pomonella* in Valley of Grand (Colorado), 523.
- Artichoke: *Pyrameis cardui* in Cyrenaica, 1240.
- Ariocarpus elastica*, *A. integra* and *A. rigida*: Harmful Animals in Dutch East Indies, 1406.
- Asclepias curassavica*: Weed in New Caledonia destroyed by *Papilio le-ratii*, 586.
- Asparagus: *Hypopta caestrum* in France, 1246.
- Asparagus sp.: *Crioceris viridissima* in Kenya (Africa), 890.
- Aspergillus varians*: On Maize in Italy, 114.
- Aspidiotiphagus lounsburyi*: Endophagous Parasite of *Chrysomphalus dictyospermi* introduced into Italy, 665.
- Australia: *Fusarium* sp. on Tomato in N. Queensland, 1117.
- Avena: *A. algeriensis*, *A. sativa* var. *glabrescens*, *A. sativa*: *Claviceps purpurea* in Algeria, 999. *A. orientalis* and *A. sterilis*: Resistant to *Ustilago Avenae* and *A. levis* Vars. "Red Rust proof (*A. o.*)", Black Tartarian (*A. o.*) and Hybrids, in U. S. A., 819.
- Avocado: *Aleurocanthus woglumi* in Cuba, 1244. *Tetranychus zosteri* in Florida, 1127.
- BACILLUS: *B. carotovorus* on Cultivated Violets in England, 1236. *B. mesentericus* Cause of "Wet Rot" of Tomato, 1000. *B. Solanacearum* Cause of Ring Disease of Potato in India, 331.
- Bacterium: *Bact. beticolum* and *Bact. tumefaciens* in Relation to Soil, 915. *Bact. citrarefaciens* Cause of Citrus Disease in California corresponding to Dry Gummosis, observed in Italy, 335. *Bact. flaccumfaciens* on Beans in S. Dakota, 615. *Bact. gummis* Cause of Gummosis of Citrus Fruits, 335. *Bact. Phaseoli*, 651. *Bact. Solanacearum* on *Cosmos bipinnatus*, *Dahlia rosea* and *Soja max* in N. Carolina 1115. *Bact. S.* on Tobacco and other Solanaceae in Isle of Luzon (Philippines), 875.
- Bamia (*Hibiscus esculentus*), 507.
- Banana: *Cosmopolites sordidus* in Philippines, 1126. *Fusarium cubense*, *Diaprepes* sp. and *Phyllophaga* sp. in Porto Rico, 177. *Phoma Musae* in Philippines, 1119.
- Baratra brassicae*: On Peas in Cyrenaica, 1240.
- Barley: *Helminthosporium gramineum*, 113. *Ophiobolus cariceti*, 1110. *Puccinia graminis* f. sp. *Secalis* and *P. g. f. sp. Triticum* in Sweden, p. 270.
- Batschia*, 122.
- Bauhinia* sp.: *Phenacoccus hirsutus* in Egypt, 1009.
- Beans: *Bacterium flaccumfaciens* in S. Dakota, 651. Pests in Brazil, 664. Pink Grub in Rhodesia, 1403. *Pseudomonas Phaseoli* in Isle of Luzon (Philippines), 875. *Sigalphus luteipes* Parasite of "Bean Bruchus" (*Larva rufimana*) in England, 1241. *Sitona crinita* in Great Britain, 1245. *Teracolona submacula* in S. Africa, 1008. Bean Weevil, Control of, 778. Lima Bean: Pests in Egypt, 37.
- Beech: Anticryptogamic Mixture sed for Preservation of Beech Mast in Denmark, 589.
- "Beech" (*Trochocarpa laurina*), 319.
- Beet: *Teracolona submacula* in S. Africa, 1008.
- Beet, Sugar: Correlation between Quantity of Aluminium in S. b. and Bacterial Infection, 1039.
- Behar (India): *Choanephora cucurbitarium* on Pepper, 343. *Rhadinomerus bombacis* bred from Bom-

- bax malabarica*, 357. *Vermicularia Capsici* on *Capsicum annum* and *C. frutescens*, 343.
- Belgium: Decree of October 25, 1921, respecting Insectivorous Birds and Bird-Catching, 506.
- Bengal (India): *Phenacoccus hirsutus*, Cause of Alteration in Mulberry "Tukra", 797.
- Betula populifolia*: See Birch.
- "Bianca rossa" of Citrus Fruits (*Chrysomphalus dictyospermi*), 665.
- Birch: Injuries due to Causes of Chemical Origin, in Massachusetts, 1381.
- Birds: Decree respecting Insectivorous Birds and Bird Catching in Belgium, 506.
- Black-heart: Of Potato in India, 331.
- Blackwood (*Acacia melanoxylon*), 359.
- "Bois d'amande" *Pseudaonidia alabracra* in Seychelles, 345.
- "Boixadura", or "Boixat" of Garlic (*Sclerotium cepivorum*), 784.
- Boll-Weevil, see *Anthonomus grandis*.
- Bollworm: see *Platyedra gossypiella*.
- Bombax malabarica*: *Rhadinomerus bombacis* reared from *B. m.* in United Provinces and in Behar and Orissa (India), 000.
- Bombay (Prs. of): Undetermined Mite as Cause of Alteration of Pepper ("Murda"), 795.
- Bombyx dispar* (*Lymantria dispar*), (*Porthetria dispar*), 898, 1242, 1247.
- Borneo: Rice Pests in Sarawak, 1291.
- Bortyodiplodia Theobromae*: On *Gossypium punctatum* in Dahomey, 654.
- Botrytis*: *B. antherarum-Trifolii* on *Trifolium pratense* in Germany, 402. *B. Bassiana*, Nat. Enemy of *Sitona crinita*, *S. hispidula* and *S. sulcifrons* in Great Britain, 1245. *B. vulgaris* on *Funkia ovata* and *F. subcordata* in Italy, 656.
- Braconidae: New Species of Indian Br. 348.
- Brazil: *Cerococcus parahybensis* on Coffee in State of Parahyba, 532. *Ceroplastes* sp. on Maté in State of Paraná, 221. *Coelosternus graminicollis* on *Manihot utilissima*, 790. *Conotrachelus psidii* on *Psidium Guayana*, 790. Decree of December 21, 1921, No. 15198 Sanctioning the Regulations relating to Plant Diseases in Brazil, 644. *Homononotus coriaceus* on Cocoa, 670. Insect Pests (General), 664. *Megasotes pucialis* on Sweet Potato in State of Bahia, 1006. Pests and Diseases of Cocoa in State of Bahia, p. 1172. Rust: Oat Var. "Excelsior" resistant, and N. American Species liable to Attack, 241.
- Bruchus*: *B. irresectus* on *Phaseolus lunatus* in Egypt, 37. *B. rufimanus*, see *Larva rufimana*.
- Buddleia variabilis*: *Phyllosticta Montemartini* in Italy, 211.
- Bulgaria: *Agrilus foveicollis* on Rose, 133.
- Butea frondosa*: *Rhadinopus buteae* in the Punjab (India), 357.
- CABBAGE: *Hettula undalis*, *Leucochloe daphidice albidice*, *Pieris brassicae catolencu*, *Plutella maculipennis* in Cyrenaica, 1240. *Pseudomonas campestris* in Isle of Luzon (Philippines), 875. *Teracolona submacula* in South Africa, 1008.
- Cacao: Diseases and Pests in Brazil, 664 and p. 1180. In Grenada, 576. *Monilia*: Susceptible Variety from Venezuela in Ecuador, 427. *Sahlbergella theobromae* in Gold Coast, 1397.
- Cajanus indicus*: *Phenacoccus hirsutus* in Egypt, 1009. Wilt Disease, 526.
- California: *Bacterium citrarefaciens* caused by Disease of Citrus Fruits

- similar to Dry Gummosis, in Italy, 335. *Dinapale wrighti* on *Washingtonia filifera*, 1007. *Eriophyes* spp. on Figs and *Rubus* sp. 673. *Paria canella* on Strawberries 130. *Penicillium expansum* on Apples, 1120. Pests and Diseases, Control of; 679.
- Calligrapha exclamatoris*: On *Helianthus* spp. in Manitoba, 1124.
- Calopteryx virgo*: Nat. Enemy of *Tortrix viridana* in England, 895.
- Calosoma sycophanta*, 523.
- Cambisan, Tar: In Control of Diseases of *Hevea*, 575.
- Canada: *Calligrapha exclamatoris*, *Desmoris constrictus* and *Mordellistena pustulata* on *Helianthus* spp. in Manitoba, 1124. *Mollisia Earliana* on Strawberries in Ontario, 1389.
- Canker: *Diplotina Castaneae* of Chestnut in France, 116. *Chrysophlyctis endobiotica* of Potato, Decree respecting Control of, in Czecho-Slovakia, 505. *Synchytrium Solani*, Resistant Vars. of Potatoes in Great Britain, 512.
- "Capannette" Reed Covering in Control of Olive Fly (*Dacus oleae*), 219.
- Cape Province: *Argopistes oleae* and *A. sexvittatus* on Olive and Wild Olive, 890.
- Cape Robin (*Cossypha caffra*), 1108.
- Capsicum: *C. annuum* and *C. frutescens*: *Vermicularia Capsici* in Behar (India), 343. *Capsicum* sp.: *Diaprepes capsicalis* in Porto-Rico, 790. "Murda" in Pres. of Bombay, 795. *Verticillium alboatrum*, 1234.
- Cardoon: *Pyrameis cardui* in Cyrenaica, 1240.
- Carica Papaya: *Piazurus papayae* in Brazil, 790. *Vermicularia Capsici*, 343.
- Carolina, North: *Bacterium Solanacearum* on *Cosmos bipinnatus*, *Dahlia rosea* and *Soja max*, 1115. *Phyllosticta Nicotiana* on Tobacco 1114. *Tetranychus yothersi* on *Ulmus* sp., 1127. South: *Caulophylus latinasus* on Seeds, 1402. *Sclerotinia carunculoides* on *Morus alba*, 887. *Tetranychus yothersi* on *Ulmus* spp., *Quercus alba* and *Hicoria Pecan*, 1127.
- Carpocapsa pomonella*: On Apricots and Peaches in Cyrenaica, 1240.
- Carya ovata*: *Rosellinia Caryae* and *Dolkichiza Caryae* in Michigan, 1238.
- Caryoborus gonagra*: Living on Seeds of *Albizia Lebbeck* in India, 1398.
- Cassia: *C. Fistula*: *Osphila odinae* in United Provinces (India), 357. *C. siamea*, Immune var. in Cuba, 808.
- Casuarina stricta*: *Ganoderma sessile* in Argentina, 1001.
- Caulophylus latinasus*: Injurious to Seeds in Florida, Georgia and S. Carolina, 1402.
- Cecropia*, 122.
- Cedar brushes, 359.
- Cedrela Toona*: *Hypsipyla robusta* in India, 1398.
- Celerio lineata livornica*: On Vine in Cyrenaica, 1240.
- Cenangium*: *C. Abietis* on Spruce Pine in Switzerland, 787. *C. piniphilum* on *Pinus ponderosa* and *P. contorta* in States of Idaho, Washington and Montana, 118.
- Cephalosporium*, 516. *C. Acremonium* Parasitic on *Aspergillus varians* in Italy, 114.
- Ceratonia Siliqua*: *Phenacoccus hirsutus* in Egypt, 1009.
- Ceratopetalum apetalum*: *Platypus omnivorus* in New South Wales, 359.
- Ceratostomella pilifera*, 118.
- Cercocephala elegans*: Nat. Enemy of *Caulophylus latinasus* in U. S. A., 1402.
- Cercospora*: *C. Arachidis* var. *macrospora* on Peanut in Lombardy,

518. *C. Batatae* on Sweet Potato in Philippines, 517. *C. Melongenae* on Egg Plant in Philippines, 1118.
- Cercyonia citri*: On Citrus spp. in Gold Coast, 890.
- Cereals: Rust and the Mycoplasma Theory, pp. 269-272. *Ophiobolus cariceti* as Cause of Take-all Disease, 1109-1110.
- Cerococcus parabybensis*: On Coffee in State of Parabyba (Brazil), 532.
- Ceroplastes*: *C. rubens* on *Acrostichum* sp. in Seychelles, 345. *C. rusci* Effect of Crystalline Ferrocyanide of Potassium on this Scale Insect, 218. *Ceroplastes* sp. on Maté in State of Parana (Brazil), 221. *Ceroplastes* spp. on Maples and Plane Trees in Hérault, 132.
- Ceulotopha isidis*: On Cassia in Ceynaica, 1240.
- Ceylon: Diseases and Pests of Hemp, 577.
- Chaetostricha cratitia*: Reared from *Promecotheca reichei*, 1397.
- Chalcis hearseyi* var. *xanthotenus* and *Ch. tachardiae*: Reared from *Hypsipyla robusta*, 398.
- "Chandiroga": Of Pepper, 795.
- Chestnut: Gummosis and "Maladie de l'encre", 874. Oak Oidium in Emilia (Italy), 214. Cankrous Tumours of *Diplodina Castaneae* in France, 116. Prevention of *Endothia parasitica* and "Maladie de l'encre" in Renewal of Chestnut Woods in France, 832.
- Chile: Immunity of Potatoes to Disease: Control of "Sarna" (*Oospora Scabies*) of Potatoes in Island of Chiloé, 827.
- Chillies, see *Capsicum*.
- Chionaspis subcorticalis*: On Tomatoes and *Sida* sp. in Seychelles, 345.
- "Chir" (*Pinus longifolia*), 1398.
- Chloryla lybica*: On Vine in Lybia, 356.
- Choanephora Cucurbitarum*: On Chillies in Behar (India), 343.
- Cholus waltzi*: On Pineapple in Grenada, 790.
- Chrysanthemum coronarium*: *Bacterium Solanacearum* in Philippines, 1116.
- Chrysobothris* sp. On *Heritiera Fomes* in India, 1398.
- Chrysomphalus*: *Chr. aurantii* on Citrus Fruits in Kenya (E. Africa), 354. *Chr. dictyospermi*: *Aspidiotiphagus lounsburyi*, Endophagous Parasite of "Bianca rossa" of Citrus Trees, 665. On *Coelogyne cristata* in Colorado, 000.
- Chrysomyxa Abietis*: Mycoplasmic Theory, p. 277.
- Chrysopa lateralis*: Nat. Enemy *Tetranychus yothersi* in Florida, 1127.
- Chrysophlyctis endobiotica*: Decree respecting Control of in Czechoslovakia, 505.
- Cicindela sexpunctata*: Nat. Enemy of *Leptocoris acuta* in Philippines, 529.
- Cinchona Ledgeriana* and *C. succirubra*: New Micromycetes living on these spp. in Indo-China, 1387.
- Cinnamon: Diseases and Pests in Ceylon, 577.
- Cinnamomum Camphora*: *Tetranychus yothersi* in Florida, 1127.
- Citrus: *C. decumana* and Citrus sp.: *Leptocoris acuta* in Philippines, 529. *Icerya purchasi* in Provence, 891. In Spain 1004. Citrus spp.: *Aleurocanthus woglumi* in Cuba, 1244. *Bacterium citrarefaciens*, *Bact. gummi*, 335. *Cercyonia citri* in Gold Coast, 890. *Chrysomphalus aurantii*, in Kenya (E. Africa), 354. *Exophthalmodes roseipes* in Porto Rico, 790. Gummosis, Dry, 333. In Sicilia, 106. *Pseudomonas Citri* in Isle of Luzon (Philippines), 875. *Vermicularia Capsici*, 343. Injurious Insects in Brazil, 004.

- Claviceps purpurea*: On Oats in Algeria, 999.
- Chloride of Lime: Cause of Injury, 1381.
- Chloropicrin: Disinfection of Cotton Seed, 1399.
- "Chlorosis" Of Pineapple, 1314. Of Vine, and Effect of Deep Ploughing, 1318. Of Vine, and Treatment with Sulphate of Iron and Perchloride of Iron, 509.
- Clover: *Sitona hispidula* and *S. sulcifrons* in Great Britain, 1245.
- Red Clover: Researches on "Incappucciamiento", 996.
- "Coachwood" (*Ceratopetalum apetalum*), 359.
- Coccidae: In Brazil, 664. In Egypt, 1122. In Seychelles, 345. On Orchids in Colorado, 663.
- Coccinella undecimnotata* and *C. vicina*, 893.
- Coconut: *Homalonotus coriaceus* in Brazil, 670. Injurious Insects in Brazil, 664. *Promecotheca reichii* in Fiji, 1397. *Thielaviopsis paradorica* in Madras (India), 866. In Florida, 1237.
- Coelogyne cristata*: *Chrysomphalus dictyospermi* in Colorado, 663.
- Coffee: *Aleurocanthus woglumi* in Cuba, 1344. *Cerococcus parahybensis* in State of Parahyba (Brazil), 532. Injurious Insects in Brazil, 664. *Lachnopus coffeae* and *Lachn. coffeae montanus* in Porto Rico, 790.
- Coix lacryma-jobi* var. *Mayuen*: Resistance to Locusts in Philippines, 412.
- Colosporium Campanulae*, *C. Compositarum*: Mycoplasmaic Condition, P. 277.
- Colius croceus minor*: On Lucerne, 1240.
- Colletotrichum*: Coll. *Gossypii* Metagenetic Stage of *Glomerella Gossypii* Injurious to Cotton in Philippines, 517. Coll. *Kaki* on *Diospyros Kaki* var. *Kiombo* in Italy, 213. Coll. *Lindenuthianum*: Mycoplasmaic Condition, p. 277.
- Colorado: *Laspeyresia pomonella* Observations on Life History, 523.
- Scale Insects on Orchidaceae, 663.
- Colorado Beetle (*Leptinotarsa decemlineata*) 872, 897, 1124.
- Compsilura concinnata*: Parasite of *Pieris brassicae* in France, 125.
- Conoderus bifoveatus*: On Tobacco in Cuba, 1213.
- Conotrachelus psidii*: On *Psidium Guayana* in Brazil, 790.
- Copper: Active Principle in Sprays, 112.
- Coriarachne versicolor*: Living on *Laspeyresia pomonella* in Colorado.
- Corkwood (*Schizomeria ovata*), 359, 523.
- Corticium vagum* var. *Solani*: On Potato in Argentina, 652.
- Cosmopolites sordidus*: On Banana and Abaca in Philippines, 1126.
- Cosmos bipinnatus*: Host of *Bacterium Solanacearum* in N. Carolina, 1115.
- Cotton: *Anthonomus grandis* (Boll Weevil). In U. S. A., 1395. Resistant "Meade" Variety in U. S. A., 713. Law relating to Control of Pink Boll Weevil and of Seeds of Cotton Plant in Egypt, 507.
- Aphis gossypii* in Sudan, 593.
- Botryodiplodia Theobromae* in Dahomey, 654. *Colletotrichum Gossypii*, in the Philippines, 517. Diseases, pp. 935-938. Disinfection of Seeds with Chloropicrin, 1399.
- Exophthalnodes roseipes* in Porto Rico, 790. *Heliothis armigera* in S. Africa, 572. Injurious Insects in Brazil, 664. *Oxycaenus* spp. and *Dysdercus* spp. (Cotton Stainers): Resistant Types in Montserrat, (West Indies), 368. *Phenacoccus hirsutus* in Bengal, 797. *Platyedra gossypiella* (Pink Bollworm) and

- the Nat. Enemy *Triphleps tantilus* in India, 526. *Pseudomonas Malvacearum* in Isle of Luzon (Philippines), 875.
- Cotton Anthracnose (*Glomerella Gossypii*), 517.
- Cotton Stainers (*Dysdercus* and *Oxycaenus* spp.), 368.
- Crioceris viridissima*: On *Asparagus* sp. in Kenya (E. Africa), 890.
- Cronartium ribicola*: In Pennsylvania, 119. Mycoplasmic Condition, p. 277.
- "Croste nere delle foglie dell'acero" (*Rhytisma acerinum*), 117.
- Crotalaria juncea* and *C. usaramensis*: *Fusarium* sp. in Tonkin, 516.
- Cuba: *Aleurocanthus woglumi* on Fruit Trees, New Method of Control, 1244. *Cassia siamea*, Immune to Attack, 808. *Conoderus bifoveatus*, *Heteroderes amplicollis* and *Megapenthes opaculus* on Tobacco, 1293.
- Cucumber: *Mycosphaerella citrulina* in Japan, 1235. *Verticillium albo-atrum*, 1234.
- Cucumis: *C. Melo*: *Lochmaea sanguinolenta* in Catalonia (Spain), 222. *C. sativus*: *Tetranychus yothersi* in Florida, 1127.
- Cucurbitaria* sp., 516.
- Cucurbitaceae: *Mycosphaerella citrulina* in Japan, 1235.
- Currant, Red: Resistance to *Sphaerotheca mors-uvae*, 205.
- Cuscuta*: *C. arvensis*, 208. *C. Trifolii*, *C. Epithymum* var. *Trifolii* (Biological Observations), 889.
- Cyamopsis psoraloides*: Mite in Pres. of Bombay (India), 795.
- Cycloconium oleaginum*, 219.
- Cynodon Dactylon*: *Leptocoris acuta* in Philippines, 529.
- Cyrenaica: Lepidoptera, 1280.
- Cytisus biflorus*: *Sitona crinita* in Great Britain, 1245.
- Cytosporina citriperda*: On Mandarin Oranges in Italy, 657.
- Czecho-Slovakia: Decree respecting Control of *Chrysophlyctis endobiotica*, 505.
- DACTYLIS GLOMERATA*: *Puccinia graminis* t. sp. *Avenae* in Sweden, p. 270.
- Dactyloctenium aegyptiacum*: *Lepidocoris acuta* in Philippines, 529.
- Dactylopius bromeliae*, 797.
- Dacus oleae*: Control by Means of "Lotrionte" System of Traps ("Capanette dachicide") in Spain and Italy, 219. Control during 1920 in Greece, 350. See also Olive Fly.
- Dahlia*: *D. rosea*: *Bacterium Solanacearum* in N. Carolina, 1115. *Dahlia* sp.: Mite in Pres. of Bombay, 795.
- Dahomey: *Botryodiplodia Theobromae* on *Gossypium punctatum*, 654.
- Dakota, North: Stem Rust of Wheat (*Puccinia graminis*), 159. South: *Bacterium flaccumfaciens* on Beans, 651.
- Dalbergia Sissoo*, 217.
- Date Palm: "Doud" in N. Africa, 675. Scale Insect (*Phoenicococcus marlatti*) liable to Attack Cuttings, 435. Injurious Insects in Mesopotamia, 584, 1316.
- Dendrophoma Cinchonae*: On *Cinchona* in Indo-China, 1367.
- Denmark: Anticryptogamic Solutions in Preservation of Acorns and Beech-Mast, 589.
- Derolus discicollis*: On *Heritiera Fomes* in India, 1398.
- Desmoris constrictus*: On *Helianthus* in Manitoba, 1124.
- Diabrotica vittata*, *D. trivittata*, and *D. 12-punctata*: Parasites of *Howardula benigna* in U. S. A., 210.
- Diadiplosis indica*: Parasite of *Phenacoccus virgatus* in Bengal, 797.
- Diaprepes*: *D. capsicalis* on *Capsicum* sp. in Porto Rico, 790. *Diaprepes*

- sp.: On Banana in Porto Rico, 177.
- Diapus furivus*: On *Shorea robusta* in India, 1398.
- Diaspis*: *D. (Aulacapsis) flacourtiæ* on *Flacourtia* in Seychelles, 345.
- D. boisdualii* on *Laeliocattleya* Hybr. *Victoriæ* and *Odonoglossum Rossii* in Colorado, 663.
- Diatraea saccharalis*: Resistant Varieties of Java Sugar Cane Seedlings, 270.
- Dibrachys clisiocampæ*: Parasite of *Laspeyresia pomonella* in Valley of Grand Colorado, 523.
- Didymosphaeria Euphorbiæ*, 797.
- "Die-back" of Chillies, 343.
- Digitaria consanguinea*: *Leptocoris acuta* in Philippines, 529.
- Dinapate wrighti*: On *Washingtonia filifera* in California, 1007.
- Diorthis simplex*: On *Heritiera Fomes* in India, 1398.
- Diospyros Kaki* var *Kiombo*: *Colletotrichum Kaki* in Italy, 213.
- Diplodia*: *D. ilicina*, 997. *D. Theobromæ*, 516.
- Diplodina Castaneæ*: On Chestnut in France, 129.
- Dipterocarpus*: *Alcides dipterocarpi* reared from Seeds in United Provinces (India), 357.
- Dipteron*, Undetermined: On Lucerne in France, 129.
- Dolichos Lablab*: *Vermicularia Cap-sici*, 343.
- Doryphora*: *D. decemlineata*, see *Leptinotarsa decemlineata*. *D. Sas-safra*: *Platybus omnivorus* in New South Wales, 356.
- Dothichiza Caryæ*: On *Carya ovata* in Michigan (U. S.), 1238.
- Dothidella Ulei*: On *Hevea brasiliensis* in S. America, 342.
- Dothiorella Samnini*: Cause of Scab on Pomegranates in Italy, 659.
- Dreyfusia nüsslii*: White Fir Beetle in Switzerland, 678.
- Drosophila rubrostriata*: Parasite of *Pieris brassicæ* in France, 125.
- Dryinidae*: *Hymenopterum* Parasite of *Idiocerus atkinsoni*, *I. clypealis*, and *I. niveosparus* in India, 894.
- "Dry rot" (*Fusarium* sp.) of Potato in India, 391.
- Dutch East Indies: Tests of *Artocarpus* spp. and *Tectona grandis*, 1406.
- Dysdercus* spp.: On *Hibiscus Sabdariffa* var. *altissima* in Federated Malay States, 420. Resistant Cotton Varieties in Montserrat (West Indies), 368.
- EANIAS INSULANA ANTHOPHILANA: On *Gossypium barbadense* and *Hibiscus esculentus* in Cyrenaica, 1240.
- Egg Plant: *Acherontia atropos* in Cyrenaica, 1240. *Bacterium Solanacearum* in Philippines, 1116. *Cercospora Melongenæ* in Philippines, 1118. *Verticillium albo-atrum*, 1234.
- Egypt: Coccidae, 1122. Cotton Bollworm (*Platyedra gossypiella*), 263. Law relating to Control of Boll Weevil and Seed of Cotton Plant, 507. Pests and Diseases of Lima Bean (*Phaseolus lunatus*), 37. *Phenacoccus hirsutus* on Various Plants, 1009.
- Eleusine indica*: *Apophyllia murina* in Rhodesia, 1403. *Leptocoris acuta* in Philippines, 529.
- Elm: Effect of Chloride of Lime on Trees, 1381.
- Elymus*: *E. arenarius*: *Puccinia graminis* f. sp. *Secalis* in Sweden p. 270.
- Elymus* sp.: *Ophiobolus cariceti*, 1110.
- Empis livida* (?): Nat. Enemy *Tortrix viridana* in England, 895.
- Empoasca mali*: Cause of Tip burn of Potatoes in U. S. A., 522. Artificial Production of Tip-burn, or Hopper-burn in U. S. A., 215.